

M/3 Parts 1926 Type differing from parts in M/3 Spares List

Also M/3S Parts differing from M/3

All Parts not mentioned herein are common to both Models.

Please Specify colour when ordering Enamelled Parts, i.e., black or grey.

ENGINE PARTS M/3S.

			£	s.	d.
M/3 E. 301	Cylinder bare (front)	4	2	6
M/3 E. 302	Cylinder bare (rear)	4	2	6
M/3 E. 347	Valve springs (each)			6
M/3 E. 344	Top valve spring cap or collar (each)			3
	Engine sprocket 20 tooth		8	0
M/3 E. 438/S	Exhaust pipes	1	1	0
M/3 E. 440/S	Silencer (bright nickelled)		10	0
M/3 E. 444/S	Oil pipe, tank to oil pump		3	6
	All other Parts as M/3.				

GEAR BOX AND PARTS M/3S.

L.S. 5 C.R.	Main shaft or axle pinion (close ratio)	16	0	
L.S. 6 C.R.	Mainshaft sliding pinion (close ratio)	8	6	
L.S. 9 C.R.	Mainshaft small pinion (close ratio)	4	0	
L.S. 7 C.R.	Layshaft sliding pinion (close ratio)	10	0	
L.S. 8 C.R.	Layshaft small pinion (close ratio)...	5	0	
L.S. 10 C.R.	Low gear and K.S. Pinion (close ratio)	10	0	
	Gear operating rod complete	4	6	
	All other Parts as M/3			

FRAME AND FORK PARTS.

(Specify colour when ordering).

M/3 F. 165/S	Complete frame M/3S	5	17	6
M.F. 97	Seat lug bolt M/3S			7
S.T.D. 3	Nut for above M/3S			3
S.T.D. 10	Washer for nut M/3S			1
M/3 F.F. 125/S	Front forks complete with stand and mud-guard M/3 and M/3S	5	12	0
M/3 F.F. 126/S	Front forks complete less stand and mud-guard	4	5	0
M.F.F. 169	Front fork girder only, left side		16	0
M.F.F. 168	Front fork girder only, right side		17	0
M.F.F. 158	Front fork spindle short		1	0

Matchless

IN NAME & REPUTATION

M/3 Parts 1926 Type Differing from Parts in M/3 Spares List.

Also M/3S Parts Differing from M/3.

All Parts not mentioned herein are common to both Models.

MODEL M/3



Frame and Fork Parts—contd.		£	s.	d.
M.F.F. 159	Front fork spindle long	1	1	
M.F.F. 39	Front fork spindle grease nipple		5	
M.F. 151	Front fork spindle tubular sleeve (top)	2	4	
M.F. 154	" " " " " bottom	2	6	
M.F.F. 33	Lock nuts for above (each)		4	
M.F.F. 95	Short distance spacer for top sleeve		4	
M.F.F. 96	Long distance spacer for top sleeve		4	
M.F.F. 150	Spring anchor lug (fits between above)	1	7	
M.F.F. 174	Bottom fixing nut for fork spring		3	
M.F.F. 173	Special taper collar for above		4	
M.F.F. 153	Front fork spring	2	6	
M.F.F. 170	Fork crown and stem	13	6	
M.F.F. 119	" " " " type M/3S	1	6	
M.F.F. 70	Fork stem handlebar clip lug	8	0	
M.F.F. 77	Pinch bolt for handlebar		6	
S.T.D. 3	Nut for above		3	
M.F.F. 162	Fork link bottom (left side)	1	4	
M.F.F. 161	Fork link bottom (right side)	1	3	
M.F.F. 5	Fork crown ball race	3	2	
M.F.F. 37	Ball race for frame and handlebar clip (each)	2	5	
M.F.F. 181	Set of steering head balls	1	3	
M.F.F. 28	Head stem adjusting nut		8	
M/3 F.F. 111/S	Cap lock nut for above (drilled for steering damper)	1	6	
M/3 F.F. 97/S	Steering damper base plate M/3S	1	0	
M/3 F.F. 120/S	Bolt fixing above to frame lug		4	
S.T.D. 2	Nut for bolt		2	
M/3 F. 184/S	Large dished washer for bolt each		9	
M/3 F.F. 116/S	Steering damper tubular socket	5	9	
M/3 F.F. 115/S	Steering damper long rod	2	6	
M/3 F.F. 110/S	Spring for above		3	
M/3 F.F. 117/S	Securing pin for damper rod		1	
M/3 F.F. 101/S	Flynut for damper rod	1	0	
M.F.F. 60	Leather friction washers (each)		1	
M.F.F. 164	Fork link top (left side)	1	8	
M.F.F. 163	Fork link top (right side)	1	3	
	All other Parts as M/3			

REAR MUDGUARD AND PARTS REQUIRED FOR M3/S MODEL WITHOUT LUGGAGE CARRIER.

M/3 M. 102/S	Rear mudguard only	14	6	
M/3 M. 106/S	Left side mudguard rear stay		9	
M/3 M. 109/S	Right side mudguard rear stay		9	
M/3 M. 104/S	Support rod for rear number plate bracket		5	
S.T.D. 4	Nuts for above (each)		2	
S.T.D. 11	Washer for nut		1	
M/3 M. 107/S	Spacer or distance tube for rod		6	
M/3 F. 168	Hand hold arch piece	8	0	

Rear Mudguard and Parts Required for M3/S Model without Luggage Carrier—contd.

	£	s.	d.
M.F. 77	Bolt securing bottom end		2
M/3 M. 104/S	Bolt fixing arch to rear mudguard		3
S.T.D. 4	Nut for same		2
M/3 F. 169/S	Tool box	15	0
M.F. 99	Bolts securing tool box each		3
S.T.D. 5	Nut for securing tool box each		2
M.F. 99	Bolt for mudguard stay top		3
S.T.D. 5	Nut for above		2
	All other Parts as M/3		


MUDSHIELDS M3/S.

M/3 M. 120/S	Mudshields complete with all fittings	12	6
M/3 M. 121/S	Left side mudshield only	4	9
M/3 M. 122/S	Right side mudshield only	4	9
M.M. 29	Top mudshield rod 5/16 diameter		9
S.T.D. 4	Nut for above		2
S.T.D. 11	Washer for nut		1
M/3 M. 124/S	Cliplug for top mudshield rod	1	3
M.M. 27	Left side top distance tube		4
M.M. 27	Right side top distance tube		4
M/3 M. 117/S	Bottom mudshield rod 1/2 diameter	1	6
S.T.D. 1	End nut for above (standard type)		5
M/3 F. 183/S	Special extended nut for sidecar attachment	1	4
M/3 M. 118/S	Bottom left side distance tube		5
M/3 M. 115/S	Bottom right side distance tube		5
M.F.B. 14	Centre distance tube (between engine plates)		4
M.F.B. 2	Centre distance tube for bottom mudshield bracket		4
S.T.D. 8	1/4 washers for bottom rod (each)		1


TANK AND FITTINGS M/3S.

M/3 T. 61/S	Tank less all fittings	5	5	0
M/3 T. 51/S	Hinged filler caps (each)		3	6
M/3 T. 69/S	Fulcrum screw for above			2
M/3 T. 56/S	Knee grips per pair complete		5	0
M/3 T. 58/S	Knee grip only		2	6
M/3 T. 59/S	Bolt for fixing			3
M/3 T. 70/S	Steel plate for fixing			6
M/3 T. 68/S	U pipe connecting tank divisions	2		6
	All other Parts as M/3			

M/3S—FRAME PARTS, MUDGUARDS, Etc.



M/3 & M/3S—FORK PARTS, Etc.



Frame and Fork Parts --contd.		£	s.	d.
M.F.F.	159	Front fork spindle long	1	1
M.F.F.	39	Front fork spindle grease nipple		5
M.F.	151	Front fork spindle tubular sleeve (top)	2	4
M.F.	154	" " " " bottom	2	0
M.F.F.	33	Lock nuts for above (each)		4
M.F.F.	95	Short distance spacer for top sleeve		4
M.F.F.	96	Long distance spacer for top sleeve		4
M.F.F.	150	Spring anchor lug (fits between above)	1	7
M.F.F.	174	Bottom fixing nut for fork spring		3
M.F.F.	173	Special taper collar for above		4
M.F.F.	153	Front fork spring		2 6
M.F.F.	170	Fork crown and stem	13	6
M.F.F.	119	" " " " type M/3S	1	6
M.F.F.	70	Fork stem handlebar clip lug		8 0
M.F.F.	77	Pinch bolt for handlebar		6
S.T.D.	3	Nut for above		3
M.F.F.	162	Fork link bottom (left side)	1	4
M.F.F.	161	Fork link bottom (right side)	1	3
M.F.F.	5	Fork crown ball race		3 2
M.F.F.	37	Ball race for frame and handlebar clip (each)		2 5
M.F.F.	181	Set of steering head balls	1	3
M.F.F.	28	Head stem adjusting nut		8
M/3 F.F.	111/S	Cap lock nut for above (drilled for steering damper)	1	6
M/3 F.F.	97/S	Steering damper base plate M/3S	1	0
M/3 F.F.	120/S	Bolt fixing above to frame lug		4
S.T.D.	2	Nut for bolt		2
M/3 F.	184/S	Large dished washer for bolt each		9
M/3 F.F.	116/S	Steering damper tubular socket		5 9
M/3 F.F.	115/S	Steering damper long rod		2 6
M/3 F.F.	110/S	Spring for above		3
M/3 F.F.	117/S	Securing pin for damper rod		1
M/3 F.F.	101/S	Flynut for damper rod	1	0
M.F.F.	60	Leather friction washers (each)		1
M.F.F.	164	Fork link top (left side)	1	8
M.F.F.	163	Fork link top (right side)	1	3
		All other Parts as M/3		

REAR MUDGUARD AND PARTS REQUIRED FOR M3/S MODEL WITHOUT LUGGAGE CARRIER.

M/3 M.	102/S	Rear mudguard only	14	6
M/3 M.	106/S	Left side mudguard rear stay		9
M/3 M.	109/S	Right side mudguard rear stay		9
M/3 M.	104/S	Support rod for rear number plate bracket		5
S.T.D.	4	Nuts for above (each)		2
S.T.D.	11	Washer for nut		1
M/3 M.	107/S	Spacer or distance tube for rod		6
M/3 F.	168	Hand hold arch piece	8	0

cropped letter
will be M or S

REAR BRAKE PARTS.

	£	s.	d.
Rear brake shoe expander lever		1	3
Rear brake pedal		4	6
Rear brake pedal fulcrum stud		1	6
Rear brake pedal pull off spring			4
Rear brake rod		2	5
Rear brake rod yoke end			9
Yoke end bolt			3
Nut for above			2
Rear brake cover plate		5	9
All other Parts as M/3			

FOOTREST AND PARTS.

Footrest rod only		1	3
Footrest rod end nuts each			3
Left side footrest distance tube			7
Right side footrest distance tube			7
Footrest link plate		1	2
Footrest pad spindle		1	0
End nuts for pad spindle			3
Spigot washer for pad spindle			3
Footrest pad and holder assembled with flanges		2	2
Footrest rubber pad only			10
Footrest pad flanges only (each)			3
Footrest pad centre tube only			5
Footrest engine plate (left or right)		1	2

HANDLEBAR M/3S.

Handlebar bare		1	2 0
Handlebar rubber grip (left side)		1	3
Handlebar twist grip (right side)		2	6

NOTE—on Model M/3S, the standard dual carburetter control levers (see M/3 List) are used for air and ignition, the twist grip mentioned above operates throttle only

SADDLE AND PARTS M/3S.

Saddle (special Terry)			
Bolt for front end attachment to frame tube	2	11	6
Nut for above bolt			3
Bracket (tubular) for rear attachment		6	0