

AGENTS COMPLIMENTARY COPY.

Telegrams: "HOPIT, WOLVERHAMPTON."

Telephone: 1731 (Five Lines).


**A.J.S**

**Motor Cycles**

**LIST OF PARTS**

Applicable only to

4.98 h.p. 1928 O.H.C. MODEL K10.



A. J. STEVENS & CO. (1914) Ltd.,

GRAISELEY HOUSE, WOLVERHAMPTON,

HARRIS & CRESSWELL, PRINTERS,  
WORCESTER ST., WOLVERHAMPTON.

Quote Part Number, Name of Part, Model, and Year, when Ordering. **4.98 h.p. 1928 A.J.S. Overhead Camshaft (Model K10).**

For Agent's Use.  
3.49 h.p. List No.

THE Parts in this List are only applicable to the 4.98 h.p. Overhead Camshaft K10 Machine, and Parts that are similar to the 4.98 h.p. K8 Model will be found either in the 4.98 h.p. 1928 Revision List or the 1926-27 Main Spare Parts List.

**SPECIAL NOTE to AGENTS ONLY.**

The interchangeability of parts in this List with the 3.49 h.p. Camshaft Model is shewn by the corresponding 3.49 h.p. Part Number being quoted against parts that are common to both machines.

Part No.	DESCRIPTION OF PART.	Price. £ s. d.	For Agent's Use. 3.49 h.p. List No.
<b>Engine</b>			
G1-7	Cylinder Head, with Valve Guides .. .. .	2 7 6	..
G1-10	Cylinder Head Studs .. .. . each..	6	H20-5
G1-11	Cylinder Head Stud Nuts .. .. . each..	1 0	..
G2-5	Cylinder Barrel .. .. .	1 8 6	..
G4-7	Piston, complete, with Rings, Gudgeon Pin, etc. (Low compression) ..	1 1 6	..
	Piston, complete, with Rings, Gudgeon Pin, etc. (Special high compression)	1 0 8	..
G15-7	Piston Body only (Low compression) .. .. .	15 0	..
G15-8	Piston Body only (Special high compression) .. .. .	15 0	..
G17-3	Valve, complete, with Springs, etc. (Inlet or Exhaust) .. .. .	12 9	..
G18-2	Valve Stem only (Inlet or Exhaust) .. .. .	10 0	..
G22-IAI	Valve Guide Exhaust .. .. .	2 0	..
G22-IBI	Valve Guide Inlet .. .. .	2 0	..
G26-1	Exhaust Lifter Lever.. .. .	2 6	H123-1
G26-2	Pin for above .. .. .	4	H123-2
G35-4	Mainshaft (Timing Side) .. .. .	7 6	H196-2
G37-4	Mainshaft Ball Race (Timing Side) .. .. .	10 0	H207-2
G38-3A	Mainshaft (Driving Side) .. .. .	9 6	..
G40-2B	Mainshaft Ball Race (Driving Side) .. .. .	10 0	H212-2
G40-4A	Distance Piece for Mainshaft (Timing Side) .. .. .	9	H216-1
G40-6A	Distance Piece for Mainshaft (Driving Side) .. .. .	6 6	..
G43-2	Small Timing Pinion .. .. .	3 3	H268-2
G50-2	O.H.C. Camshaft .. .. .	1 5 0	..
G50-3	O.H.C. Camshaft Sprocket .. .. .	4 0	H288-3
G50-4	O.H.C. Sprocket Sleeve .. .. .	2 6	H288-4
G50-5	O.H.C. Sleeve Washer .. .. .	1 3	H288-5
G50-7	O.H.C. Camshaft Nut .. .. .	1 0	H288-7
G50-8	O.H.C. Camshaft Bearings .. .. . each..	8 9	H218-8

Quote Part Number, Name of Part, Model, and Year, when Ordering. **4.98 h.p. 1928 A.J.S. Overhead Camshaft (Model K10).**

Part No.	DESCRIPTION OF PART.	Price. £ s. d.	For
			Agent's Use. 3.49 h.p. List No.
<b>Engine—Continued.</b>			
G50-9	O.H.C. Timing Gear Sprocket .. .. .	10 6	H288-9
G50-10	O.H.C. Timing Wheel .. .. .	8 6	H288-10
G50-11	O.H.C. Timing Gear Shaft .. .. .	2 6	H288-11
G50-12	Ball Race for Timing Gear Shaft .. .. . each..	8 0	H288-12
G50-13	O.H.C. Tensioner Blade .. .. .	1 0	..
G50-13A	O.H.C. Tensioner Coil Spring .. .. .	1 0	H288-13A
G50-14	Tensioner Pin (Top) .. .. .	4	H288-14
G50-15	Tensioner Pin (Bottom) .. .. .	1 0	H288-15
G50-16	O.H.C. Slider .. .. .	8	H288-16
G50-17	O.H.C. Slider Spring .. .. .	4	H288-17
G50-18	O.H.C. Slider Spring Pin (Large head) .. .. .	3	H288-18
G50-19	O.H.C. Slider Spring Pin (Small head) .. .. .	3	H288-19
G53-3	O.H.C. Rocker, with Studs (Inlet) .. .. .	15 0	..
G54-1B	O.H.C. Rocker, with Studs (Exhaust) .. .. .	15 0	..
G54-3	O.H.C. Rocker Box .. .. .	1 5 0	H164-3
G54-4	O.H.C. Rocker Box Cover .. .. .	5 6	H164-4
G54-5	O.H.C. Rocker Box Cover Pin .. .. . each..	4	H164-5
G54-6	O.H.C. Rocker Box End Cap .. .. .	3 3	H164-6
G54-7	O.H.C. Rocker Box End Cap Pins .. .. . each..	3	H164-7
G54-8	O.H.C. Spider Bearing .. .. .	3 6	H164-8
G54-9	Pins for Spider Bearing .. .. .	3	H164-9
G54-10	O.H.C. Inspection Cap .. .. .	1 6	H164-10
G54-11	O.H.C. Inspection Cap Pins .. .. . each..	4	H164-11
G54-12	O.H.C. Rocker Box Distance Pillars .. .. . each..	1 6	H164-12
G54-13	O.H.C. Rocker Box Holding-down Pins .. .. . each..	6	H164-13
G54-14	Washer for Rocker Box .. .. .	6	H164-14
G54-15	Cork Washers for O.H.C. Rockers .. .. . set..	6	H164-15

Quote Part Number, Name of Part, Model, and Year, when Ordering. **4.98 h.p. 1928 A.J.S. Overhead Camshaft (Model K10).**

Part No.	DESCRIPTION OF PART.	Price. £ s. d.	For
			Agent's Use. 3.49 h.p. List No.
<b>Engine—Continued.</b>			
G55-5	O.H.C. Rocker Stud (Cam End) .. .. .	9	H174-2
G56-1	O.H.C. Rocker Bush .. .. .	2 6	..
G57-2	O.H.C. Rocker Spindle .. .. .	3 0	H182-2
G59-1	O.H.C. Rocker Stud (Valve End) .. .. .	4	H175-1
	Nut for above (as G55-4) .. .. .	1	H174-3
G68-6	Crankcase Half, without Races (Timing Side) .. .. .	1 17 6	..
G69-5	Crankcase Half, without Races (Driving Side) .. .. .	1 17 6	..
G71-5	O.H.C. Chain Cover .. .. .	15 0	..
G71-6	Chain Cover Fabric .. .. . pair..	1 6	..
G71-7	Rivets for Fabric .. .. . dozen..	4	H249-4
G71-8	O.H.C. Chain Cover Cap .. .. .	12 6	..
G71-9	Pins for Chain Cover (Long) .. .. . each..	5	H249-6
G71-10	Pins for Chain Cover (Short) .. .. . each..	3	H249-7
G71-11	Pins for Chain Cover Cap .. .. . each..	4	H249-8
G72-A	Oil Release Pipe and Union Nut.. .. .	1 6	..
G73-5	Flywheel (Timing Side) .. .. .	16 6	..
G74-5	Flywheel (Driving Side) .. .. .	16 6	..
G89-1	Engine Sprocket Sleeve .. .. .	3 3	..
G90-1	Engine Sprocket Sleeve Nut .. .. .	6	..
G93-2	Magneto Platform .. .. .	3 6	..
G99-1	Oil Filter .. .. .	2 0	H326-1
G99-2	Oil Filter Connection.. .. .	9	H326-2
G99-3	Oil Regulator Needle Valve .. .. .	1 6	H326-3
G99-4	Locking Plate for Needle Valve.. .. .	3	H326-4
G99-5	Pin for Locking Plate .. .. .	1	H326-5
G99-6	Crankcase Oil-Gland Nut .. .. .	8	H326-6
G99-7	Oil Hole Plug .. .. .	2	H326-7

Quote Part Number,  
Name of Part, Model,  
and Year, when  
Ordering.**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

Part No.	DESCRIPTION OF PART.	Price. £ s. d.	For Agent's Use
			3.49 h.p. List No.
<b>Gearbox.</b>			
G102-5	Gearbox, complete, with Clutch only (Non-Footer type) ..	10 10 0	..
<b>Rear Wheel.</b>			
G221-4	Rear Wheel, complete, with Sprocket, less Tyre .. ..	4 2 6	..
<b>Rear Brake Drum and Expanding Brake Parts.</b>			
G234-1	Anchor Plate .. .. .	10 0	..
G242-3	Bolt for Rear Sprocket (7/16 x 13/16 in.) .. ..	3	..
G242-4	Nut for above (7/16 in.) .. .. .	2	..
<b>Footrests.</b>			
G253-2	Footrests, complete, with Pedal, Spindle and Plates .. ..	1 2 6	H1174-2
G254-1A	Footrest Rod only .. .. .	10	H1183-2
G255-1	Footrest Distance Tube in Gearbox Bracket .. ..	1 0	H1186-3
G258-1	Footrest Distance Tube (Long) (L.H. or R.H.) .. ..	5	H1186-2
G265-3	Rear Brake Pedal only (L.H.) .. .. .	7 6	H743-1
G265-4	Front Brake Pedal only (R.H.) .. .. .	7 6	H743-2
G266-1	Rear Brake Pedal Spindle .. .. .	1 3	H746-2
G266-3	Spindle for Front and Rear Brake Pedals (Combined) .. ..	2 0	H746-3
G266-5	Distance Tube for Brake Pedal Spindle .. .. .	4	H751-1
G266-6	Plates for Brake Pedal Spindle .. .. . each..	4	H751-2
G271-1	Footrest Arm only .. .. .	2 9	..
G272-2	Brake Operating Rod only .. .. .	1 9	..
<b>Front Mudguard.</b>			
G274-2	Front Mudguard, less Stays .. .. .	9 3	..
G276-1A	Stay for Front Mudguard (Long) (L.H. or R.H.) .. .. pair..	2 3	..
G276-1B	Stay for Front Mudguard (Short) (L.H. or R.H.) .. .. pair..	2 3	..

Quote Part, Number,  
Name of Part, Model,  
and Year, when  
Ordering.**4.98 h.p. 1928 A.J.S. Overhead Camshaft  
(Model K10).**

Part No.	DESCRIPTION OF PART.	Price. £ s. d.	For Agent's Use.
			3.49 h.p. List No.
<b>Rear Mudguard.</b>			
G279-1A	Rear Mudguard only .. .. .	6 6	..
G279-2A	Rear Mudguard Stay only (L.H. or R.H.) .. ..	1 3	..
G279-2B	Rear Mudguard Stay, with Lifting Handle .. ..	6 6	..
<b>Tool Cases.</b>			
G283-4	Tank Tool Box and Pins .. .. .	16 6	..
	Pins only for above (as G270) .. .. . each ..	2	..
<b>Chainguard.</b>			
G284-2	Chainguard, complete, with Fittings .. .. .	1 12 6	..
G287-1	Rear Portion of Chaincase .. .. .	8 6	..
<b>Tank and Fittings.</b>			
G290-3	Petrol Tank, without Fittings .. .. .	4 2 6	..
G294-1A	Petrol Pipe, with Unions .. .. .	4 6	..
G297-5	Oil Pipe from Sump to M.O.P. .. .. .	5 6	..
G297-6	Oil Pipe from M.O.P. to D.S. Crankcase .. ..	6 6	..
G297-7	Oil Pipe from M.O.P. to O.H. Camshaft Box .. ..	4 0	..
G297-8	Oil Pipe from Oil Tank to M.O.P. (Delivery) .. ..	5 0	..
G297-9	Oil Pipe from M.O.P. to Tank (Return) .. ..	5 6	..
G297-10	Oil Pipe from Tank to Front Chain .. .. .	4 0	..
G297-11	Regulator Needle and Knob for above .. .. .	2 0	..
G335-2	Handlebars only, less Grips .. .. .	1 1 0	..
<b>Magneto.</b>			
G340-1	Magneto Sprocket .. .. .	3 0	H1391-1
G341-1	Magneto Sprocket Sleeve .. .. .	1 9	H1393-1
G342-1	Magneto Sprocket Rubber Washer .. .. .	6	H1394-1

Quote Part Number, Name of Part, Model, and Year, when Ordering. **4.98 h.p. 1928 A.J.S. Overhead Camshaft (Model K10).**

Part No.	DESCRIPTION OF PART.	Price.			For Agent's Use. 3.49 h.p. List No.
		£	s.	d.	
<b>Exhaust System.</b>					
G347-5	Exhaust System, complete, with Lock Ring and Clips .. .. .	1	15	6	..
G348-5	Exhaust Pipe only .. .. .	12	6		..
G349-2	Lock Ring for Exhaust Pipe .. .. .	4	6		H1262
G351-5	Front Extension Pipe only .. .. .	1	9		H1225-1
<b>Driving Chains.</b>					
G358-2	Camshaft Driving Chain .. .. .	7	1		..
G359-2	Magneto Driving Chain .. .. .	4	11		..
<b>Carburetter (Binks').</b>					
G366-A4	Binks' 2-Jet Carburetter, complete, with Air Lever, Cables, etc. ..	3	3	0	..
G366-5	Carburetter Body, Jet Seat and Choke .. .. .	1	0	0	..
<b>Control Levers and Cables.</b>					
G390	Air Control Lever, complete, with Cable .. .. .	12	0		..
G391	Air Control Lever, complete, less Cable : .. .. .	7	6		..
G401	Magneto Control Lever, complete, with Cable .. .. .	6	4		..
G402	Magneto Control Lever, less Cable .. .. .	4	3		H1041
G402-1	Base and Clip for above Control.. .. .	1	6		H1042
G402-2	Clip Pin for above .. .. .	4			H1043
G402-3	Centre Pin for above .. .. .	3			H1044
G402-4	Top Plate .. .. .	6			H1045
G402-5	Lever only .. .. .	2	3		H1049
G402-6	Flat Spring Washer .. .. .	3			H1050
G402-7	Fibre Friction Washer .. .. .	3			H1051
G406-A	Valve Lifter Cable complete .. .. .	3	6		..
G405-1A	Valve Lifter Cable Outer Casing .. .. .	2	3		..
G406-2A	Valve Lifter Cable Inner Wire .. .. .	8			..

Quote Part Number, Name of Part, Model, and Year, when Ordering. **4.98 h.p. 1928 A.J.S. Overhead Camshaft (Model K10).**

Part No.	DESCRIPTION OF PART.	Price.			For Agent's Use. 3.49 h.p. List No.
		£	s.	d.	
<b>O.H.C. Mechanical Oil Pump.</b>					
G476-32A	Mechanical Oil Pump, complete, less Pipes .. .. .	1	7	6	H1370
G476-32A1	Pump Body only .. .. .	10	6		H1370-1
G476-32A2	Plunger .. .. .	6	0		H1370-2
G476-32A3	Driving Worm .. .. .	2	3		H1370-3
G476-32A4	Driving Worm Bush .. .. .	1	0		H1370-4
G476-32A5	End Plugs .. .. . each..	1	0		H1370-5
G476-32A6	Cam Screw .. .. .	6			H1370-6
G476-32A7	Joint Washer .. .. .	1			H1370-7
G476-32A8	Oil Unions .. .. . each..	6			H1370-8
G476-32A9	Pump Driver .. .. .	5			H1370-9
<b>Separate Oil Tank.</b>					
G476-34B	Separate Oil Tank, with Fittings .. .. .	2	5	0	..
G476-34D	Rear Guard Strip for above .. .. .	1	0		..

# Engine.

