
# ACCESSORIES

FOR
BICYCLES
MOTOR CYCLES
MOTOR CARS



40-950 AUCKLAND



48 FORT STREET, AUCKLAND

# MOTOR CYCLE REPAIRS

Bicycle Repairs . .

Full particulars and prices of these will be found on pages 79 and 80 of this Catalogue. All usual Repairs needed in connection with Bicycles are quoted for, but we are always pleased to quote for special or unusual jobs.

00 00 00 00 00

Motor Cycle Repairs . . .

We regret we cannot quote for, owing to the wide diversity of the different adjustments and repairs needed by the various makes and models of Motor Cycles. If we give a definite quote for Motor Cycle repairs, we have to quote either a very high price to cover items that we cannot know of until the work is actually in progress, or else we have to leave things alone that really should be attended to. It is therefore safer to trust to our expert knowledge as to requirements, and our sense of fairness and reasonable charges for actual time and materials used. We, of course, specialise in Repairs to INDIAN and B.S.A. Motor Cycles, although we undertake work on any make of Motor Cycle.

Car Repairs . .

The above remarks also apply to Car Repairs, except that our Car Repair Department specialises entirely on repairs and attention to OAKLAND and PONTIAC Cars.

## To Country Clients

We specialise on Country Repair Jobs and return them promptly



48 Fort St. AUCKLAND



48 FORT STREET, AUCKLAND

Catalogue No. 19.

Telegraphic Address: "SKEATWITE AUCKLAND" Two Words-No More

Postal Address: SKEATES & WHITE LTD., BOX 59, AUCKLAND

No fuller address is needed

## WE PAY FREIGHT OR POSTAGE

on all

### CASH ORDERS FOR ACCESSORIES

Except on the following lines :-

CARBIDE BENZINE MOTOR CAR TYRES

ACCUMULATORS

OIL

MUDGUARDS MOTOR CYCLE TYRES

FREIGHT is paid to your nearest port or station. POSTAGE is paid to any address in New Zealand.

Cash with Order

Cash must be sent with all Mail Orders unless you have an account with us, or have made arrangements to open an account. If you are not certain of the exact cost of the goods you order, please remit a little extra and we will refund anything over. This is better than sending too little, thereby causing delay through insufficient money being received for the goods required, and our having to write you for the balance.

Repair Job Accounts

In reference to repair jobs, you cannot of course send cash with order, as the cost of the work is not usually known until the job is completed. We therefore advise you the cost of the job as soon as completed, or before if possible, and upon receipt of remittance despatch same promptly.

Credit Accounts

If you desire to obtain goods on credit, please send references with your FIRST order, otherwise we cannot execute same. Owing to heavy cost of collecting small accounts, we cannot open new accounts for trifling amounts. We often receive orders for goods amounting to a few shillings without the cash. The cost of booking these small orders and collecting the amount is more than the profit received on these small transactions.

It may happen that old customers send an order without remittance, and feel annoyed at our asking for a reference before sending on the goods. To avoid this annoyance, will you please when writing mention that you have had a Credit Account with us, as we cannot remember the names of the thousands of customers we have had during our 37 years of business. Of course, if you are a regular customer there is no chance of the above happening, but it does sometimes happen in cases where perhaps your last dealings with us were twelve months ago or longer. We mention this because customers are sometimes unnecessarily annoyed at our asking for Cash or Reference when they have previously had a Credit Account. On the other hand, if you are not known to us, we do require either Cash or Reference before sending on the goods.

Money Refunded

All money paid will be refunded if you are not satisfied with the goods, providing same are immediately returned in good order.

Remittance

Money may be forwarded by cheque, money order, postal notes, stamps, or bank-notes. (It is not advisable to send the latter, except in registered letters.) We accept 1d. stamps for any amount

Prices

All prices in this catalogue are nett cash, and in all cases where fitting is required this is charged for extra. The prices quoted have been carefully checked, and represent a fair and reasonable charge, at the same time allowing us to supply goods of quality and reliability.

Important

Kindly always advise us by mail when forwarding Machines or parts for Repairs, etc. Otherwise, there may be delay in our receiving them. Also please write your name and address, and enclose with anything you are sending us, as we often receive parts and have no idea from whom they come.

Telephones-Communicates with Departments as under:

Shop—Accessories, New Machines Indian Parts Office and Accounts Motor Cycle Repairs Bicycle Repairs 40-950

NOTE. All previous Lists cancelled. Prices in this List are subject to alteration without notice, due to fluctuations of market or other causes. SEPTEMBER, 1927

REATES WHITE LTD

44-280 Car Repairs

## HOW TO FIND WHAT YOU REQUIRE

This Catalogue is compiled in Alphabetical order as near as possible. Lamps will be found under L; Tyres under T; Repairs under R; etc., etc.

## Index to Bicycle Accessories.

| A Axles         (Bracket)         4           B Bags         .5         5           Balls         .7         56           Battery         Lamp         .4           Bells          .4         6         .7           Bell Parts          .7         .8         .7         .8         .8         .8         .8         .7         .8 | D   Page   Page   21 | Lock Rings (Head) | Saddles         Page           Saddle Covers         53         54           Saddle Parts         56         56           Scooters         3         3           Screwdrivers         57         58           Seat Pillars         55         50           Solution         62         59           Spanners         58         59         60           Spindles         60         59         64         59           Spokes         64         59         65         54           Stay-end Screws         10         50         52           Straps         52         51         52           Sturmey-Archer Parts         29 |
|--|----------------------|-------------------|--|
| Canvas 16 Capes 18 Carbide 78 Carriers 15, 16 Carrier Parts 15, 16 Cement (Hard) 13 Chains 20 Chain Adjusters 4 Chain Cases 21 Chain Lubricant 12 Chain Parts 20 Chain Tools 21 Chain Wheels 12 Chain Wheels 12 Chain Wheel Screws 10 Chaik 13 Cones 12 Cotter Pins 13 Cranks 12 Cub Bike 77 Cups (Bracket-hub) 12 Cyclometers 12 Cyclometer Parts 13 Cyclometer Parts 12 Cyclometer Parts 12 Cyclometer Parts 12  | G Glasses            | Nipple Key        | Tape   |

### IN ADDITION TO THIS CATALOGUE

We also issue the following

ILLUSTRATED CATALOGUES dealing with

OAKLAND CARS
PONTIAC CARS
SKEATES BICYCLES
B.S.A. MOTOR CYCLES
INDIAN MOTOR CYCLES
CHILDREN'S TRICYCLES

Each giving full details and specifications, also latest cash prices and all particulars of our terms for obtaining any of them (with the exception of Children's Tricycles) by the payment of a small Deposit and the Balance by monthly payments.

All Free on Request.

WRITE NOW for the Catalogue that interests you.


## Index to Motor Cycle and Motor Car Accessories.

| Page  | Page   | Page                                   | Page   |
|---|--|--|--|
| A Accumulators                                    | Edging (Aluminium)14<br>Electric Adapters14<br>Electric Bulbs37  | Mascots                                | Spot Lights33, 37<br>Springs 52, 55, 66<br>Sprockets65 |
| Adapters (Sprocket)65                             | Emergency Kit51  | Motometer                              | Stand Clip   |
| Adhesive Tape 8, 66<br>Ampmeters                  | Enamel   | Mudguards41                            | Switches   |
| Ash Trays4  |  | M Nickel Plating80                     |  |
| \$2000 W  | Feeler Gauge51   | Nipples                                | Tacks (Upholstery)66<br>Tank Caps67                    |
| B Bags  | Files (Magneto)22, 61<br>Files (Tool Kit)16  | Nipple Key                             | Tape   |
| Batteries   | Fire Extinguishers 14  | Nuts10                                 | Taps (Petrol) 67<br>Terminals 67                       |
| Battery Fillers                                   | Fish Tails (Exhaust)21<br>Footman Loops38  | -                                      | Tool Rolls   |
| Belt Clips  | Footrests (Pillion)18  | 0 0il 43, 44, 45                       | Tow Rope   |
| Belt Rims4  | Ford Repair Kit51<br>Fork Springs52, 66  | Oilcans                                | Tubes  |
| Belting (Leather)6                                | Frame Clips  | Outfits45, 46                          | Tube Cases   |
| Belting (Rubber)6<br>Belting (Spring)4            | Funnels  | Overalls18                             | Tyres  |
| Bolts and Nuts 10, 24                             | 1 0000 1111111111111111  | D.                                     | Tyre Covers  |
| Bowden Levers13, 40<br>Bowden Sundries76          | G Gaiters (Tyre)24   | Patches                                | Tyre Paint   |
| Brake Blocks                                      | Gas Connections22<br>Generators22  | Petrol Squirt43, 44                    | Tyre Sizes   |
| Brazing Brushes 6<br>Brazing Compound 5           | Gloves   | Pillion Seats                          |  |
| Brazing Wire75                                    | Goggles  | Piston Rings46                         | Unions72   |
| Brushes (Cleaning) 9, 61<br>Brushes (Enamel) 6, 9 | Grease Cups24  | Pliers                                 | Upholstery Tape66                                      |
| Brushes (Plug)47                                  | Grease Guns24, 43  | Plug Brushes47                         | W Valve Caps4  |
| Bulbs (Electric)37<br>Bumpers9                    | H Hammers25  | Plug Cleaner                           | Valves (Engine)74                                      |
| Burners8  | ** Handle-bars   | Polish50                               | Valve Grinding Paste<br>31, 74, 75                     |
| Burner Cleaners 8<br>Burner Sockets               | Handle-grips   | Pumps                                  | Valve Lifters 61, 73, 74                               |
|   | Helmets18  | Pump Connections 47, 48                | Valve Parts 73, 74, 75<br>Valve Tabs                   |
| Carbide   | Hood Fasteners 24<br>Hood Paint  | Pump Tubing48                          | Valve Tools  |
| Carbon Remover                                    | Horns  | Pump Washers 48 Punches                | Valves (Tyre)73<br>Vases72                             |
| Carriers  | Horn Bulbs25<br>Horn Reeds25   | C MEDINORWALL MAINTANNAMANTHONING REC. | Visors   |
| Celluloid   | Hose Clips   | R Radiator Caps                        | Volt Meters  |
| Chain Tools                                       | Hubs   | Radiator Cement51<br>Rims52            | Vulcanizing Rubber72                                   |
| Chains, Wheel                                     |  | Rope (Tow)51                           |  |
| Chain Sizes and Lengths, 17<br>Chalk              | Inspection Lamps36<br>Insulating Tape66  |  | W Washers (Asbestos)75                                 |
| Chamois   | Thomas Tupe 111111111  | S Saddles                              | Washers (Plain)78 Washers (Pump)48                     |
| Cigar Lighters                                    | Jacks  | Saddle Covers55<br>Saddle Springs54    | Washers (Rim)63  |
| Clothing  | •  | Screwdrivers57<br>Seat Pillars50       | Washers (Spacing)74 Washers (Spring)75                 |
| Cold Chisels                                      | K Kick Plates42<br>Kick Starter Rubbers22  | Security Bolts8                        | Watches17  |
| Control Levers13, 40                              | Kick Starter Rubbers22<br>Knee Grips31   | Shellac                                | Wheels (Disc)70  |
| Creeper Bolts8                                    |  | Side-car Fittings63                    | Windscreens  |
| Cub Bike  | Lamps, 33, 34, 35, 36, 37<br>Leggings  | Side Screens76<br>Solution62           | Wire (Bowden)77  |
| Cut Filler  | License-plate Holders 24   | Spanners58, 59, 60, 61                 | Wire (Ignition)78                                      |
| Cyclometers                                       | Lugs   | Spark C                                | Wire (Lighting)78 Wire Nipples76                       |
| Cynnaer Biack                                     | and the second s | Speedometer Parts66                    | wire Nippies   |
| <b>n</b> Dash Lamps35                             | Magneto Spanners60<br>Magneto Sprockets65  | Split Pins                             | ▼ Yoke Ends39  |
|   | Magnin Mirrors38   | Spoke Sizes63                          | ▼ Y piece22  |



£1-3-6

This SCOOTER is EXCEPTIONALLY ATTRACTIVE, WELL MADE and EASY-RUNNING. SPECIFICATION.




with enamel baked on. Lock nuts on bolts and washers prevent them shaking loose.

The nicely shaped handle is of hardwood. The Running Board is painted a brilliant durable red, appealing to the children.

Fitted with stand. Fork and Stem are satin Nickel Finish.

## SKEATES & WHITE LTD. BICYCLE MOTOR CYCLE & W STREET Auckland



14/20-ASH TRAY-Made of heavy electroplated nickel silver. Length 4", width 1¼", depth 1½". Highly polished, finished with detachle interior, fitted with springs to with stand vibration. Match striker is situated handily at the bottom of the tray. Gilt interior, 10/- each.

### We Pay the Postage.



10/20-VOLT AND AMPMETERS-Ampmeters - Dashboard fitting, showing charge and discharge. French make, 20/- each,

Volt and Ampmeter combined, reading 25 amps. 16 volts. 12/6 ea.



84/20.

VALVE ADAPTER AND VALVE CAP—Converts Schrader valve so that any English Cycle or Motor Cycle pump may be used with it. Valve Cap is supplied in addition to Adapter illustrated. 6d. each.


#### CHAIN ADJUSTER PARTS.



CAPS. For Chain Adjusters. Open ends.

2d. each.







For Chain Adjusters. 2d. each.



22/15-FOOTBALL ADAPTER.

- TERRY SPRING BELTING. For Dynamos, Motors, etc. %in. diameter. 1/3 per ft.

Fits any Cycle Pump. 6d. each.



80/20.

SIMPLEX CHAIN ADJUSTERS.

Strong, well made. 1/3 pair.



Complete with Cap and Nut.

For slotted Fork-ends.



B.S.A. CHAIN ADJUSTERS. 49/19-Showing Cam Chain adjustment.

Cams Complete .. 2/6 each. .. 1/6 .. 9d. Cams only Cam Blocks Cam Block Screws 4d.



76/20.

CHAIN ADJUSTERS.

13/80.

DUCO BELT PUNCHES. lin., 11/sin., 3/6 each.



70/14 -

75/14. SPRING BELT COUPLINGS.

3d. each.

BATTERY LAMP. = FOR BICYCLES ===

Consists of 3-cell Battery in Metal Case with straps for attaching to top tube of bicycle and head lamp. Ideal for short rides and town use.

Small Size ... 15/- ea. ... Large Size 20/- ca. ... ...



63/20.

TRICYCLE BELL.

Specially designed for trieycles, with 1/2" or 34". elip.

1/6 each.



GENUINE STANLEY BELT CLIPS. %in., %in., %in., 1/6 each.



#### BOTTOM BRACKET AXLES.

Genuine B.S.A. - For B.S.A. and Standard English Machines, 4/6 ea. Pattern B.S.A., 2/6 each.

#### TOOL BAG CLIPS.

For fastening tool bags to Motor Cycle Carriers.

Consists of two plates with screws and clip for stays. 1/- ea.



51/8—BROOKS BICYCLE TOOL BAG (No. 2501)—An inexpensive but serviceable Bag. 6½ x 3½ x 1|. Gusset ends, 4/- each.



60/8 — BROOKS BICYCLE TOOL BAG—Gusseted Ends. Straps passed round contents inside Bag. 5/6 each.



Nº 1538.

62/8—MOTOR CYCLE SIZE TOOL-ROLLS—For use in Motor Cycle tool bags. The quality of material is the best and very hard wearing. Fastens with continuous strap.

Good Waterproof Canvas 3/9 each Leather ...... 6/- "

Size 17 x 7



63/8—BROOKS BICYCLE TOOL BAG—A capacious Bag with deep flap and address pocket (not illustrated). 6 x 1½ x 3½. 6/6 each.



84/13—BORON COMPO—A vast improvement on borax for Brazing, making a more tenacious joint. Leaves the work surprisingly clean and protects the tube from the weakening effects of the flame. 4/- per tin.



64/20—SPARE TUBE CASE — With strong elip for fitting to frame or carrier.

Genuine Leather ...... 7/6 each Imitation Leather ..... 5/- "

So seldom does the need for a wayside adjustment occur, that we are tempted to leave at home the few tools we need —and alas! we leave the repair outfit also.

Take those few odd spanners, a screwdriver and oilcan, all well wrapped to prevent jingling—and pack together with a good tyre outfit in an equally good bag. Choose a bag of stout leather with good straps and sturdy-looking stitching—

#### BROOKS.



136/19 — NATIONAL BICYCLE TOOL BAG — Solid oval ends. 5½" long. 2/6 each. We can always offer you Exceptional Value in

> Second-hand Bicycles, Motor Cycles or Cars.

Write for latest List, stating your requirements.



13/20—TRIANGULAR BAG—Specially designed to fit in angle of cycle frame. Best Leather, strongly sewn. Stout attachment straps, good ring lock and steel stay in bag top, giving greater strength and retaining shape. Size 64 x 64 x 14. 4/6 each.



47/8 — ARMOUR-PLATED MOTOR CYCLE TOOL BAG — Complete with Clips for attaching to Carrier.



67/9 — COLD CHISELS — Special quality Steel.

7in. x ½in. ...... 2/6 each 8½in. x §in. ...... 3/6 each



#### 52/6-DUNLOP BELTS.

| 3/8 inch  |   |   |   | 2 |   | į, | í. | V. | e, | 4  | per foot | 2/6 |
|-----------|---|---|---|---|---|----|----|----|----|----|----------|-----|
| ¾-inch    |   |   |   |   | 1 |    | Ģ  |    |    |    | . "      | 3/- |
| %-inch    | ÷ | ٠ | - | ٠ | L |    | +  | ٠  | •  | 25 | **       | 3/6 |
| 1-inch    |   |   |   |   |   | ,  |    | +  |    |    | **       | 4/- |
| 11/8-inch |   |   |   |   |   |    |    |    |    | Ç  | **       | 4/6 |









#### -WHITTLE BELTING.

The best-wearing Belt on the market.

%in., 4/- per foot. ½in., 4/6 %in., 5/-% in., 5/6

%in., 5/6 per foot.

lin., 7/- "



39/19-STANLEY SPARE LINKS. For lengthening Belts. %in., 1in., 11%in., 2/- each.

We pay Postage on all Cash Orders



49/13-WIRE BRUSHES.

Small, 2/- each. Medium, 3/- each. Large, 4/- each.



55/6. ROUND TWISTED LEATHER BELTING.

5/16-inch 2/3 per foot (Chrome) 1/6 per foot %-inch + + 1/2-inch 2/- per foot




Round Belts

6/58.

ROUND BELT HOOKS.

Specially hardened steel. 6d. each.



Back Page of Cover.

Children's Scooters



SOLID ROUND BELTING.

36in. diam., 1/6 foot.

#### 101/14. LUCAS DOUBLE CHIME BELL.

This Lucas revolving dome bell is designed and constructed on 46/19—WHITTLE BELTING. entirely new lines to ensure The Genuine Whittle Leather-link Belt, durability as well as clearness and loudness of tone. A light touch of the lever produces a clear, penetrating tone, musical and effective. 10/- each.



98/8.

#### 98/8. LUCAS BELL.


A recent produc-tion of Lucas, fully up to their high standard. A great improvement on hitherto cheap bell.

No. 216, 21-16in. dome, 2/- each.



Best Quality, 4d., 6d., 9d., 1/- ea.

Extra Special Quality, 1-inch, 2/3 each.



#### 97/14-LUCAS CHALLIS BELL.


The Challis Bell works on a clever principle causing the hammer to move rapidly from side to side of the bell, producing very hard blows and giving forth a loud and effective ring. 5/- each.



133/7-LUCAS BAND CLIP-For most Lucas Bells. 1/- each

## LUCAS BELL PARTS.

We have a large stock of Lucas Bell parts, but except in the case of the more expensive bells it does not pay to repair them.




80/8-BICYCLE KLAXON. Strongly A sure road-clearer. made, easily worked. 8/- each.



THE ROYAL CONTINUOUS BELL - The RINGING loudest and best Continuous bell made. Has coppered works to prevent rusting. 4/6 each



65/8-THE KING OF BELLS. The careful mechanical construction eliminates all rattle, and gives the pure tone full scope, 7/6 each.



### TRICYCLE BELL.

Specially made with clip to fit any tricycle handle. Very easy action.

1/6 each.



LUCAS BABY BELL.

An exact replica of the larger Bell, No. 65/8. Fits all Bieycles. 5/6 each.



99/8-LUCAS STEEL DOME BELL (No. 256)—This bell has special alloy Steel dome and improved pattern rotary Hammer. Remarkably elear penetrating ring. Dome heavily plated, base finished in grey. 2/6 each



LUCAS BURBURY BELL. With the Lucas rotary movement. 4/6 each.




71/8-LUCAS SMALL BURBURY BELL. Supplied in plated finish only, and is fitted with a 2-screw Clip. 3/6 each.



66/8. LUCAS SPRING DOME BELL.

Fitted with the patent Spring Dome, improving its tone, making it ring louder and clearer, and reducing the liability to breakage. 10/- each.



68/13-STEEL BALLS.

Very best quality True to sign

| very b  | est quar | nty.  | True to size.  |
|---------|----------|-------|----------------|
| Size.   | Per      | dozen | £              |
| %in.    | 1/4-4    | 3d.   | See page 56    |
| 5-32in. | 6.4      | 4d.   | for            |
| 3-16in. |          | 4d.   | Quantities and |
| 7-32in. | 7.       | 6d.   | Sizes of Balls |
| 1/4 in. |          | 6d.   | for            |
| 9-32in. | 1000     | 9d.   | Motor Cycles   |
| 5-16in. |          | 1/-   | and Bicycles   |
| %in.    |          | 1/3   | ana biojeico   |
| 7-16in. | 108360   | 2/3   |                |
| 1/2 in. |          | 3/6   | Over 1 dozen,  |
| 9-16in. |          | 4/6   | 4/-            |
| 58in.   |          | 5/-   | 4/6            |
| 34 in.  | 1111     | 7/6   | 6/6            |
| 7% in.  |          | 10/-  | 8/6            |
| lin.    |          | 12/6  | 10/-           |
|         |          |       |                |

#### Acetylene Gas Burners.

PATENT APPLIED FOR & RECISTERED

The state of the s

96/25.

BURNER CLEANERS.

24 wires in handy case.

6d. each.

12/27-REAR LIGHT BURNER.

For Lucas Rear Lamps. 9d. each.

13/27-REAR LIGHT BURNER.

For P. & H. and Millar Rear

Lamps, 6d. each.

13/27.

12/27.



100/12. LUCAS MOTOR CYCLE. Heavyweight Lucas Lamps only. 2/6 each.



ALCO BURNER. Of small eapacity. Suitable for several types

of American

rear lamps.

1/- each.

124/12.



99/12. BRAY'S RONI.

For all P. & H. and the smaller sizes of Lucas Motor Cycle Each. Lamps. Motor Cycle Bicycle



6/27. 6/27-ATMOSPHERIC HEAD. LIGHT BURNER. For Lucas Car Lamps.

3s. each. 16/27-"RONI" HEADLIGHT BURNER.

Standard Inside Screw. 2/6 each.




LUCAS BICYCLE PUSH-IN. 1/- each. For Lucas Calcia King Bicycle Lamps, use Burner No. 53. 2/- each. All other Lucas Bicycle Lamps, use above Burner No. 103/12.



102/12. BICYCLE PUSH-IN For P. & H. and Millar Lamps.

Single 6d, each Double 1/- each



Lamp if possible, and specify par-ticular style

of Burner re-

have Burners

for all makes

of Lamps.

We

quired.



125/12. FISH TAIL SCREW-IN BURNER.

This Burne is also suitable for all except Lucas Lamps, and of course gives mor light tha the single burner.

1/- each.



BURNER PRICKERS. Lucas Screw-in,



126/12. SCREW-IN BICYCLE LAMP BURNER.

For all Bicycle Acetylene Lamps except Lucas. 6d, each.



68/20. CYLINDER BLACK.

A first class heat resisting, dull finished enamel for exhausts, silencers and air cooled cylinders. 3/- per tin.



5/27. "LUTA" ATMOSPHERIC BURNER.

With Tapered Outside Screw. . 1/6 each.



83/19—CREEPER OR SECURITY BOLTS.

These bolts have an improved Smooth Rubber-cushioned Head, which effectually prevents frictional damage to the tube.

Motor Cycle Sizes .. 1/6 each. Motor Car Sizes ... 2/- each.



127/14. ADHESIVE TAPE.

loz, Roll 6d. 20z. 9d. 407. 1/6



35/17-WIRE WHEEL BRUSH.

Straight wire wheel brush, specially finished with tuft to prevent scratching. Of finest bristle, specially made to clean all parts of wire wheels. 5/- each.

## 105/24—THE NEW WICO BATTERIES (6-Volt).

The new Wico is a radical departure from the ordinary of battery type construction. It is the strongest, longest lived moter eycle battery pos-



33/17-ENGINE OR PETROL BRUSH. Will not spread or become matted by grease or oil. Made of bair. 16in. long. 2/3 each.

See page 61 for Niagara Cleaning Brush,



#### 137/19-HYDRO BATTERY FILLER.

The handiest little device ever placed on the market for filling Storage Batteries. The "Hydro" Battery Filler is being universally used by car owners, battery stations, garages, etc., because of its simplicity in filling batteries with distilled water, or withdrawing acid from Storage Batteries. The "Hydro" Battery Filler is 11 inches long. The Tip is made of hard rubber and measures 71% inches over all. The hulb of pure soft flevible rub. 71/4 inches over all. The bulb of pure soft flexible rubber has a capacity of 8oz.

6/6 each.

70/26.

70/26. ROUND END MOTOR SPOKE BRUSHES.

The most useful brush produced. Fan-shaped ends enable the most difficult part to be reached. 10/6 each.

INDIAN CHIEF: 5N. Length, 4 1-16" Width, 3 9-16" Height, 8" Weight, 101/2lb. Capacity, 20 ampere hours £3/15/- each. INDIAN SCOUT:

4N. Length, 4" Width, 3" Height, 7 15-16" Weight, 91/2lb. Capacity, 14-15 ampere hrs. £3/7/6 each.

#### HARLEY DAVIDSON: HENDERSON: EXCELSIOR:

sible. The interior construc-

tion is so designed to pro-

vide the plates every protec-

tion and eliminates the pos-

sibility of loose plates or self-discharge between cells.

The terminals are now

special lugs forced into posi-

tion and do away with the

wire terminals shown in the

illustration.

5H. Length, 4in. Width, 3½in. Height, 621-32in. Weight, 9lbs. Capacity, 15-17 ampere hourssix volts. £3/15/- each.



153/19—GEMCO BUMPERS—Gemeo Bumpers give your car the protection it needs. Specially adapted for Oaklands. Easily fitted.

Front .. £4/10/-\* \* Back £4/10/-

Special Wing Bumpers to fit around each rear guard and so giving free access to spare wheel. £4/10/- pair.

| Wico Batt           | er.     | y I e  | arts.                 |
|---------------------|---------|--------|-----------------------|
|                     | For     | Scout  | For Chief<br>Indians. |
|                     | Ty      | pe 3x. | Type 5N.              |
| Positive Groups     | 2812.62 | 4/6    | 6/-                   |
| Negative ,, Plates  |         | 6/6    | 7/6                   |
| ., Plates           |         | 3/-    | 3/-                   |
| 21                  |         | 3/-    | 3/-                   |
| Wood Separators     |         | 6d.    | 6d.                   |
| Inside Covers       |         | 1/-    | 1/-                   |
| Outside "           | ***     | 1/6    | 2/6                   |
| Post Sleeves        | 4.4     | 1/-    | 1/-                   |
| Lead Strap Positive | 3       | 1/-    | 1/6                   |
| " " Negati          | ve      | 6d.    | 1/-                   |
| Cell Connectors     | 50.500  | 6d.    | 6d.                   |
| Rubber Spacers      |         | 6d.    | 6d.                   |

## **BOLTS AND NUTS.**







STAY END SCREWS, Genuine B.S.A.

4d. each.

MUDGUARD CROWN SCREWS,

3d. each.

CHAIN WHEEL SCREWS,

SCREWS, Pattern, 3d. each-B.S.A., 4d. each.



51/19—PLATED ROUND OR CHEESE HEAD BOLTS WITH HEXAGON NUTS.

| (A-2) |     |
|-------|-----|
|       | 1/1 |
|       |     |

| Crush Control Control |            |      |     |      |
|-----------------------|------------|------|-----|------|
| Whitworth             | Engineers' | Bolt | and | Nut. |

|         |      |         | LANGO |       |      |                      |
|---------|------|---------|-------|-------|------|----------------------|
| Diam.   | ½in. | 3/4 in. | lin.  | 1½in. | 2in. | 2½in. long           |
| 1-8in.  | 1d.  | 1d.     | 2d.   | 2d.   | 3d.  | 4d. Each             |
| **      | 9d.  | 9d.     | 1/6   | 1/6   | 2/-  | 2/9 {1 doz. or more  |
| 5-32in. | 1d.  | 1d.     | 2d.   | 2d.   | 3d.  | 4d. Each             |
| **      | 9d.  | 9d.     | 1/6   | 1/6   | 2/-  | 2/9 (1 doz. or more  |
| 3-16in. | 1d.  | 1d.     | 2d.   | 2d.   | 3d.  | 4d. Each             |
| **      | 9d.  | 9d.     | 1/6   | 1/6   | 2/-  | 2/9 { 1 doz. or more |

### WHITWORTH ENGINEERS' BOLTS AND NUTS.


#### STANDARD SIZES AND THREADS.

| Diam. of<br>Bolt | lin. | 1¼in. | 11/2in. | 134in. | 2in. | 21/4in. | 2½in. | 234in. | 3in. | 3½in. | 4in. | Length<br>Under<br>Head. |
|------------------|------|-------|---------|--------|------|---------|-------|--------|------|-------|------|--------------------------|
| 3-16in.          | 2d.  | 2d.   | 2d.     | 3d.    | 4d.  | 6003    | 0444  | 3770   | ,*** | 1999  | ***  | Each                     |
| **               | 1/6  | 1/6   | 1/6     | 2/3    | 3/-  | ***     | 344   | 66     | 2000 | 4.64  | 6400 | more (more               |
| 1-4in.           | 3d.  | 3d.   | 4d.     | 4d.    | 5d.  | 5d.     | 5d.   | 6d.    | 6d.  | 7d.   | 7d.  | Each                     |
| 33               | 2/6  | 2/6   | 3/-     | 3/-    | 3/9  | 3/9     | 3/9   | 4/6    | 4/6  | 5/3   | 5/3  | {1 doz. or<br>more       |
| 5-16in.          | 4d.  | 4d.   | 5d.     | 6d.    | 6d.  | 6d.     | 7d.   | 7d.    | 8d.  | 9d.   | 10d. | Each                     |
| 15               | 3/-  | 3/-   | 3/9     | 4/6    | 4/6  | 4/6     | 5/3   | 5/3    | 6/-  | 7/-   | 7/6  | {1 doz. or<br>more       |
| 3-8in.           | 5d.  | 6d.   | 6d.     | 6d.    | 7d.  | 8d.     | 8d.   | 8d.    | 9d.  | 9d.   | 11d. | Each                     |
| ,,               | 3/9  | 4/6   | 4/6     | 4/6    | 5/3  | 6/-     | 6/-   | 6/-    | 7/-  | 7/-   | 8/6  | {1 doz. or<br>more       |
| 7-16in.          | 5d.  | 6d.   | 6d.     | 7d.    | 8d.  | 8d.     | 9d.   | 9d.    | 10d. | 11d.  | 1/-  | Each                     |
| i5 0             | 3/9  | 4/6   | 4/6     | 5/3    | 6/-  | 6/-     | 7/-   | 7/-    | 7/9  | 8/6   | 9/-  | {1 doz. or<br>more       |
| 1-2in.           | 444  | ***   | 5.00    | 999    | 9d.  | 9d.     | 10d.  | 10d.   | 10d. | 1/-   | 1/-  | Each                     |
| ,,,              | 2007 | 0.65  | 83.33   | ***    | 7/-  | 7/-     | 7/9   | 7/9    | 7/9  | 9/-   | 9/-  | 1 doz. or                |




#### NUTS.

|      |     |  | Plated.                 |  | Extra<br>Heavy.   | Plate  | d.   |
|------|-----|--|-------------------------|--|---|--|--|
| 4.4  | 2d. | ***                                    | 1d.                     | ***  |   | 2d.  | each   |
|      | 2d. |  | 3d.                     |  | -   | 4d.  | **   |
|      | 3d. |  | *3d.                    |  | <del>2000</del> ;                                       | *6d.   | **   |
| oce. | 3d. | +3.5                                   | +3d.                    | 2.4000   | E-10  | +6d.   | **   |
|      | 4d. |  | 6d.                     |  | 1/-   | ***  | **   |
| 4.4  | 5d. | ***                                    | 6d.                     |  | 1/-   |  | **   |
| 200  | 7d. | 497                                    | 1200                    | ***  | 22  | 5840   | **   |
|      | 7d. |  | -                       | 177.50   | _   | ***  | **   |
|      | *Bi | cycle                                  | Front Who               | eel.   | †Bicy   | cle Back   | Wheel  |
|      | **  | 3d.<br>3d.<br>4d.<br>5d.<br>7d.<br>7d. | 3d 3d 4d 5d 7d 8Bicycle | 3d *3d.<br>3d +3d.<br>4d 6d.<br>5d 6d.<br>7d — | 3d *3d 3d 3d 4d 6d 5d 6d 7d 7d 7d 8bicycle Front Wheel. | 3d *3d — 3d +3d — 4d 6d 1/- 5d 6d 1/- 7d — *Bicycle Front Wheel. +Bicy | 3d *3d — *6d.<br>3d +3d — +6d.<br>4d 6d 1/-<br>5d 6d 1/-<br>7d — — |



## ASSORTED MACHINE SCREWS AND NUTS.

This assortment contains one-half gross of well chosen machine screws and nuts. They are nickeled, and have round heads. The screw sizes are Nos. 6, 8 and 10 in lengths of ½, ¾, 1, 1¼ and 1½ inches. The screws in the assortment are of high grade stock—threads are accurately cut—hexagon nuts close fitting. 3/9 per box.



We can always offer you

EXCEPTIONAL VALUE in

SECOND-HAND
BICYCLES . MOTOR CYCLES


or CARS

Write for Latest List, stating your requirements



lines, as they give no wear.

We Pay the Freight



36/11—Front Rim Brake. Showing method of detaching B.S.A. Shoes. Takes very little time.




9/19.
MOTOR CYCLE BRAKE BLOCKS.
For every make of Motor Cycle.
2/6, 3/-, 3/6, 4/- each.



29/19. BRAKE FORK CLIPS. 9d. each.

## **BRAKE PARTS**

|                 |      | TAAL       | 10    |
|-----------------|------|------------|-------|
|                 |      |            | Pat-  |
|                 |      | B.S.A.     | tern. |
|                 |      | Ea.        | Ea    |
| Pull-up Levers  |      | 4/6        | 1/6   |
| T               |      | 6d.        | 4d.   |
| Down Rods       | 4:16 | 1/6        | 9d.   |
| (adjusting)     |      | 14000000   |       |
| Adjusting Clip  | 41.0 | 1/3        | 6d.   |
| (takes draw-b   |      |            |       |
| Down Tube       |      | 2/9        | 1/3   |
| (includes clip) |      | (0)        | 35    |
| Stirrup, Comp   |      |            |       |
| with Peg        |      |            | 1/6   |
| Shoes           |      | 3/-<br>1/3 | 9d.   |
| " Pads or R     | ub-  | S PERSON   |       |
| bers            |      |            | 6d.   |
| Fork Clips      |      |            | 9d.   |
| Bolts and Nuts  | for  |            | 2000  |
| Shoes           |      | 6d.        | 3d.   |
| Rod Joint Yokes |      |            |       |
| Handle Bar Clan |      |            | 94.   |



27/8—MOTOR CYCLE TRIP CYCLOMETERS.

Give distance per trip and total distance. 22/6 each,



43/13—BICYCLE FORK CROWN. For B.S.A. and

Standard English Machines.

B.S.A. Pattern, 7/6 each. 4/6 each Not fitted,



105/17. BICYCLE CYCLO-METER.

A most useful accessory for recording d i s t a n c e travelled,

Veeder \_\_\_\_\_10/- each New Departure \_\_\_8/6 ,, Veeder Trip \_\_\_\_18/6 ,,




34/19. CYCLOMETER STRIKERS. 1/6 each.



92/25. CYCLOMETER BRACKET. 1/6 each.



102/13—LOCK RINGS FOR COTTERLESS BRACKET —Standard Pattern B.S.A., nickel plated, 1/- each.



11/13-CHAIN WHEELS.

|        |       |       |    |       |     | B.S.A. | Pattern |
|--------|-------|-------|----|-------|-----|--------|---------|
| 1/2in. | pitch | up to | 52 | teeth | 400 | 10/-   | 5/6 ea. |
| ½in.   | .,    | over  |    |       |     | 12/6   | 7/6 ea. |
| lin.   | 12    | up to | 26 | **    |     | 10/-   | 5/6 ea. |
| lin.   | 22    | over  | 26 |       |     | 12/6   | 7/6 ea. |

NOTE.—Pattern Chain Wheels are made in numerous qualities, and can be bought at almost any price. We only keep the best grade—second only to B.S.A. quality. If possible, send your old Chain Wheel as a Sample.

We also have a large stock of solid centre Chain Wheels for odd jobs.

## **CRANKS**

Right Left B.S.A. 15/- 10/6 Pattern 5/6 4/6 each.



66/28—MAGNETO CUT-OUTS.

Complete with clip for handle bars. 3/6 each.



21/13.

#### REAR HUB CONE.

Genuine B.S.A. 1/3 ea. Pattern B.S.A. 9d. ea.



22/13.

#### FRONT HUB CONE.

Genuine B.S.A. 1/- ea. Pattern B.S.A. 6d. ea.



40/10-CHAIN LUBRICANT. The best chain grease. 9d. tube.



20/19-ODD SIZED CONES.

We have a large assortment of cones—all sizes and threads. Send your old one as a sample.



#### 15/13-BOTTOM BRACKET CUPS.

We have Cups to suit all makes of Bicycles. Please send old one as a sample when ordering.

B.S.A. 2/- each.

Pattern. 1/6 each.



45/19. HUB CUPS.


Stocked in various sizes and styles.

B.S.A. Pattern. Back wheel,

1/3 ea. 9d. ea. Front wheel,

1/- ea. 6d. ea.

We pay the Freight on all orders for Bicycles.



#### 113/26-CONTROL LEVER.

A popular type of central pull lever. Made from pressed steel, and suitable for valve lifter brake, etc. Length of lever 4½in.; pull ¾in. 5/6 each.



#### 27/13-BOWDEN FRAME CLIPS. 4d. each.


Aluminium Bands, 3d. and 6d. each.



53/12. ALUMINIUM FRAME CLIPS.

For holding loose wire in position. 5in., 3d. each. 7in., 6d. each.

We are OPEN **EVERY** FRIDAY **EVENING** from 7 to 9.



90/19-CHAMOIS SKINS.

Used for cleaning and polishing Automobiles and Accessories. Highest quality, and will positively stay soft.

4/- each. 17in. x 16in. 100 23in, x 24in, 8/- each.




#### 56/6-FRENCH CHALK.

This should always be used when fitting new covers or tubes, or repairing same. In small round tins, cycle outfit size, 3d. each. In small flasks, screw top,

6d. each. In 1lb. tins, 1/3 each.




75/19-CELLULOID. Best quality only. 3/6 per sq. foot.



78/18-CIGAR LIGHTERS.

Easily attached to dash, equipped with 12 feet cord, enabling passengers in rear to use. Immediately the heating element is pulled from dash a hot, glowing contact is available. By removing heating element and replacing with bulb you have a good trouble lamp.

Casco-lite, No. 350 17/6 eac Casco-lite, No. 501 25/- " 17/6 each



11/19-HARD CEMENT.

For fixing Solid Cycle Tyres, Perambulator Tyres, Handle Grips, Band Saws, etc.

1/- per box.



JOHNSON'S CARBON REMOVER.

Keeps your engine young. 3/6 and 5/- per tin.



78/11-CRANK COTTER PIN. Genuine B.S.A., 1/- each complete. Pattern B.S.A., 6d. each complete.

### 14 W SKEATES & WHITE LTD. BICYCLE, MOTOR CYCLE & W 48 FORT Auckland


## Electric Connections and Adapters.



110/14.

#### RECEPTACLE NO. 17.

Designed for installing in lamps with the aid of two brass check nuts. 2/- each.



#### 69/19.

#### Fire Extinguishers.

Every Car and Garage should have a Fire Extinguisher handy for instant use.

It is the cheapest means of insurance.

| 1000 |              |   |    |   |
|------|--------------|---|----|---|
| 100  | $\mathbf{a}$ | n | m  |   |
| 4.0  | LCA.         | u | 44 | • |

PYRENE .. .. £3 15 0 FIRE GUN .. .. £3 15 0 JOHNS MANVILLE £3 15 0 REFILLS—

> Pyrene . . . 13/6 each. Johns Manville 16/- each.







68/19. SUITABLE FOR OAKLAND HEAD LAMPS.

1/6 each.



92/19. LAMP SOCKET. 1/6 each.



92a/19. DOUBLE CONTACT PLUG.

1/6 each.



92b/19.
SUITABLE FOR
INDIAN AND OTHER
TAIL LAMPS.
1/6 each.



69/19. LAMP AND SWITCH SOCKET.

1/6 each.

## Bicycle Cranks

6/13-FREE WHEEL CLUTCH.


Stocked in all sizes, 1/2 in. or 1 in. pitch. Genuine B.S.A., up to 18 teeth, 8/6 each, Genuine B.S.A., over 18 teeth, 10/- each. Cheaper Clutches, 5/- each.

Stocked in Genuine B.S.A. and Williams. B.S.A. are made and finished off in the usual high-class manner. Williams are second only to B.S.A., and are guaranteed made of the finest steel correctly tempered.

Right. Left.

Genuine B.S.A. . . 15/- 10/6 ea. Williams . . 5/6 4/6 ,,

Stocked in two sizes, 6gin. and 7in.



64/13—FRAME GUARDS.

Best quality Rubber.

9d. each.



ALUMINIUM EDGING.
L-shaped. Greatly improves appearance of running-boards.

6/- per 6ft. length.



2/6-MANDER'S BEST COLOURED ENAMEL.

Stocked in all colours.

1/9 per tin.

1/6—MANDER'S BEST AIR-DRYING BLACK CYCLE ENAMEL.

Small tins, 1/-; large tins, 1/9 each.

#### Forks.

When ordering forks please forward old forks as a Sample.

If unable to do this, carefully measure the length of stem and mention size of wheels.



24/10. BICYCLE FRONT FORKS.

B.S.A., complete, £1/12/6. Pattern, complete, £1/-/-.

When ordering Electric Fittings, send sample, otherwise wrong fittings may be sent you.

BEST SELECTION IN N.Z. IN

## **CARRIERS**

BICYCLE, MOTOR CYCLE or CAR




22/10-LUCAS SPRING CARRIER. This spring carrier when opened grips firmly any parcel placed in it. It is light in weight, and unobtrusive when fixed on machine. Quickly attached to handlebar or top tube. 4/6 each.



#### THE "IDEAL" FRONT CHILD CARRIER.


Enamelled black, with wicker chair and safety straps. Can be attached and detached in a few minutes. By removing wicker work, makes splendid carrier, 22/- each.



#### 112, 113/19. THE "TAKEACHUM" Spring Seat or Rear Child Carrier.

The very thing for taking a child to school, on country rambles, etc. Note particularly the hand-rail for security. Suitable for ladies' or gent.'s bicycles. Easily fitted. 20/- each.


### All Luggage Carriers are Complete with Straps.



108/19—THE ATLAS (151 by 6ins.), A strong carrier suitable for heavy work and being of large size is a most useful type for tradesmen or general purposes. Extra strong nickel plated clips, 30-inch best quality leather straps. 5/- each.




101/28. CARRIER SCREWS. 1% x 1/4. 4d. each.




#### 17/10-LUCAS BUNDLE CARRIER.

This carrier is light in weight and appearance, and fits firmly on the handlebar by means of the Lucas band clip. Admirably adapted for carrying a cape or similar parcel. 6/- each.



2/10-THE "FIXEASY." Superior pattern with four cross bars and strong hinge plate. A really first-class carrier. Light in weight and fixed without tools, hence a great favourite with lady cyclists. Two best quality leather straps, nickel plated fittings, wing nut clips. 3/6 each.



101/26.

% x 3-16.

3d. each.


13/10. LUCAS CYCLE CARRIER.

The best. 8/9 each. Light in weight and easily fitted.



105/10 - THE COURIER - A very neat and strong Wire Mesh Carrier.
Corrugated and closely woven 13gauge wire, giving great strength.
Wing nut clips and centre serew
fastening. Two good quality leather
strang and ploted fittings. Size straps and plated fittings. 13½ x 5½. 4/6 each.


40



3/10. BLUEMEL'S CLIP-ON CARRIER.

This carrier is the easiest attached of any we stock, and at the same time will give you ample strength and service.

6/6 each.




110/19.

THE "IMPROVED" TRADESMAN'S CARRIER. Fitted with two top tube clips and mud shield. Fits any bicycle. Size, 18in. x 12in. inside measurement. 15/- each.



6/20. MOTORIST'S FILE. 6" long, 1/3 each.



120/14. STANDLEY LUGGAGE CARRIERS.

Model A (as illustration).

Pressed steel clamps with centre supporting standard, Square box ends. Sixteen cross members in the side. Finished black enamel.

27/6 each.

Model B.

Formed steel clamps. Diagonal end braces. Twelve cross members in the side. Finished black enamel.

20/- each.



18/19—CARRIER CLIPS. With wing nut. 6d. each.



21/19—CARRIER CLIPS. For Oval Stays. 4d. each.



21a/19—CARRIER CLIPS. For D-shaped Stays. 4d. each.



BICYCLE REPAIR CANVAS.
Specially prepared. 2/- per sq. ft.

#### CARRIER PLATES



107/26-Small Size, 3d. each.

We Pay the Freight



98/26. CARRIER CLIPS. For Round Stays. 4d. each.




102/28-Large Size, 4d. each.



65/14, 66/14—WING NUTS. For Carrier Clips. 3-16in., 2d.; \(\frac{1}{2}\)in., 3d. each



## 124/17 — THE MANHATTAN MOTOR CLOCK—Big and important looking—just the clock to keep company with high-grade instrument board equipment. Tells the right time for 24 hours every day. Easy to wind and set. Black dial, white numerals. Finished in black lacquer. Size of hole required, 2 15-16in. 70/- each.



### WEED NON-SKID TYRE CHAINS FOR CARS.

We have these in the following sizes: 30 x 31/2 33 x 31 x 4 34 x 32 x 31/2 810 x 90  $32 \times 4$ 815 x 105

Cross chains are made of special annealed wired stock, smoothly welded, case hardened yet not brittle. Side chains are case hardened, and strong enough to withstand great tension. Set consists of two chains packed in brown bag.

Ford Size (30 x 31/2).. per pair 30/-All other sizes.. , 37/6 Special for Motor Cycles (28 x 3), 37/6 20/- each.

#### SPECIAL CHAINS FOR BALLOON TYRES. Each.

| 27 | X | 3.85 | (Motor | Cycle) |       | 20/- |
|----|---|------|--------|--------|-------|------|
| 31 | x | 4.40 | 200    |        | 300   | 40/- |
| 21 | X | 4.95 | 5.635  | 1000   | 330.5 | 42/6 |
| 34 | X | 5.77 |        |        |       | 52/6 |
|    |   |      |        |        |       |      |

With our large assortment of chains it is possible to fit almost any wheel.

## MOTOR CLOCKS



7/20—SMALL 8-DAY DASHBOARD CLOCK-A replica of Model 8/20, possessing the same essential features, differing only in size. Silver dial. Diameter of dial 2", overall diameter 3". £3/12/6 each.



98/18-MOTOR CYCLE WATCH-Good, reliable Watch, plated or gun-metal case, round or heart shape. Fits any handlebar. 20/- ea. 20/- each.



8/20-8-DAY DASHBOARD CLOCK —High quality Swiss 8-day jewelled movement in handsome case with Bezel wind. A special release pre-vents possibility of overwinding. Easily fitted by three screws. Specially constructed to withstand vibration and variation of temperature, Diameter of dial 3", overall diameter 4\%", depth from dash \%". £3/12/6 each.



- "HIWA" 9/20 -8-DAY DASH-BOARD CLOCK - The cheapest Bezel-wind 8-day dashboard clock. Easily fitted by three screws without drilling or cutting the dash. A reliable jewelled lever movement with separate escapement is fitted in well finished flush fitting nickel plated case. Diameter of dial 2%", overall diameter 3%", depth from dashboard %". £3/-/- each.

### Chain Sizes of Popular Motor Cycles

|    | Į( | Chain | Siz | es. |   | Code Letter.          |
|----|----|-------|-----|-----|---|-----------------------|
| 5% | x  | .255" | or  | 5%  | X | 5-16A<br>1/4B<br>3/8C |

#### B.S.A.

The number below gives the number

| of links required and the letter indi-<br>cates the size as per code above. |
|---|
| Front Drive. Rear Drive.  |
| 2.49 H.P58A110A   |
| 3.49 ,, S.V96B  |
| 3.49 ,, O.H.V 63A 96B   |
| 4.93  |
| 4.93 ,, O.H.V 71A   |
| 7.70 ,,56C97C   |
| 9.86 ,,   |
| INDIAN.   |
| Prince96B   |
| Scout97C  |
| Scout97C<br>Super Chief97C  |
| Standard97C   |
| HARLEY-DAVIDSON.  |
| 2% H.P58B88B  |
| 7-9 ,,78C98C  |
| 10-12 ,,98C   |
| TRIUMPH.  |
| 2-Stroke43A   |

31/2 H.P. .....52B.......89B

DOUGLAS.

2% H.P. E.W...78A......112A

Model P .-



46/6.
DUNLOP
CYCLE
CAPE.
Of extra
heavy
material,
finished
glazed
black.
30/- each.



#### 67/20. FOOTRESTS.

For Pillion Riding. Universal fitting. Folds out of way when not in use.

7/6 pair.



Made of best quality leather and perfect fitting with peak and ear flaps. Fur and Wool

lined ... 22/6 ea. Wool lined

only .. 15/- ea. All Fur lined .. 25/- ea.



48/6-MOSELEY CAPES.

The very best. Afford complete protection for rider and machine. 36", 15/-; 42", 17/6 each.



132/19-MOTOR CYCLE GARMENTS.

English manufacture, of strong double texture tan twill, giving perfect protection from heaviest rain. Well finished and strongly made. As illustrated.

Coats . . . . £2/13/6 £2/7/6 each Seatless Trousers . £1/12/6 £1/7/6 pair

Stocked in various sizes. When ordering give height.



70/24. WATER-PROOF OVER-ALLS.

Of heavy material, with metal clip at gaiter and leather foot straps. Sizes (inside leg), 29in., 33in., 33in. 23/6 per pr. Lighter material, 21/6 pair.

ALWAYS
THE
LATEST
IN
MOTOR
CLOTHING


## MOLESKIN

## Cloth Suits For MOTOR CYCLISTS

THESE suits are for motor cyclists who require something better than the ordinary. In appearance they are superb. Made of refined dark brown moleskin cloth, in smart double-breasted style, with big warm storm collar and throat strap, wind-proof inner cuffs, deep flap-covered pockets, buckle buttons. THE ENTIRE SUIT IS LINED INSIDE WITH RUBBER, making it positively rain-proof. Seatless trouser overalls, gusseted with patent fasteners and leather foot straps. A warm, good-looking, rain-proof motor-cycling suit, which will render exceptional service. You should SEE it!

£4-19-6

Helmet to match, same material— 15/- extra.




We carry full stocks of these for all makes of Carburettors. Send us your enquiries.



9/8-AMAC CARBURETTORS.

Suit 21/4 B.S.A. and similar Motor Cycles. Complete with controls. 55/- each.




-BOWDEN EXTRA AIRS 19/55-For Carburettors.

The inlet permits the introduction of an infinitesimal gradation, the amount of air admitted being under the control of the driver. Many Carburettors can be greatly improved

by the fitting of an extra air, and greater economy in running obtained.

When coasting downhill with throttle closed, the inlet, opened to its fullest extent, will effectively cool the engine and prevent oil from being drawn up past the piston. It is also an excellent air-brake-a brake that never fails.

20/- each Motor Cycle size ... Motor Car size 30/- each



1/8. BROWN-BARLOW CARBURETTORS.

For 31/2 to 6 H.P. machines. Complete with Controls. £2/10/- each.

#### Carburettors

33. SCHEBLER CARBURETTORS.

> Complete for Indians, £4/10/- each.

#### Carburettor **Parts**

We have good stocks of Floats, Needles, Jets, etc.

#### Sole DISTRIBUTORS

for

Auckland Province




MOTOR CYCLES



2/8. BROWN-BARLOW CARBURETTOR. For smaller power engines, about 21/4 H.P.

Complete, £2/5/- each.

## **Bicycle & Motor Cycle Chains**



#### Bicycle Chains.

| Stocked in Roller | , Twin | Roller | and | Block . | Patterns. |
|-------------------|--------|--------|-----|---------|-----------|
| B.S.A             | 240    | 636    |     | 12/6    | each      |
| Renold, New       | Patter |        | 200 | 10/-    | 39        |
| Renold, Old       | 22     |        |     | 15/-    | 22        |
| Brampton          | .50    |        |     | 6/6     | **        |
| Coventry          | * *    |        | *** | 6/6     | "         |
| Telito            | 23     |        |     | 8/6     |           |

#### HOW TO AVOID CHAIN TROUBLES.

In order to get the best possible results from a cycle chain on properly cut wheels—(1) Keep it clean; (2) Don't ride it too loose; (3) See chain wheels are in line.

To Keep Chain Clean.—Remove rough dirt with a brush; dust with a dry cloth, and then wipe with a slightly oiled cloth.


To Clean a Very Dirty Chain.—Two or three times a season, or after a very wet and dirty ride, take it off, soak it in warm paraffin for a few hours, and lay it on a plate to drain. Some semi-solid lubricant, such as a mixture of tallow and graphite, should be melted, and the chain warmed in it for some time at about the temperature of boiling water. The chain should then be removed and allowed to cool, when the excess lubricant should be wiped off with a cloth. Grease on the outside of a chain is of no value for lubrication purposes, and only serves to collect dirt.


Adjustment.—If the chain is too tight, it strains the bicycle. If too slack, it rides the wheel teeth, and so cuts the blocks or mars the rollers; or if very slack the chain may leave the wheels, or break by catching on the crank. A correctly adjusted chain runs freely without being very loose.




#### Cycle and Motor Cycle Chain Parts, Joints, and Repair Parts.

|                        |      |      | Pric    | es for      |
|------------------------|------|------|---------|-------------|
| Description.           |      | 3    | Bicycle | Motor Cycle |
| Parts—                 |      | 3    | Chains. | Chains.     |
| 4. Inner Link Complete | *:*: | ***  | 3d.     | 9d.         |
| 7. Outer Link Complete |      | 0909 | 4d.     | 6d.         |
| 8. Bolt and Nut        | • •  | **   | 1d.     | 3d.         |
| Joints—                |      |      |         |             |







| Repair Parts—  |     |     |
|--|-----|-----|
| 13. Two-link Part for lengthening a chain by two links                               | 9d. | 1/6 |
| <ol> <li>Three-link Part for repairing a<br/>broken inside link or roller</li> </ol> | 1/- | 2/- |
| 20. Cranked Three-link Repair Part   |     | 2/- |

## Motor Cycle Chains.

|        |   |        | P          | rice per | foot-    |          |           |
|--------|---|--------|------------|----------|----------|----------|-----------|
| Pitch. |   | Width- | Duckworth. | Perry.   | Diamond. | Renold.  | Coventry. |
| 1/2"   |   | 3-16"  |            | 4/-      |          |          |           |
| 1/2"   | X | 5-16"  |            | 5.00     |          | 4/6      |           |
| 5%"    | X | 1/4"   | 4/6        |          | 14.14    | 6/-      | 5/-       |
| 5%"    | x | 36"    | 5/-        |          | 4.4      | 6/-      | 6/-       |
| 34"    | x | 5-16"  |            |          |          | 0 700    | 7/6       |
| 34"    | x | 7-16"  |            | 14.4     | 1123(1)  | 2020     | 10/-      |
| 1"     | x | 1/9"   | 0600       |          | 000000   | 1.7 4000 | 12/6      |

CHAIN
SIZES AND
LENGTHS

## Bicycle Chains

Stocked in following sizes:—

1½in. pitch by 1½in. width. 1½in. pitch by 3-16in. width. 1½in. pitch by 1¼in. width. 1½in. pitch by 1¼in. width. 1in. pitch by 3-16in. width. 1in. pitch by 1¼in. width.


When requiring a new Chai. or Parts, be sure and send your old Chain or Part of same. This is the only certain way of getting the correct Parts.



33/20—RENOLD

Non-rattle Spare Parts Kits. Specially designed for carrying in your tool bag. Always handy and convenient. Strong metal containers with an efficient fastener. Each box contains connecting link—cranked double link—double connecting link and three spring clips for ½ x 5-16 chain.

4/- per box. Other sizes to come.



#### BLUEMEL FEATHERWEIGHT DETACHABLE CHAIN COVER.


A perfect Chain Cover, exceptionally light yet strong. Easily fitted to any bicycle. 10/6 each.

We pay Postage on all Cash Orders




DRESS QUADRANTS.

Best quality plated. Fit any machine. 6d, each.




#### 85/8-BICYCLE DRESS CORD.

In boxes containing enough for one machine. 2/- per box. 1/6 per box. Best quality Medium quality




93/8-PLAIN CELLULOID CHAIN GUARD. Strong, serviceable; medium quality. 7/6 each.



89/8. BICYCLE DRESS NETS, or GUARDS FOR LADIES' MACHINES.

Complete, ready for fitting. Best quality 5/6 pair. Medium quality ... 3/6 pair.



#### 99/18-THE COVENTRY UNIVERSAL RIVET EXTRACTOR.

This bandy tool enables the rider to shorten, lengthen or repair his chain in a few moments without trouble, and should be carried by every motor cyclist. It is the most effective chain tool on the market.

Exhaustive and thorough tests have been made under every conceivable condition to ensure that this extractor will quickly and easily perform its function, i.e., that it will extract the rivets in a minimum time with the minimum effort and without damaging the inner plate, with the result that we now recommend it with confidence as the most serviceable and satisfactory motor cycle roller chain rivet extractor manufactured for the garage man and the rider. The leverage and gripping power is proportionate to the diameter of the rivet to be extracted and the punch is easily renewable.

8/6 each.

## COPPER TUBING.

Per ft. 1/8" hole 6d. 3-16",, 9d. 1/4" 1/-¼" " 5-16",, 1/3 3%" " 1/3



86/20. FISH TAILS. For exhaust pipe ends. Nickel plated. 1% dia., 5/-. 1% dia., 5/6 each.

## 22 W SKEATES & WHITE LTD. BICYCLE, MOTOR CYCLE & W 48 FORT Auckland



83/13.
COPPER FUNNELS.
With Strainer.
3/- each.



46/ 25. CONTACT FILE. 2/- each.




82/24. BENZINE FUNNELS.

6in. top, 4/6 each. 8in. top, 5/- each.



STEVENS COIL FILES.

Is single cut in order to provide a sensitive filing surface for use on platinum points. Uniform in width, thickness and in temper. Has a solid handle, 1/- each,



49/27.
P. and H. CAR OR LORRY GENERATOR.

Capable of carrying a large amount of carbide. When fully charged, will supply 2 head lamps for 9 hours. Height, 14% in.; diameter, 9in.; weight, 8lb. 4oz.; finish, ebony black. £5/10/- each.



111/12. BURNER SOCKET.

Less burner. 4/- each.



KICK STARTER RUBBERS.

For B.S.A. Motor Cycles. Prevents foot slip and barking of shins. 1/3 each.



93/12. GAS GENERATOR.

Small size, suitable for rear or sidecar lamp. 15/- each.



41/13. TWO-WAY GAS CONNECTIONS.

Brass, 9d. each.

in.; weight, 8lb. 4oz.; fin ebony black. £5/10/- each.



#### 33/19. LAMP GLASSES.

Lucas Calcia King ... 31/4 in. Club 31/4 in. . . 23 29 Cadet Aceta (not made now) P. and H. Revenge . . 3in. Panther 3in. 1/- each. Other sizes up to 5 9-16in.



Owing to Postal Regulations, Carbide cannot be sent by post. We do not pay freight on Carbide.



77/28. P. AND H. MOTOR CYCLE GENERATOR.

This model has a swivel bail for holding carbide chamber in position and a positive gas-tight locking device. It has a carbide capacity of 10oz. and will supply a light for 5 hours. Fitted with two-way gas tap. Height 8½", diameter 3¾", weight 21b. 3oz. Ebony with plated mounts. 20/- each.




80/12.
P. and H. DE LUXE MOTOR
CYCLE GENERATOR.

Large type, capable of carrying 9½0z. carbide. Has a double carbide container with a simple but positive locking device for ensuring an absolute gas-tight joint. Fitted with adjustable earrier and two-way gas tap. Height S", diameter 3½", weight 2lb. 6oz. Ebony with plated mounts. 25/- each.

## Goggles.

We have a splendid range of Goggles, and illustrate a few styles below.



-"ROYAL" GOGGLES.

Leather cloth mask-collapsible frames, removable glasses, lined silk with metal hinges. 4/6 per pair.



14/17-AVIATOR'S EYE SHIELD.

Made of strong, unbreakable and non-inflammable material. Gives the most unobstructed view of any goggle made. Exceptionally comfortable. 3/6 each.



40/20-"PERFECTA" ANTI-GLARE

GOGGLE-With green sun-protect-Clear view, chenille ing shade. edged. Very comfortable. flat in your pocket. Made in England. 3/- each.




41/12.

With Leather Sides. Give ample protection. 5/- pair.



42/12.

Comfortable-fitting, Stiff Sides. 4/6 pair.



48/21.

#### COLLAPSIBLE GOGGLES.


A light wire frame shaped to face, silk covered, edged chenille leather nor bridge, oval glasses in nickel rims. 5/- per pair.



82/20.

#### RAIN GOGGLES.

Metal slotted as in illustration. Used in place of glass. With these goggles it is possible to ride hard against a head wind and heavy rain without the eyes or clarity of vision being in the least affected. 5/6 each.



49/21-NICKEL FRAME GOGGLES.

Hinged centre and chenille edge. Fitted with best quality curved glasses.

5/6 per pair.



Very Wide Range ... With Oval Glasses ... 6/6 pair. 4/6 pair.

We can always offer you Exceptional Value in Second-hand BICYCLES MOTOR CYCLES or CARS

Write for latest List, stating your requirements.



91/19. GREASE CUPS.

Stocked in 14 different styles and threads. Send your old one as a sample.


1/3 to 3/- each.



Let us have your requirements



Flesh-coloured Horsehide. Splendid wearers The best for Winter use. 12/6 pair,




45/10—"GEM" COMBINATION GREASE AND OIL GUN.

The Barrel is made of heavy steel in an excellent gun-metal finish. It is a gun that can be carried in the tool box and is always ready for use. Equally suitable for grease or oil. 12/6 each.



59/6-DRIVING GLOVES.

With Gauntlets made of best quality leather. Stocked in all sizes. 30/- and 15/- pair.



58/10—"JUMBO" COMBINATION GREASE AND OIL GUN.

Can be used for either oil or grease, the change being made instantaneously by turning a thumb nut. Holds 15oz. of hard grease. 17/6 each.



18/13-MOTOR CYCLE TYRE GAITER.

Fits over cover, and clips fasten to rim. 21/4 in., 4/6; 21/2 in., 5/-; 3in., 5/- each.





159/19-LICENSE PLATE HOLDERS.

The Holder that stays tight—can't rattle—can't rust. It can't work loose and can't rattle because its parts make a stay-tight assembly. See how complete it is—screw with slotted head wingnut, leather washer and lock-nut.

4d. each.



£7-14-6

WRITE FOR CATALOGUE






26/13. HOOD FASTENERS.

As per illustration.
9d. per set.
7/6 per dozen sets.

We have a wide range of buttons and fasteners for wood and steel. Send us your enquiries.



The easiest and most satisfactory Snap Fastener made. Always holds securely, and is easily removed. 9d. each, complete.



## 130/12 — BLUEMELS CELLULOID CYCLE HANDLES.

No. 201—Black fluted with red beads No. 203—Black fluted with gold beads No. 206—Black bird's eye centre with gold beads

gold beads

No. 207—Black Basket design with
red beads

No. 210—Black bird's eye centre with gold beads, wide ends

No. 212—Black fluted with white beads, wide ends 2/- per pair.

These Grips are self-fixing, being coated with a special preparation which only requires to be wetted before placing on the handle bar.



35/20 — "SHOCKSTOPS" JUNIOR BICYCLE HANDLE GRIP — For 7/8 bars only. Length 3 3/4". To fit, simply moisten inside with water and slip on bar whilst moist. Made of finest quality red rubber. 1/6 per pair.



#### 93/11-HORN BULBS


|     | 93 | 3/1 | -HORN | BUL   | BS. | ēs. |
|-----|----|-----|-------|-------|-----|-----|
| No. | 1  |     | 1/3   | No. 7 |     | 4/3 |
| 52  | 2  |     | 1/6   | " 8   |     | 4/6 |
|     |    |     | 2/-   | ,, 9  |     | 5/- |
|     |    |     | 3/-   |       |     | 5/6 |
| 22  | 5  |     | 3/6   | ,, 11 |     |     |
| 22  | 6  |     | 4/-   | ,, 12 |     | 6/- |
|     |    |     |       |       |     | 6/6 |



135/12 — BLUEMELS CUSHION GRIP (Motor Cycle, 1" fitting)—
These grips are designed to absorb all vibration and are exceedingly comfortable to hold. The combination of celluloid and rubber marks a distinct advance upon all-rubber handles, as a better shape and smart appearance are obtained. 4/6 pair.

## CYCLE or TRICYCLE HORN

Nickel plated with red rubber bulb. Universal clip equally suitable for bicycle or tricycle handle bars.  $7\frac{3}{4}$  inches overall, 1 inch dia. of trumpet. 3/6 each.



97/11—LUCAS ELECTRIC HORN—
This Horn gives a loud penetrating tone which is very effective. Renowned for its durability. Can be operated for very long periods without attention of any kind. Complete with horn push ready to fit to handle bar. 35/- each.

Specially recommended for use on Motor Cycle with Lucas electrical equipment.



95/11—LUCAS MOTOR-CYCLORN

—The smallest Lucas "Straight"
pattern Horn specially designed for
use on lightweight machines. Various improvements have been effected
in this model, and for power and
quality of tone it is unequalled for
its size. 20/- each.


#### BICYCLE DOVER HANDLE CRIPS.

Renowned for their stylish finish, clear cut designs and superior wearing qualities. The body of the handle is made in one piece of Ebonite, which is always clean in wear. Stocked in various patterns, 1/6 per Pair.

#### MOTOR CYCLE RUB-BER HANDLE CRIPS.

Cushion grip in grey rubber 5" long for \$\frac{2}{8}\$ and 1" bars. A First-class English Article.

3/- per Pair.



61/24—HORN REEDS.

Threaded and
Push-in styles.

Medium size, 1/6 each,
Large size, 2/- each.

38/20 — "SHOCKSTOPS" RACING CYCLE GRIPS—A new model of very striking appearance, handsome and comfortable. Length 7". Colour, red. 3/- per pair.



73/12.
BLUEMEL'S MOTOR CYCLE
HANDLE GRIPS.
5/- pair.



124/9—TOOL KIT HAMMERS. 4/6 each.

#### SPARTON MOTOR HORNS

All Sparton Horns are superbly finished instruments, having the rich satin-black double-baked enamel exterior. The present construction is the successful culmination of fourteen years' intensive research work. All Sparton Horns are identical in operative design, giving the far-reaching distinctive Sparton signal, commanding instant attention and respect.



118/17-SPARTON AJ. Length, 9in. £1/15/- each,



119/17-SPARTON AX. Length, 121/2in. £2/10/6 each.



116/17-SPARTON AL Length, 11in. £3/17/6 each.



SPORTS MODEL MOTOR CYCLE HORN.

This horn emits a highly piercing yet pleasing note and is undoubtedly the best value on the market for the sports rider. 11/6 each.



74/20. LIGHTWEIGHT MOTOR CYCLE HORN.

A neat, well-made Horn, suitable for lightweight motor cycles.

13/6 each.



95/11-MOTOR CYCLE MECHANICAL HORN. A hand operated horn with vertical push rod. Sturdily constructed with original flywheel move-ment and has a short projector, Length 41/2 in., diameter 4%in.

25/- each.



17/20—COWEY VARIABLE NOTE HORN (for Motor Cycles). - The principle of this horn differs from all other mechanical horns and there is an entire absence of complication. Pleasant-yet distinctive tone. Pianissimo and pleasant, for the rational public; Crescendo and deeper, for the irresponsible; and finally Fortissimo, for the obstinate. Can be fitted to handlebars or top tube. 25/- each.





black enamel. Loud clear penetrating tone, very low current consumption, permanent adjustment, durable, efficient, light in weight and dependable. 17/6 each. Complete as illustrated.


Comprehensive Selection in

HORNS for BICYCLES, MOTOR CYCLES, and CARS.




135/19-BICYCLE HORN.

Built on the same lines as a motor horn, it emits a good note, presents a neat, compact appearance, and is well made and finished. Overall length, Sin. 4/9 each.



REVERSIBLE HANDLE BARS.

With slight forward extension. Complete with Grips. 13/6 each.



THE MAJOR TAYLOR.

The Handle Bar for racers. Has sliding outrigger, 6in. long. 20/- each.



57/11. STANDARD HANDLE BARS.

In all shapes. Well plated. Complete with Grips .. 11/6 each.



69/11-GENUINE B.S.A. HANDLE BARS.

Any shape as shown. Pair complete with Grips, 22/6.

These Bars are stronger than any other make,
and are beautifully plated. Well worth the extra cost.

## BICYCLE HANDLE BARS and HEAD FITTINGS



37/13. HEAD BALL RACE. For expander type

stem.

1/- each.



101/13. HEAD LOCK RINGS.

Each. Genuine B.S.A. . . 2/-Pattern B.S.A. . . 1/3



-HEAD BALL RACES.

Top & bottom black: B.S.A. 1/6 Pattern 9d. Bottom plated: B.S.A. . . 9d. Pattern



82/11. PATTERN ADJUSTABLE EXPANDER STEMS.

Stems only, 6/- each.



39/13. PLUNGER BOLTS.

For Handle Bars. Complete. 1/6 each.



36—Major Taylor Bends, 10/6 each.

37-Major Taylor Clips, 6/- each.

Major Taylor Forward Extensions & Clips:


37a-Square Pattern, 10/- each.

-Round Pattern, 10/- each.



B.S.A. HANDLE-BAR STEM.

With adjustable Forward Extension for outrigger bars. Adjustable, 22/6 each. B.S.A. Bends only, 12/6 each.



76/11. B.S.A. ADJUSTABLE HANDLE-BAR STEM.

Stem only, as shown, 12/6 each.



19/13. HEAD CLIPS.

6/6


4/-

Genuine B.S.A. Pattern B.S.A. To suit all B.S.A. and

Standard Pattern Bicycles.

### Hubs.

In addition to the Hubs illustrated, we have Side-car Hubs, Sulky Wheel Hubs, and many odd-size Hubs, together with Cones, Cups, Axles, and Washers. If you want something not illustrated, write to us—we perhaps have it or can get it.



6/11—Showing Internal Parts of Eadle Coaster Hub.




Best English manufacture. Stocked in various widths. 22/6 each.



11/11-EADIE COASTER HUB.

The Eadie Coaster is fitted with Positive Clutch Drive, which prevents all possibility of slipping.

27/6 each. Fitting extra-See page 78.



15/11—MOTOR CYCLE HUB, 35/-. With pull-through Spindle.



Every car should be equipped with one of these battery testers, and make frequent use of it. This is the only way to prolong the life of

your battery. 5/- each.

#### HYDROMETER SPARES.

Acid Testers 2/3 Rubber Bulbs 2/3 Glass Jars 2/3 Rubber Tips 2/3


> We Pay the Postage



#### RACING HUBS.

These hubs are of narrow section, specially built for racing, having wing nuts, as per illustration. The back hub is reversible, being adapted to take two sprockets.

Per pair, complete with 2 Sprockets 20/-Front Hub only ..... 7/6 Rear " " ..... 12/6



GENUINE B.S.A. BACK HUB, 20/-. PATTERN B.S.A. BACK HUB, 10/-.

> Complete with Sprocket. Fitting extra—See page 78.



84/19—SIDE CAR HUBS. Best quality English manufacture.

No. 2.

Width over flanges, 31/8 in. Drilled for 40 Spokes, 12G. Spindle end, 1 in. diameter. 25/- each.

No. 3.

Width over flanges, 3% in. Drilled for 40 Spokes, 10G. Spindle end, 1in. diameter. 37/6 each.




GENUINE B.S.A. FRONT HUB, 10/-.
PATTERN B.S.A. FRONT HUB, 5/6.
Fitting extra—See page 78.



99/11-SULKY HUB.


A superior hub with special features and finish. Has knock-out axle which makes it easy to keep clean. Drilled for 36 spokes. 3% inches between flanges, 6-inch spindle.

28/- each.



11/20—STURMEY-ARCHER 3-SPEED HUB. This is the best three-speed hub made, and is the only three-speed hub that has a back-pedalling brake included. Complete with either top tube or handle bar control, £2/10/.

Fitting extra. See page 78.






69/20. GASKET SHELLAC COMPOUND.

Coments and makes leak-proof metal, leather, cork, paper, asbestos, canvas, fibre, rubber and all variety of gaskets. Small brush fastened to cork.

1/3 per bottle.






| NI69 X24 K23 NI85 X6  | K12        | KI  | 3 N222                            | N66       | X35       | ×34   |
|---|------------|-----|-----------------------------------|-----------|-----------|-------|
|   | Cach.      |     |                                   |           |           | Each. |
| N 7-Coupling Spindle . \  |            | K   | 5-Slidir                          | g Clute   | h         | 4/6   |
| N 7—Coupling Spindle X 2—Chain  | 3/-        | K   | 6-R.H.                            | Cone      | F 80 80   | 2/9   |
| X 3—Screwed Connection J  |            | K   | 7-Drive                           | r         |           |       |
| X 6- , Lock Nut<br>X 8-Main Spring Collar   | 2d.        | K   | 8-R.H.                            | Ball R    | ing       |       |
| X 8-Main Spring Collar  | 6d.        | K   | 9—R.H.                            | Dust C    | ap .      |       |
| X 24-1in, dia, Ball Retainer  | 1/-        | K   | 11—Gear                           | Ring      |           |       |
| X 25-Ball Race Cap  | 2d.        | IX. | 1.2                               |           | 1-0.W1    |       |
| X 34—Pawl Spring. Per doz.  | 1/-        | K   | 13—Pawl                           | Pin       |           |       |
| X 35-Split Pin. Per doz.  | 1/-        | K   | 16-Plane                          | Protoc    | tor       |       |
| market with the last  | Cach.      | K   | 20-Chair                          | Care      | 101       |       |
| X 47-Spring Nut   | 2d.        |     | 21—Plane<br>22—Cage               | End P     | lato      | 3,/-  |
| X 48—Sprocket   | 4/-        |     | 23—Cage                           |           |           |       |
| X 48—Sprocket<br>X 49— Washer<br>X 58—Brake Arm Clip Nut.   | 2d.        | **  | Rivet                             | Linion    | Per doz   | 1/.   |
| X 58-Brake Arm Chp Nut  | 2d.        |     | Rivet                             | Ž.        |           | Each. |
| X 69— ,, ,, Bolt<br>N 6—Indicator Screw   | 2d.        | K   | 24—Clutch                         | h Nut     | 1155 155  | 10/6  |
| N 0—Indicator Screw   | 1/6        | K.  | 25—L.H.                           | Pawl      | Retainer  |       |
| N 8-Axle Spring<br>N 43-Clip for Brake Arm  | 6d.<br>8d. |     | (inne                             | r)        |           | 4d.   |
| N 66—Lubricator   | 6d.        | K2: | 5A-L.H.                           | Pawl      | Retainer  |       |
| N126—Indicator Spring   | 6d.        |     | (oute<br>26—L.H.                  | r)        | 441       | 4d.   |
| N158-Stool Broke Band )   |            | K : | 26-L.H.                           | Ratche    | t Ring    | 5/6   |
| N157—Bronze Brake Band  | 5/-        | K:  | 27—Brake                          | Cone      |           | 4/-   |
| N169—Brass Rivet for Brake  |            | K   | 28 ,,                             | Lever     | 4         | 2/+   |
| Ring Par day  | 1/-        |     |                                   |           |           |       |
| Ring. Per doz.  |            | K   | 30—L.H.                           | Cone      |           | 3/-   |
|   | cach.      | K : | 30—L.H.<br>31—<br>82—<br>33—Brake | Nut       | 4 1 17    | 1/8   |
| N185—L.H. Pawl<br>N189—Step   | 6d.        | K   | 32                                | Dust (    | inp       | 4d.   |
| N190-L.H. Nut (Lady's)  | 1/6        | K   | зз-Бгак                           | Arm       | ***       | 3/-   |
| N200 P H Nut  | 1/6        | K   | 34- "                             | Ch-11     | 020 20    | 7/-   |
| N200—R.H. Nut<br>N222—Star Washer   | 1/6<br>4d. | K   | 35—Hub                            | bret I a  | Je Mast   | 10/-  |
| K 1—Axle  | 7/6        | K   | 36-Sproc                          | Pant S    | bring.    | 4d.   |
| K 1—Axle  | 4d.        | 10  | 37—L.H.                           | Paul      | Potaino   |       |
| K 3— Sleeve   | 1/6        | ° ' | Rivet                             | E 48 19 8 | recraime. | 1/-   |
| K 3— Sleeve<br>K 4— Nut   | 6d.        | K   | 38—<br>Rivet<br>44—Span           | ner       | W         | 2/-   |
| THE LAND STATE OF THE PARTY OF | - 344      |     | and the same                      |           |           |       |

REPLACEMENT PARTS OF THE

## Eadie Coaster Hub

WITH POSITIVE DRIVE



Flg. 2. For Draw Bar Adjustment,

|                 |               | Each.  | Each.  | Each. |
|-----------------|---------------|--------|--|-------|
| 61R Shell, with | cups and se   | r-     | 70R L.H. Cups 2/- 79R Split Collar, wide                       | 3d.   |
| rated rin       | ng            | . 15/- | 71R Chain Stay Clips, complete 1/3 80R Packing Piece for B.S.A |       |
| 62R Friction P  | late          | . 4/6  | 72r Lock Nuts, with oil-hole cover 1/3 spindles                | . 9d. |
| 63R Brake Sp    | ring and pho  | 8-     | 73r Ball Retainers, with balls, Slr Spindle Collar             | . 9d. |
| phor bro        | onze ring .   |        | large 1/- 82R Packing Piece for round                          | 1     |
| 64R Brake Con   | e and Lever . | . 3/-  | 74E Ball Retainers, with balls, spindles                       | 9d.   |
| 65R Brake Spr   | ing Lever .   | . 1/6  | small 1/- 83R Chain Stay Clip Nut                              |       |
| 66R Clutch Nu   | ts            | . 3/-  | 75R Clutch Nut Spring 6d. 84R Chain Stay Clip Screw            | 3d.   |
| 67R R.H. Cups   |               | . 2/6  | 76R Adjusting Cone 1/6 85R Spindle Nuts                        | 6d.   |
| 68R Driving Sc  | erew          | . 3/6  | 77R Clutch Nut Spring Screw 3d. 86R Lubricator                 | 6d.   |
| 69R Chain Rin   | g             | . 3/-  | 78m Split Collar, narrow 3d. S7m Spindle only                  | 1/6   |

For Cam Adjustment.


Flg. 1.

## REPLACEMENT PARTS OF THE New Departure Coaster Hub.

All Prices on this Page for Parts Only FITTING EXTRA



| 1 Hub Shell     | 277  | 12/6 | 5 | Lock Nut for Spr | rocket | 2/- | 9  | Brake  | Cone | 4.6  | 3/6 | 13 | Axle 1  | Vut      |       | 4d. |
|-----------------|------|------|---|------------------|--------|-----|----|--------|------|------|-----|----|---------|----------|-------|-----|
| 2 Driving Screw | 11.5 | 6/-  | 6 | Clutch           |        | 5/- | 10 | Brake  | Arm  |      | 3/6 | 14 | Washer  |          |       | 3d. |
| 3 Clutch Sleeve | 9747 | 3/6  | 7 | Adjusting Cone   | 9790   | 1/6 | 11 | Brake  | Arm  | Clip | 1/- | 15 | Convex  | Washe    | r     | 4d. |
| 4 Spindle       |      |      |   | Brake Box        |        |     |    | Transf |      |      | 2/- | 16 | Ball Ca | ige (lar | ge)   | 2/- |
|                 |      |      |   |                  |        |     |    |        |      |      | 200 | 17 | Sprocke | ets (any | size) | 3/6 |
|                 |      |      |   |                  |        |     |    |        |      |      |     | 19 | Step    | - 100    |       | 1/- |
|                 |      |      |   |                  |        |     |    |        |      |      |     | 20 | Ball Ca | oe (sm   | 211)  | 1/6 |



80/19-UNIVERSAL HOSE CLIPS.

A revolution in Clips. The strongest and the simplest. For all size pipes in any position. Cut off the length you want, place your nuts through,

and tighten up.

Per Box, with 40-inch Coil, complete with screws and
nuts sufficient to make about 6 Clips . . . 7/-



88/19.
TERRY'S HOSE CLIPS.
%in. to 1 1/2 in. . . . 6d. each
1 1/2 in. to 2 in. . . 1/- each

We Specialise in MOTOR CYCLE REPAIRS.



61/13—FULLER'S HOOD PRESERVATIVE.

For Hoods, Curtains, Tyreeovers, etc. Waterproof; permanent and inexpensive. Clear and Black. Quart tins, 6/- each.

## MOTOR CAR JACKS

For all makes of Cars SPECIAL JACKS

For Cars with Balloon Tyres

## RELIABLE **BALLOON JACKS**

No. 7. Will handle any type of car and has an exceptional lift, 63 to 17". Fitted with 36" folding handle. 40/-ea.

No. 15. Recommended for light cars. Has a lift of 10". Complete with patent collapsible 36" handle. 27/6 ea.



93/25. THE LIGHTNING JACK.

A splendid Jack for Touring Cars-right in prin-ciple, properly engineered and so simple that noth-ing can get out of order -raises a car with a minimum of effort.


Lifting range, 10 to 17 inches; weight, 8lbs.

11/6 each.



75/20. MIDAS DOUBLE LIFT JACK.

For cars equipped with balloon tyres. Closed 7in., extended 14in. 15/- each.



KNEE GRIPS.

Pedley's Pneumatic Knee Grips are a real boon for comfortable riding. Price, complete with straps, ready for fitting, 11/6 pair.



Manufactured from the keenest abrasives. Coarse & fine in one tin. 1/3 per tin.



63/14.

THE MIDAS JACK.

An ideal Jack for light Closed 8in., extended 12in.

7/6 each.

Take Balloon

Sizes



THE FAMOUS CHAIN JACK. Raises the heaviest car with ease. 27/6 each.

## CAR TYRE SIZES:

#### Balloon Sizes EASY TABLE WHAT WILL FIT. FOR FITTING OVERSIZE Straight Side Rims Millimetres. Inches, TYRES. $750 \times 85 = 30 \times 31/4$ Sizes 800 x 85 = 32 x 31/4 860 x 85 = 34/x 31/4 30 x 31 Ordinary. Oversize. 32 x 4.95 31 x 4 90 == 29 x 31/2 760 x 650 x 700 x 85 65 31 x 4 90 = 31 x 31/2 700 x 810 x 33 x 5.77 85 710 x 90 32 x 4½ 90 = 32 ix 31/2750 x 840 x 85 760 x 90 32 x 4 $90 = 34 \times 3\frac{1}{2}$ 760 x 90 765 x 105 870 x 34 x 5.77 33 x 4½ $90 = 36 \times 3\frac{1}{2}$ 810 x 90 815 x 105 910 x $33 \times 4$ $960 \times 90 = 38 \times 31/2$ 870 x 90 875 x 105 35 x 5.77 34 x 45 $815 \times 105 = 32 \times 4$ 910 x 90 915 x 105 32 x 41 765 x 105 820 x 120 $875 \times 105 = 34 \times$ 35 x 6.60 $33 \times 5$ 815 x 105 850 x 120 $915 \times 105 = 36 \times 4$ 34 x 4½ } 875 x 105 920 x 120 $820 \times 120 = 32 \times 4\frac{1}{2}$ 37 x 6.60 $35 \times 5$ 820 x 120 835 x 135 $850 \times 120 = 33 \times 4\frac{1}{2}$ FORD SIZE 850 x 120 880 x 120 $880 \times 120 = 34 \times 4\frac{1}{2}$ 30 x 3 h Beaded Edge 880 x 120 935 x 135 $920 \times 120 = 36 \times 416$ Rim takes Balloon $935 \times 135 = 36 \times 512$ 835 x 135 895 x 135 31 x 4.40 Size

## Special

## Special Values in LAMPS for MOTOR CYCLES and CARS



68/7 P. and H. "DEMON." Our lowest-priced Oil Lamp. Japanned, 3/6 each.



LUCAS "SILVER KING." The World's Best Oil Lamp. It has a large oil vessel, detachable glasscovered reflector, and opens right down for cleaning. 28/6 each.



71/7. THE LUCAS "CAPTAIN." A reliable light-giver. 10/- each.



77/7-LUCAS "PATHFINDER."


An improved pattern, domed front glass; opens right down for cleaning. Plated, 6/9 each. Japanned, 6/9 each.



81/7. THE LUCAS "LUCENT." A reliable Lucas Lamp at medium price. Japanned, 4/- each.



98/14. LUCAS "TAIL LIGHT." This is a specially-designed tail light showing a white light forward as well as a red light to the rear, so that the rider need not turn round to see whether it is alight. 6/- each.



72/28-LUCAS CALCIA KING.


One of Lucas' newest designs; fitted with a silvered mirror reflector. The carbide container has a patented fixing, a slight movement enabling it to be quickly fixed or unfixed. Fitted with valve nipple for rear light. Plated or Black.

40/- each.



81/12. BICYCLE LAMP OIL. Specially prepared for use in cycle lamps.

1/3 per tin.



75/28-LUCAS CALCIA TOURA.

A medium-priced Lucas Lamp, embodying all modern improvements. Has a large front with an aluminium reflector and patented fixing for carbide container. The water body is fitted with combination waterfiller, cap and funnel, which is not detachable. Complete with valve nipple for rear light. 25/- each.



64/7.
P. and H. "PANTHER."
A popular Gas Lamp. 10/- each.



48/27. P. and H. CHIEFTAIN.



One of the finest lamps made. Fitted with 3in. double convex lens and mirror reflector, thereby ensuring a brilliant light. Has double carbide chamber with positive locking device making an absolute gas-tight joint. 27/6 each.



94/12-REAR REFLECTOR.

Medium size, with stay clip as illustrated or bracket for mudguard. 1/3 each.



138/7-THE P. AND H. No. 75.

This is a popular lamp with its handle and deep carbide chamber, silvered mirror reflector and 3in. double convex lens. Weight 26ozs. Complete with rear tap. 22/6 each.



69/27.
THE STARLIGHT
BICYCLE REAR
LAMP.

Substantially made and well designed. Fitted with %in. red glass and %in. white glass. 4/6 each.



93/14. LUCAS BICYCLE TAIL LIGHT.

A neat little lamp—complete with clip for back stays. Height, 2½in.; diameter, 1½in.

7/6 each.



The Delta.—The finest Motor Cycle Spot Lamp made. Detaches at wing nut for trouble lamp uses, leaving bracket attached to handle bar out of the way.

27/6 each.




86/7-THE NEW SULTAN.

This is an improved lamp, having a deeper carbide chamber and a larger waterpart, aluminium reflector and single convex glass. 22/6 each.



P. and H. SIDE CAR GAS LAMP.

Well finished, and shows a good light. 20/- each.



#### THE DUPLEX REFLECTOR.


It affords a double margin of safety for the night rider, as the white disc is caught at whatever angle the lamp of the overtaking vehicle is likely to be, whilst the red reflector gives the necessary note of danger.

1/9 each.





4/20 and 5/20—ELECTRIC MOTOR CYCLE SET — Comprising Headlamp (with switch and dimmer fitted into lamp), Tail Lamp 6 volt 10 amp., Accumulator in tin box which has adjustable clips for fitting on to down tube with wiring and fittings complete. With battery charged. £6/-/-.



139/7—MEDIUM WEIGHT MOTOR
CYCLE SET — This lamp is
equipped with a 4in. genuine Mangin Mirror and Bray's Roni Burner.
No. 119 generator with swivel base.
Complete as shown, to fit almost
any motor cycle. £2/10/- the set.

B.S.A. SPECIAL—P. and H. No. 120 —All 1927 B.S.A. motor cycles have special lugs built into the fork crown. This lamp has brackets made to suit, and is a very neat lamp and efficient. Suitable for 2.49 and 3.49 h.p. models. Complete with generator. £2/5/-.



77/20.

MOTOR CAR FUSES — 20 amp. 6d. each. 11/4" x 1/4".




139/14 — EDELMANN DRIVING LIGHT—Can be attached to radiator, cowl, splash pan, or fenders. The lamp is of double shell construction, eliminating reflector or lens becoming fogged. Complete with 6 feet armoured cable, switch to mount on dash, 32 candle-power bulb and all bolts and nuts ready for attaching. 25/- each.



28/20 — SPEEDOMETER LAMP — Adaptable to any size speedometer. 6 volt bulb for use on single wire system. Lever switch built right in lamp. 7/6 each.



3/20 — "RAINBO" JEWEL DASH LAMP CAP—Made of nickel-plated White Metal and studded with nine jewels of many colours. Each jewel is cut with 24 facets and when light is on glows with soft radiant beauty hard to picture. Fits over any dash lamp. 5/- each.



26/20 — INDIAN STOP LAMP— Easily attached and controlled by brake lever. When the brake is applied the brilliant red light flashes on and warns all traffic behind you.
7/6 each



92/7—LUCAS KING OF THE ROAD MOTOR CYCLE PROJECTOR— The projector is built on similar

The projector is built on similar lines to car projectors. Has Mangin Mirror Lens and Parabolic reflector. The generator is of drip feed type and has two way nipple. Complete with sports brackets to fit any Motor Cycle. £5/5/- the set.

LUCAS KING OF THE ROAD PROJECTOR SET (Special for B.S.A. Motor Cycles)—This set is slightly smaller than the one previously described, but is fitted with special brackets for B.S.A. Motor Cycles which are now fitted with lugs in the fork crown. Recommended for the larger model B.S.A. machines. £4/-/- complete with Generator.

4



138/7.

#### P. AND H. MOTOR CYCLE LAMP SETS.

No. 125-The premier medium-weight Lamp Set. Diameter of front, 51/2 in. Fitted with 4in. Magnin mirror. Total weight, 5lb. 10oz. £2/15/- per set.

No. 120-The popular lightweight set, having a 5in, front and 3 1/4 in, imitation Magnin mirror. Weight, 4lb. 15oz.

£2/5/- per set.



MOTOR CYCLE ELECTRIC TAIL LAMP.

Securely attaches to mud-Shows red to rear and illuminates number. 12/6 each.



91/7.


P. and H. GAS TAIL LAMP. With tap for regulating pressure of gas. 10/6 each.

#### P. and H. TAIL LAMP No. 50.

A small gas tail lamp with 2 bolts to fit to number plate. Red glass 1% in., white glass 1%. Weight 4oz. 5/- each.




103/25-SIDE-CAR LAMP. Can be attached to guard or body. Fitted with switch. 7/6 each.





MOTOR CYCLE ELECTRIC TAIL LAMP.

Everlasting aluminium and steel combined Tail Lamp. Has removable rear red glass, and removable white glass to show number plate. Weight, 8½ oz.



104/25-SIDE-CAR LAMP.

A neat lamp of ample strength. Complete with 6-volt bulb. 12/6 each.



#### 91/14-LUCAS KING OF THE ROAD CYCLE LAMP.

Designed for the cyclist who wishes to have the very best light obtainable. The lamp is built on similar lines to the Motor Cycle Lamps, and is fitted with a silvered mirror reflector. A burner cleaner brush is retained inside the lamp. 40/- per set.



#### 114/14-DASH LAMP.

Designed for use on metal dash, and as centre of opening in shade is only one inch from the face of dash, makes it particu-larly efficient where the face of the instruments is set flush 7/6 each. with the board.

## CARBIDE.

Owing to Post Office Regulations, Carbide can on no account be sent through the post.



72/18.

THE BOSS DASH LAMP.

Of the short bull-dog type—dash. Made of solid brass, highly plated and polished. Complete with self-contained switch but less bulb. Measures takes up very little room on the 21/2 in. overall.

3/6 each.



71/28. LUCAS KING OF REFLECTOR SIDE LAMP.

Pleasing and distinctive in outline. Can be fitted vertically or horizon-tally. Bulb replace-ment is a simple matter, as the front of lamp is attached by a bayonet fixing. 25/- each.

Ideal for Side-car use.



99/25-CIRCLE "S" STOP LIGHT.

A solidly built brilliant light that will stand the wear and tear of any service. Easily fitted in conjunction with brake, and issues a sure warning to following traffic. Complete ready to install. £1/-/-.



73/18. THE NEVEROUT WARNING SIGNAL.

Fits over tail lampavoids drilling holes in guard or body of car. Shows "Stop" only Shows when pressure is applied to brake pedal. Lamp is of solid aluminium, polished front rim; weight 6oz.; width 4½in.; width 21 c.p. height 2%in. bulb. Complete ready for installing. 25/-.



100/25. DRUM SIDE LAMP.

This type is known as, the ring' t "flaretype of Drum Side Lamp. The two plated hexagon brass hexagon bands give this lamp a very distinctive, dignified appearance. Exdiatreme body

meter, 2%in. 13/6 each.



102/25. PARKING LAMP.

Of the popular drum shape. Wire can be carried under guard through wire outlet hole in the side of base. Body is black enamelled. Both lens holders are solid brass, nickel plated.

Front lens opening 1%in., rear lens 1%in. 13/6 each.

118/14.

DOME LAMPS.

Made entirely of brass, heavily


bulb and self-contained switch.

Only 11/2 inches deep. Frosted

glass. 17/6 each.

Complete with

nickel-plated.



54/21-ELECTRIC PARKING LAMP.

Specially made for attachment to motor guards, to be used when car left standing. Shows white light to the front, red to the rear. Saves great deal of current.
Also first-class lamp for side-car use. 8/6 each.



#### 68/27-P. AND H. INSPECTION LAMP.

indispensable accessory to a car. useful night driving, for changing tyres and making any tyres adjustments. The safest means of lighting where benzine is about. Of brass throughout.

As illustrated, with 12ft. of cable.

17/6 each.



48/26-OIL TAIL LAMP.

A particularly wellmade Lamp, suitable for Car or Truck. Black finish. 10/- each.



101/25. DRUM SIDE LAMP.

Body is handsomely finished in black baked enamel. Lens aperture approximately 1%in. diameter. Extreme body diameter 2% in. Fitted with 6-volt single contact bulb.


13/6 each.



90/25-ELECTRIC INSPECTION LAMP.

Complete with 9 feet of flexible wire. Single or double Contact Plug. 10/6 each.

An Inspection Lamp is invaluable if you require to mend a tyre in the dark.






14/25


ELECTRIC HEAD LAMP.

This Lamp is of bullet design, with 7-inch front. Has highly-silvered parabolic reflector, which throws beautiful white light from a 21-candle power bulb. The pilot light—a 2-candle power bulb—covers the laws for city riding.

40/- each.

Electric head lamp as used on Indian Motor Cycles, 50/- each.





56/21-INSHIELD DRIVING LIGHT.

A Spot Lamp that fits inside the car. The only lamp for closed cars, and the only one that can be fitted without cutting the glass. Moves in any direction, and is always ready for use as a trouble lamp.

30/- each.



43/10.
BRACKET
LUBRICATOR.
For B.S.A. and
Standard British
Bicycles. Stocked
in one quality only
—the best.
9d. each.




44/10.
HUB
LUBRICATOR.
For B.S.A. and all
Pattern Bicycles.
6d. each.



"FORD" ELECTRIC

5/6 each. With bracket for number plate, 10/- each.

We have LAMP GLASSES in all Sizes up to 12in.



#### 72/19-ELECTRIC LAMP BULBS.

2 c.p. . . 1/6 each. 17 c.p. . . 3/- each. 9 c.p. . . 2/- ,, 21 c.p. . . 3/- ,, 15 c.p. . . 3/- ,, 27 c.p. . . 3/6 ,,

#### DOUBLE FILAMENT BULBS.

6 and 21 C.P.—for Indians. 21 and 21 C.P.—as used on several ears. 3/6 each.

These Lamps are made especially to stand the vibration of car and motor-cycle.

Stocked in 3-4, 6-8, and 12-16 Volts. When ordering, please mention whether Single or Double Contact, and Voltage required.




23/7. HOWE ELECTRIC TAIL LAMPS.

For Cars.

Also show white light to the rear when required.

25/- each.

This is indispensable when backing into unlighted Garages, etc. We REPAIR any make of MOTOR CYCLE or SIDECAR CHASSIS.



159/19-THE AUTOREELITE.

A powerful spotlight for driving—a troublelight without equal—an unusually convenient
trouble-light for tourists, pienickers, etc.
The powerful, penetrating rays of this trim,
sturdy spotlight will locate anything within
its range—to the left or right, up or down
on the road ahead. To use as a troublelight, simply unscrew the knurled nut at the
top of the reel container and the 12 feet of
cord reeled out of the AutoReelite bulb
enables one to use the AutoReelite at any
part of the car. Automatically reels back
into the bulb—just like raising or lowering
a window shade. The first spotlight that was
really different. Dominating windshield
searchlight used and praised in every part
of the world where motoring exists.

80/- each.



HANDLEBAR LAMP

BRACKET.

Round extension. 2/- each.

For Major Taylor type bars-



109/26. SPINDLE LAMP BRACKET. 1/- each.



98/12. HEAD LAMP BRACKET.

Fits under head lock ring. Genuine B.S.A. . . 2/- each. Pattern B.S.A. . . 1/- each.



HANDLEBAR LAMP BRACKET.

For Major Taylor type bars—square extension.
2/- each.



#### 147/19. FOOTMAN LOOPS.


For attaching straps to running board.

Nickel Plated, 1½in. . . . . 1/6 each

Brass, 1¼in. . . . . . . 9d. each



#### 112/26. FRONT FORK LAMP BRACKETS.



CARBIDE.

Owing to Postal Regulations, Carbide cannot be sent by post.

We do not pay freight on Carbide.

# 25/19—HUB LOCK RINGS. For locking Sprocket in position. B.S.A. . . 1/6 each. Pattern . . 1/- each.

# 75

40/19. LENS OR MAGNIFYING LAMP GLASS.

| 3-inch    |                           | 3/- | each |
|-----------|---------------------------|-----|------|
| 31/s-inch |                           | 3/- | **   |
| 314-inch  | 6060                      | 3/6 | 22   |
| 3%-inch   |                           | 3/6 | "    |
| 3½-inch   |                           | 4/- | 22   |
| 4-inch    | $\widetilde{g}_{i}(0)(t)$ | 5/- | 27   |
| 41/2-inch | #00e06                    | 6/- | 22   |

| 4 /2 -1m  | ch     | 6/-    | 22.      |
|-----------|--------|--------|----------|
| Popular   | Lamp   | Glass  | Sizes.   |
| Lucas Cal | cia To | ura    | 31/4 in. |
| P, and H. | Chieft | ain    | 3in.     |
| **        |        | 75     | 3in.     |
| 52        | New    | Sultan | 3in.     |




No. 14.—Fork Sides; will suit either oval or D section. 2/-ea. No. 15.—For Back Stays, to carry tail lights; will suit either D or oval stays . 2/-ea. No. 10.—This pattern is introduced to meet the demand for a strong bracket to carry the larger lamps. It fits in the usual position on the head of the machine . . . 2/6 ea.

## We Pay the Freight on all Cash Orders



38/11—LUCAS PATENT LOCK AND CHAIN. 4/6 each.



## 90/12-MAGNIN MIRROR LENS.

| Lucas, | 31/4  | inch |        | 0.0       |            | 6/6  |
|--------|-------|------|--------|-----------|------------|------|
| 35     | 4     | 99   | + 4    | 1000      | 1100       | 20/- |
| 22     | 41/2  | 25   | 1915   | 353       | 1500       | 22/6 |
|        |       | P.   | and    | H.        |            |      |
| 7      | 7.000 | A    | tab to | Aleimor . | Common way |      |

1/2 in. x 1/2 in. ... 2/- each

3/-

3/6

3/6

58in. x 58in. ...

11/8in. x lin. ...

11/4in. x 11/8in. ...

11/8in. x 11/8in. ... 3/6

11/4 in. x 1 in. ... 3/6

1½in. x 1½in. ... 4/6

#### Ends-Machined from Steel Bar. Yoke Slot No. each. Threaded inside as shown on 1-4 1-4 1/-1-4 No. 8. 5-16 5-16 5-16 2/-6 Complete with Bolt. 2/6 7 3.8 3-8 3-8 8 1-2 1-2 3-8 3/-Tang Bolt Slut ins. ins. 3/-12 1-2 7-16 7-16 4/6 21-32 1-2 7-16 14 Complete with Bolt and Nut. 16 3.4 1-2 7-16 4/6 8/6 17 1 11 - 163-4LUGS for BICYCLES, 46,13-Bicycle Lugs. B.S.A. Pattern. MOTOR CYCLES, Top Head Lug ... 5/-Bottom Head Lug 5/-3/-3/-3/6 complete ... 5/6 and SIDE CARS. Seat Lug For B.S.A. and all standard Bicycles. 101/19. CHATER LEA LTD Side Car Long Tee Lugs. 11/sin. x 11/sin. ... 6/- each 2A 2F 2B N'2 No. No. 2. 11in. clip x 11in. lug ... 5/6 2H. 14in. clip x 14in. lug ... ... 4/67 2A. 14in. " x 4in. 5/6 3 1in. " with boss ... ... 5/-2c. 1in D , x 1in. 6/-14in. " equal boss ... 2D. 11in. " x lin. 5/6 7 1gin. .. din. hole 5/-... 3/6 5/6 ğin. " 2E. 11in. ., x 1in. 17 ... ... 2F. 14in. " x 1in. 5/6 17A. 1in. ... 3/6 11. ... ... ... ... 4/-2G. 1in. x lin. 5/6 17B. 1gin. " 89/19. Side Car Tee Lugs.

., 23a, 1‡in. x §in.

No. 23. 1in. x in. footrest lug ... 4/6 ea.

" 25. gin. round elip x 15-16in.

round lug, 5-16in. bolt

,, ... 4/6 ,,

... 4/- "

COPYRIGHT

4/6 ea.

4/6 ,,

6/6 .,

5/- "

No. 20. 1\fin x \frac{1}{2}in., no bolt

" 21. 1in. clip, flat tang

22a, 1in. x 7in.

22. 14in. x 14in. double clip



8/17—BOWDEN LEVER.
For Brake or Clutch Controls. Suits 1in. bars.
Length of Lever, 4½in. Pull, ¾in.
10/6 each.

## SPECIAL TRUCK MIRROR

Fitted with 5½" heavy Mirror in strong frame carried on 16" arm turned at right angles for further 5" and flattened and drilled for screwing to body of truck.

A most satisfactory job. 15/-




4/8—BOWDEN SINGLE LEVERS. Curved, complete with Clip. 7/6 each.



11/8—BOWDEN DOUBLE LEVERS.
Complete as shown. 11/6 each.
All Bowden Levers can be supplied in curved or straight patterns and left or right hand fitting.

We Specialise in

MOTOR CYCLE REPAIRS



FRAMELESS INTERIOR MIRROR.
7in. x 3in. good quality Bevelled plate glass, coated with a heavy deposit of silver and fully protected from Moisture by a Waterproof backing. 10/- each.



MOTOR CYCLE MIRRORS.

#### 122/12. LUCAS "KING OF THE ROAD" (Illustrated).

Gives a wide field of vision, and is adjustable in any direction-13/6 each.

It can be turned inwards when negotiating narrow passages. CLAYRITE.

A good mirror fitted with 31/sia. diameter convex mirror. 10/- each.



123/12.

## Bicycle Observation Mirror.

Designed to ensure the safety of the cyclist by giving him an eye to see the swifter moving vehicles seeking to pass him on the road.

5/- each.





glass, plate and clip fitting. 17/6 each.



47/19—SPRING-ON OIL-HOLE COVERS. For Hubs and Pedals. Easily fitted. All Sizes. 3d. each.




#### 87/10-MOTOR CYCLE MUDGUARDS.

Enamelled black, complete with Stays. 3in. wide .. 17/6 pair. Front 9/-, back 10/6. 3½in. " .. 20/- " " 10/- " 12/6 4in. " .. 22/6 " " 10/6 " 14/6 Fitting Extra. 12/6 14/6

#### SIDE-CAR GUARDS.

Plain Guard with 3-Stay Attachment ... Same Guard with Side Wing .. .. 25/ 35/-. Fitting extra.



83/8. MUDGUARD FLAPS.

Extra large. 2/6 each.



83/10-STEEL MUDGUARDS.

Best quality only. Complete with stays.
6/6 pair.

B.S.A. Mudguards—The very best Steel
Guards made. 17/6 pair.

|       | -0.00  |      |      | B.S.A. | Pattern |
|-------|--------|------|------|--------|---------|
| Front | Guards | only | 900  | 8/-    | 2/9     |
| Back  |        | **   | 2000 | 10/-   | 4/-     |

92/10—BLUEMEL'S EXTENSION GUARDS. Strongly made in Celluloid. Fit any machine. 2/6 each.



MUDGUARD CLIP. For Fork Crown. 6d. each.

is an Ignition Tester manufactured by the (Spark-C.) Spark-C.) Westinghouse Lamp Company, by means of which flashes appearing at the window of the tube indicate the condition of the ignition system.

tells at a single glance, and by distinctive, unmistakable signs, whether a spark plug is dead (Spark-C) or active.

tells whether there is a break in the wires, and (Spark-C) where; whether there is current leakage, or irregular firing.

tells whether the spark gap is normal, too wide (Spark-C or too close.

tells whether the spark plug is clean or dirty; (Spark-C) whether it receives and utilises the proper volume of current or only a part of it.

saves those precious moments lost in discon-Spark-C necting wires or unscrewing spark plugs.

earns many times its cost in saved spark plugs, (Spark-C)Spark-C) and economy in petrol, due to the maintenance of high ignition and engine efficiency.

is about the size of a large fountain pen, and (Spark-C) should be in the tool box of every motorist. Full instructions with each one.

5/- each

## B.S.A. MUDGUARD PARTS.

For B.S.A. Guards only.

Stays complete with Eyes and Bridge Piece set 10/-Bridge Piece 9d. each Stay Rods, plated . . 1/-. . Stay Eyes 9d. 1000 Back Slides (yoke) 1/. 22 Front Joints 1/-22 22 Front Joints 1/-Fork Crown Screws 3d.

We do not pay postage on Mudguards

POSTACE EXTRA per pair, 2/1



40/13. ADJUSTABLE MUDGUARD BRIDGE.

For round, oval or D stays. Complete with bolts and nuts. 1/6 each.



#### 104/10-BLUEMEL'S PROTECTOR MUDGUARDS.

Made of black celluloid. These guards can be quickly attached or removed. Exceptionally light and strong. Cannot rattle or rust. 12/6 per pair.



#### 52/20-MASCOT WINGS.

These pleasing mascots are designed for fitting to the head lamp, in which position they add considerably to the appearance of the machine. Beautifully made and silver plated.

No. 1 size . . 6/6 pair No. 2 size . . 8/- pair

87/20. KICK PLATES.



Aluminium, 111½" x 3", 4/- each Brass-plated, 111½" x 4", 6/6 ,,



#### 83/20. PERMATEX FORM-A-GASKET.

Permatex Form-A-Gasket is a gasket material in heavy liquid form that is used in place of gaskets. Its basis is Permatex Heat Resisting Gasket Cement. Form-A-Gasket is brushed on to the surfaces that are to be united. It dries quickly, producing a solid layer of heat-resisting material, that will stand exceptionally high pressure, and is unaffected by gas, oil or water.

Form - A - Gasket not only produces superior results on cylinder heads, carburettors, manifolds, crank cases, gear eases and similar parts, but it saves much time in motor assembling and saves much gasket material that otherwise is wasted.

Per 4oz. tube, 3/-.



140/14—GEM RADI-WHIRL. Distinctive—Rotative—Ornamental. Fits to radiator cap. At night when lit up the varied coloured jewels throw a radiant reflection on the whirling wings that is most pleasing to the driver and commands attention of the passer-by. 12/6 each.

### MASCOTS

Improve the Appearance of your Car



# 83/10-BLUEMEL'S SPECIAL DETACHABLE EXTENSION.


Can be quickly attached or detached.

Affords good protection.

3/- each.

56/13. 55/13. MUDGUARD STAYS. Complete for Steel

Guards, Single . . 6d. each Double . . 9d. each



WRITE FOR LIST



70/19-BOYCE MOTO-METER.

The Boyce Moto-Meter will save you money and avoid breakdowns and repairs just as it is doing daily for millions of other motorists.

The Boyce Moto-Meter tells you at a glance if your motor is running too hot, too cool, or at a safe normal temperature. The moment any mishap or abnormal condition arises that might subject your engine to the ravages of excessive heat and friction, Boyce Moto-Meter warns you before damage is done.

That's how it eliminates engine troubles and repair bills.

That's why your car deserves one.

We especially recommend Boyce Moto-Meter for such ears as Overland, Studebaker, Dodge, Cadillac, Buick, Reo, Chandler, Cleveland, Ford, and Oakland.



112/9—MOTOR NIPPLE KEYS. For Motor Car or large Motor Cycle Spokes. 7/6 each.



THE QUAD NIPPLE KEYS.
This is the finest tool of its kind in the world. Will outlast many cheaper ones. 3/6 each.
Cheaper quality, same design,


To take one size only, 1/- each.




48/10. BEST QUALITY ENGLISH OILCAN. 1/6 each.



87/13. MOBILOIL OILS. Stocked in all grades, A, B, BB, and E. 8/6 per gall.





38/10-OIL SYRINGE or SQUIRT. Complete with 3 spouts as shown. 6/6 each.



62/10. PETROL INJECTOR or SQUIRT. 4/6 each.



88/18. FNOT'S MOTOR CYCLE GREASE GUN.

Specially designed for lubricating motor cycle spring forks, hubs, sidecar shackles, etc. Instant "push-on" application. Very high pressure. Easy to use, clean to handle. Gun, 9/-.


Nipples, ¼ x 26T, 6d. each.



OIL SQUIRT. For awkward places. 5/6 each.



## **EXCEPTIONAL SELECTION** in all kinds of OIL CANS & FEEDERS



94/28-LUCAS FORCED-FEED OILER.

An exceptionally neat pattern, made from solid brass. Nice to handle, of ample capacity, and being fitted with a thumb-operated force-pump the oil is emitted under pressure. 13/6 each.



64/10. POCKET OILCAN. Cannot leak. 1/- each.

#### 59/26 - TRANSPARENT OILERS.

A great improvement on Oilers in general. The transparent reservoir shows the amount of oil contained, and is perfectly oil-tight. 2/- each.



51/10-THE LUCAS "VESTA" OILER.

The filling screw is provided with a slot for taking a coin for screwing tightly. All oilers thoroughly tested in England. The best that money can buy. 2/- each.



#### 23/6. PRICE'S MOTOR CYCLE OIL.

The best Oil on the market. In bulk only. gallon . . gallon 2/6 3000 gallon 4/6

8/6

gallon



72/21. LUCAS FORCED-FEED OILER-ENGINEER'S PATTERN. The Lucas Forced-Feed "Motoiler" is a necessary item in every motorist's outfit. It ensures the oil getting there, whereas with the ordinary drip oiler one can never be sure whether the oil is dripping or not. The specially

designed pump will deliver just one or two drops, or a little stream, as may be required. Made of tinned steel. ½-pint—13½ in. long, 3¾ in. wide, 4¼ in. high. 11/6 each.

Fitted with patent automatic slide feed hole-cylindrical valve thumb button and solid steel riveted handle.

|     |              |      |       |     |     | A. M. A. |
|-----|--------------|------|-------|-----|-----|----------|
| 1/4 | Pint<br>Pint |      |       | 600 | 4/- | each     |
| 1/2 | Pint         | 2020 | 10000 |     |     | each     |



B.S.A. CYCLE LUBRICATING OIL.


1/6 per tin.

# Fuller's Cup Grease

1 6 per lb. tin



41/19-MOTOR CYCLE OR WORK-SHOP OILCANS—A good Oilean of handy size, 31/4 in, body. Filler plug at bottom. 2/6 each.



with fine bore and petrol-tight screw tip. 2/6 each.

Handy Oil Car THREE IN ONE OIL



3-IN-1 OIL.


Small bottle .. 1/9 Large bottle ... Handy Can .. 1/9



65/19-OILCANS AND HOLDERS.

A very handy and convenient device for attaching to underside of bonnet. Oilcan is always securely held, and yet instantly available.

Complete . . 4/6 each. Holder only 2/- each.



#### VEEDOL OIL.

Particularly recommended for Oak-When ordering please mention lands. model of car. Stocked in three grades-Heavy-special, Heavy, and Extra Heavy. 8/6 per gallon tin.



"SEARCHLIGHT" BURNING OIL. 1/3 per tin.



50/24-"NONCLOG" LUBRICATING OIL. 1/3 per tin.

# RECTIONS PUNCTURE PATENT PATCHES PATCHQUICK

13/6-"PATCHQUICK" BICYCLE OUTFITS.

These Outfits are superior in every way, and complete as illustrated. Small size, 1/-; large size, 2/- each.



30/6. DUNLOP MOTETTE REPAIR OUTFIT.

Specially pre-pared for re-pairing detachable tyres.



When the patch is properly put on, you simply cannot get it off without tearing the tube. Likewise they will not peel off on the hottest day. Order an Outfit and try them.



17/6.


DUNLOP "MIDGET" BICYCLE OUTFITS. 9d. each.



WE PAY THE FREIGHT

ON ALL CASH ORDERS


49/20-SURE SEAL PATCH OUTFIT. An all-rubber patch-works instantlyself-vulcanising. Holds permanently.
No. 1, Medium, 36 sq. in. . . . 2,
No. 2, Large, 81 sq. in. . . . . 3, 3/6



#### 11/6-"PATCHQUICK" MOTOR CYCLE OUTFITS.

Contents-1 doz. prepared Patches, tube of solution and tube of chalk in a good strong tin with a patent locking lid. 4/- each.

# 46 W SKEATES & WHITE LTD. BICYCLE MOTOR CYCLE & W STREET Auckland



"PATCHQUICK" MOTOR CAR OUTFITS.

With these Outfits an inner tube can be permanently repaired more quickly than a new tube can be substituted, and if properly fixed "Tis the patch that won't come off," even if your tyre gets overheated. No. 1, 6/9.



#### 69/14-PISTON RINGS.

For all makes of Motor Cycles. Kindly send sample when ordering. 2/6 each.

Piston Rings for over 20 makes of Motor Cycles in stock.

Nº 1204


71/9. FOOTPRINT PUNCHES.

6in., 3/- each. 7in., 3/6 each.



29/6-PATCHING RUBBER.

Best quality only, 2/6 per square foot. Also put up in 3d. and 6d. packets.



28/6.


#### GENUINE PATCHQUICK PATCHES.

Oval shape only.

For Car and Motor Cycle-

No. 1, 2d. each. No. 2, 3d. each. No. 3, 5d. each. No. 4, 7d. each. No. 5, 1/- each. No. 6, 1/6 each.

"Patchquick" Cycle Patches, when used with "Patchquick" Solution, will not come off, and will make a much better job than ordinary Rubber and Solution. Try them.




AS VULCANIZING

AND QUICKER

TO USE

#### 50/6-OXFORD REPAIR BANDS.

For Bicycles. In three sizes. 6d., 9d., and 1/-.



#### 14/6-"PATCHQUICK" VALVE TABS.

For Motor Cycles and Cars.

1/3 each. No. 1

No. 3 ... 2/6 each.

No. 4 ... No. 2 1/8 each. 3/6 each.



KLG PLUGS.
Stocked in Metric thread only.
J1, 7/6. HS1, 7/6. HS3, 10/6.
144 and 244, 15/-(Special Racing).



17/28.
BENTON PLUG.
For all makes of engines. %in. fitting only.
3/6 each.



SPLITDORF PLUGS.

The Plug with the Green Jacket, Easily cleaned.

Easily cleaned, and a Plug we can guarantee to stand up to any Motor Cycle work.

Stocked in 1/2 in., 1/8 in. and Metric thread.

5/- each.



68/10—SPHINX PLUGS.
Another
first-class English job.
5/- each.
Miniature size only.

Total length 21/4 in.



72/10.

LODGE PLUGS.
One of the most popular Plugs made.
Metric 1/2 in. and
1/4 in. fitting.
5/- each.


BR4
THE FAMOUS
LODGE
RACING PLUG.
Metric thread only.
15/-.



33/22.
BLUEMEL'S PATENT
LOCK PUMP CLIPS.
Pump cannot jump out.
2/- pair.

# 48/13—SPARK PLUG CLEANING BRUSH.


2/- each.
See also page 61 for Spark Plug



68/14—BELT RIM PULLEYS. For lin. V-Belts.

Groove is correct, 28 deg. All rims are measured from outside to outside for Width and Diameter.

Sizes—
20in. x 2½in. 19in. x 2½in. 18in. x 2½in.
20in. x 2¾in. 19in. x 2¾in. 18in. x 2¾in.
20/- each, not fitted.



We have had wonderful results from this Plug, and can thoroughly recommend it to all Oakland owners.






18/22—TERRY'S SPRING-ON PUMP CLIPS.

1/6 pair.



13/28—UNIVERSAL MOTOR CAR PUMP CONNECTIONS.

1/6 each; Refills, 6d. ea.





71/22-MOTOR CYCLE CONNECTION.

Extra long. Best quality. 1/6 each.



#### 61/20. LUCAS "SIGNA" REFLECTOR.

Has a wide angle of reflection. Far superior than the brands cheaper available.

11/2 in. ruby lens. 4/6 each.



64/14-PUMP TUBING.

Very best quality, 5-ply, for Car use ... 1/3 foot. Very best quality, 3-ply, for Bicycle use ... 9d. foot.

### MICHELIN TYRE TESTER

The Michelin tester is of the clock face type and registers up to 40lbs, pressure. Com-plete in neat fitting tin box.

4/6 each.

Send Us Your REPAIRS

> WE RETURN THEM PROMPTLY



107/22-BLUEMEL'S PUMP CONNECTIONS.

Made of best quality rubber—silk braided. Will fit all standard pumps and is the best Connection made. 9d. each.



62/22-PUMP

CONNECTIONS. To suit all Pumps.

6d. each.

42/22. PLATED MOTOR CYCLE PUMP.

A good brass pump 18in. x lin., heavily plated. Complete with long connection and foot strap.

7/6 each.



59/20.

KISMET BALLOON TYRE TESTER. Reading up to 42 pounds pressure. The readings are distinctly divided and being on flat surfaces they are clearly defined. Strongly made throughout and silver plated. 7/6 each.



25/13-PUMP WASHERS.

Best quality Stocked in all sizes

| 2000    | of course | 3   | CECCE III | er er | L KING ST |
|---------|-----------|-----|-----------|-------|-----------|
| lin.    | 51409     | 4d. | 2in.      | 2000  | 9d.       |
| 114 in. |           | 6d. | 21/4 in.  |       | 9d.       |
| 1%in.   |           | 6d. | 21/2in.   |       | 1/-       |
| 11/2in. |           | 6d. | 3in.      | 09696 | 1/-       |
| 1% in.  |           | 6d. |           |       |           |



66/13-BLUEMEL'S PUMP WASHERS.

%in. and %in., 3d. each. These are the best Washers made.




When ordering Pedals or Pedal parts, safest to send old part as sample.



#### 119/14-THE APEX JUNIOR PUMP.

A powerful, strong, attractive Pump, 18in. x 1¼ extra heavy steel attractive barrel. Equipped with a leak-proof check valve and quick-action nection suitable for

all valves. Great Value at 8/6.



#### 109/24-KISMET FOOT PUMPS.

Evolved on the compound or two-stage principle. Friction bearings are reduced to a minimum, the specially designed spring giving the pump a velvet-like action. Complete with gauge.

Fitted with unbreakable pressure gauge, extra long flexible tubing and universal connector. Packed in good wooden box with lid.

Junior Model .. £2/15/- each Duplex .. £3/17/6 ,,




160/19. BLUEMEL "CYCLONE" MOTOR PUMP.

The pump barrel is soliddrawn brass tube of stout gauge, covered in cellu-loid. The folding feet and detachable handle loid. and will be found a convenience for packing. Fitted with a 36in, connection and an accurate pressure gauge registering 120lbs. per square inch.

42/6 each.

## BICYCLE REPAIRS.

Send your bicycle repairs to us - competent mechanics and a fully equipped workshop always at your disposal.



63/22-BLUEMEL'S NO-WEIGHT PUMPS. The best Celluloid Pumps made.

12in. x %in., 5/- each. 15in. x %in., 5/6 each. 18in. x %in., 6/- each.



#### 45/22-HILL'S FAMOUS BRASS PUMPS.

Heavily plated; very strong. Will last a lifetime. 18in. x %in. . . 7/- each.



38/22-BRASS NICKEL-PLATED PUMPS. Complete with Connections.


12in. x %in. .. 2/6 each 18in. x %in. . . 4/- each. 15in. x %in. .. 3/- "



108/24. TURNER BALLOON TYRE PUMP.

This pump is specially designed for the balloon tyre. It is a volume rather than a pressure type pump and is so constructed as to give the e o m p aratively low pressure required speedily -and with the least possible Comexertion. plete with universal connector.

38/6 each.



13/22. MOTOR TYRE PUMP.

Polished brass barrel, 20 x 1%. Complete with gauge and Schrader valve connection.

£1/5/- each.

**CONTRACT** 

17/22. BLUEMEL'S SPECIAL METAL-LINED CELLULOID MOTOR CYCLE PUMPS.

With long Connections and Foot-strap. 15 x %in. . . 7/6 each 18 x %in. .. 8/6 "

#### SKEATES & WHITE LTD. BICYCLE, MOTOR CYCLE & W 48 FORT Auckland 50

53-MOTOR CYCLE

Spring Seat Pillars.

The D.Y.

The finest Spring Seat Pillar

yet devised. Suitable for any Motor Cycle, with a dropped top tube easily fitted. 40/- each.

Indian

I

N

Motor Cycles

Write for Terms



#### 52/9-SQUARE-NOSE PLIERS.

English manufacture. 7in.

5/6 each.



51/9-COMBINATION PLIERS. Rough plated finish. 4/3 pair.



17/9-PIPE TONGS.

Adjustable to four sizes. 7in. 3/6 each.



43/9-CONE PLIERS.

A handy tool for awkward places. 3/6 each.



150/19-COMBINATION PLIERS.

A very popular pattern for general use. Combines Flat-nose Plier with Gas-burner Grip, and Side Cutters, two Shear Wire Cutters, Reamer, and Screwdriver.

6in., 5/6; 7in., 6/-; 8in., 7/- each.




34/9-ROUND-NOSE PLIERS. First-class English make. 6in. 6/- each.



42/9-CONE PLIERS.

3/3 pair.



11/25-"TORO" CUTTING PLIERS.

Hardened and tempered Cutting Discs. Extra Cutter between jaws. 6in. long. 2/- each.



49/9-"FOOTPRINT" FIT-ALL PLIERS. Indispensable to the Motorist, Gasfitter, or Odd-job Man.

Three adjustments by means of Screw:-Firstly-Ordinary combination plier and grip for small tubes and wire-cutter.

Secondly-One jaw set below the other gives a grip like a pipe-wrench or spanner. Thirdly-Jaws opened 1/2 in. wider form gas

plier for fair-sized tubes and nuts. 5/- each.



#### 30/19. PEDAL PARTS.


|          | E     | B.S.A. Pattern. |     |       | B.S.A. Patte |        |         |     | Pattern. |
|----------|-------|-----------------|-----|-------|--------------|--------|---------|-----|----------|
| Spindles | 1412  | 2/6             | 9d. | each. | Barrels      | for C  | lentres | 4/- | 1/6 ea.  |
| Cones    | 4.4   | 6d.             | 3d. | ***   | Stays        |        | 0.0     | 6d. | - ,,     |
| Washers  | ***** | 2d.             | 1d. | 32    | ., 5         | Screws | 3       | 6d. | - ,,     |
| Nuts     |       | 3d.             | 1d. | ,,    | Rubber       | Bars   |         | 9d. | 4d. "    |
| Caps     | 100   | 9d.             | 6d. | 22    | ,,,          | "      | Nuts    | 3d. | 1d. "    |

#### LUSTRE POLISH.

Superior to all other polishes, and will put a brilliant finish on any polished, varnished, japanned or enam-elled surface; is especially good for the cleaning and polishing of gold, silverware, nickel and brass.

Especially adapted to Automobiles, Carriages, or any finish exposed to the weather,

2/6 and 5/- per bottle.



72/20.

MOTOR FEELER GAUGE - This gauge contains gauges for correctly setting spark gap, contact breaker, inlet valves on side valve engines, exhaust valves on side valve engines, inlet and exhaust on O.H.V. engines, and plug clearance. 4/6 each.



36/23-RAT-TRAP PEDALS. Good quality. 5/- pair.

GENUINE B.S.A. RAT-TRAP PEDALS.

23/6 pair.



ANGLO Nº 30. -RUBBER PEDALS.

Full Rubber or divided. 6/6 pair.



40/23-LADIES' PEDALS. 7/6 pair.

## We Pay the Postage



27/23-GENUINE B.S.A. RUBBER PEDALS.

Either full Rubber or divided as shown. 23/6 pair.



123/19. RADIATOR CAPS.

Made entirely of cast red brass, heavily plated. An improvement to any ear. Ford Size .. 3/6 each. .. 3/6 each. .. 12/6 each.

Other Sizes

# Motor Cycles

Write for Details of EASY TERMS

# THE HANDY EMERGENCY KIT FOR FORDS.

Contents-Cotter pins, lock washers, bolts and nuts, flat washers, castellated nuts, semifinished nuts, cap screws, spool of wire, roll of tape. As essential as a spare tyre. 3/6 per box.



85/20.

THE ROLLO TOW ROPE.

3 tons breaking strain. Weight 2lbs., length 16ft.
Packed in strong box 6½in. square. 15/- each.

# WE RETYRE PRAMS AND TRICYCLES

Best quality tyring only used. Prices do not include postage. Diameter Wheel. Diameter Tyring. Inches. 1/2 in. 9-16in. %in. 34 in. 6 2/3 2/6 2/9 3/3 4/6 5/-8 2/3 2/9 3/-4/-2/6 3/-10 3/6 4/6 3/3 3/-12 1/-5/-6/6 14 3/-3/9 4/3 6/-7/6 16 3/6 4/-5/-6/9 8/6 18 3/6 4/3 5/3 7/6 9/3 11/-4/-5/-6/-5/9 24 13/6 Postage Extra.



PEDAL RUBBERS.

Best quality only. Stocked in all sizes. 6d. each.

RADIATOR CEMENT. 5/- per tin.



#### 74/12—WESTWOOD STEEL RIMS FOR WIRED-ON TYRES.

Stocked in 24 x 1%, 24 x 1½, 26 x 1%, 26 x 1½, 28 x 1%, 28 x 1½, 28 x 1¾. Drilled 36 or 40 holes.

Best quality Plated, with black centres and red lines 9/- ea Enamelled Black . . . . 7/6 ea

For prices of Rims fitted, see p. 78.

WHEN ORDERING RIMS, BE SURE AND STATE WHETHER "WIRED-ON" OR "BEADED-EDGE" PATTERN. Nearly all Bicycles use "Wired-on"; Motor Cycles generally use "Beaded-Edge," with the exception of several of the 1927 Models.





#### 83/26-MOTOR CYCLE RIMS.

#### Special Indian Rims.

24 x 3 to take 25 x 3.85 tyres 12/6 26 x 3 , 27 x 3.85 ,, 14/9 28 x 3 , 28 x 3 ,, 15/-Enamelled Black, drilled 40 holes.

#### Special B.S.A. Rims.

For Beaded Edge tyres — 26 x 3.
Drilled and Countersunk. 20/- each.
When ordering, state Model—front or back wheel, and number of holes.

#### New Type Well Base.

For Dunlop Wired-on Tyres.

19 x 2½ to take 25 x 2.75,
26 x 3.25 and 25 x 3
tyres . . . . . . 17/6 each

21 x 2½ to take 27 x 2.75
and 28 x 3.50 tyres . . 17/6 each

Drilled and Countersunk, 40 holes.



# 117/14. THE JUMBO SWITCH. "For Every Electrical Use."

A scientifically constructed push and pull switch. To attach, it it simply necessary to drill a %" hole, tighten down nuts, attach the wires and the job is complete. 2/6 each.




149/19—SPLIT PINS. In boxes of 100 assorted. 1/- per box.

We pay the Freight or Postage on all CASH ORDERS for ACCESSORIES.



31/13—BACK WHEEL STEPS.
To take the place of the ordinary nut
1/- each.



10/19—TERRY'S PATENT SPRING LINK FOR MOTOR CYCLES.

Suitable for all link types of machines, this device takes the place of the usual fixed link. It allows for a horizontal, springing, telescopic action, absorbs end thrust and bar vibration.

Stocked for light-weight and heavy-weight machines. 22/6 pair.

# £8000

Worth of SPARE PARTS


for

B.S.A. and INDIAN Motor Cycles

OAKLAND and PONTIAC CARS


# **Brooks Saddles.**

Quality First. To maintain that quality for which Brooks Saddles have since their introduction to the Public been so well known, is still the foremost policy adopted in the manufacture of all Brooks productions. It is in Brooks Saddles that you see excellence of design, thoroughness in construction and soundness of material all combined. Analysed thus, it can be understood why the finished product is so infinitely superior.



7/12-BROOKS CHAMPION SADDLE. For track racing, 23/- each.


18/12-BROOKS B85 SADDLE, GENT.'S. The most comfortable Saddle made. Fitted to our best bicycles. Enamelled springs. Gent.'s, 30/- each. Lady's, 30/- each.




-BROOKS B90 SADDLE.


A large, comfortable Saddle, of extra strength. Enamelled Springs: Size 1, 30/- each; size 2, 32/6 each; size 3, 38/6 each.


2/12-



4/12-BROOKS B18 SADDLE. A strong Saddle, made to stand hard work. Enamelled Springs, 17/6 each.








9/12-BROOKS B28 SADDLE. A Saddle of extreme strength. Enamelled Springs, 30/- each.




6/12-BROOKS FAMOUS B10 SADDLE.

Giving a little more comfort than the B18. Finished off in Brooks' usual manner. Enamelled Springs, 23/- each.



1/12-BROOKS B75 SADDLE. A lighter Saddle, built on same principle as B85. Lady's, 22/6 each. Gent.'s, 22/6 each.

# 54 W SKEATES & WHITE LTD. BICYCLE, MOTOR CYCLE & W STREET Auckland



#### MEDIUM WEIGHT MOTOR CYCLE SADDLE.

The spring front in conjunction with the patent hinged-back coil springs makes this a most comfortable saddle.

25/- each. Spare Springs, 3/- each.



#### 120/12.

## LIGHTWEIGHT MOTOR CYCLE SADDLE.

Gives a wonderfully sure and comfortable seat, and is specially adapted for machines of small horse power.

15/- each. Spare Springs, 2/6 each.






59/21—60/21. BROOKS SUPPLE SADDLE FOR MOTOR CYCLES.

Rides like a spring mattress—springs are covered with a thin leather shield, a layer of thick felt, and over all the morocco leather.
£3/10/- each.

Seat Measurement: 131/2 in. front to back; 141/2 in. wide. Weight, 81b. 4oz.



88/20.

#### TRICYCLE SADDLE.

3 coil springs. Adjustable clip. 10/- each.



#### 21/12-PATTERN B85 SADDLE.

A Comfortable Saddle, Second only to Brooks. 15/- each,



#### PATTERN B10 SADDLE.

A first-class English Saddle at a medium price. 10/6 each.



37/12.

# BROOKS MOTOR SADDLE SPRINGS.

Supplied in any weight— 10-12 stone, 12-14 stone, 14-16 stone.

Large Outer Spring, 3/6 each.

Small Inner Spring, 2/- each.

Write for particulars of our

# "Pay as You Please" Plan


on B.S.A. and INDIAN MOTOR CYCLES.



98/10-TAN SAD PILLION SEAT.

The most comfortable Pillion Seat made. Constructed on sound lines. Easily attached to nearly all motor cycles.

£2/-/- each. Junior Model, 25/- each.



25/20-FELT SADDLE COVER.

Made of good quality Felt and fitted with tapes and laces.

| 4     |       |      |        |       | 4.00 |      |
|-------|-------|------|--------|-------|------|------|
| Large | size  |      | 40.0   |       | 2/6  | each |
| Small |       | 1    |        |       | 1/6  | ,,   |
| Motor | evele | size | Pacaci | 90000 | 4/-  |      |

MOSELEY FLOAT ON AIR
CUSHIONS — Constructed on a
simple but perfect system which
provides complete insulation from
all shocks and vibrations. Owing
to the special construction of these
Cushions the air is not driven away
from the point of pressure as in
other air cushions, the weight being
distributed over a coiled tube.



43/20 — Saddle Cushion — To fit saddles 14in. across. 20/- each.

43/20—Pillion Cushion—14 x 9 x 1½, 25/- each.




MOTOR CYCLE STAND CLIP. 2/6 each.



139/19. THE HOLDTIGHT SADDLE COVER.

Will fit any saddle. Method of fastening makes it impossible for the cover to become displaced. Made in good quality double felt. 2/6 each.




29/20—PADDED SADDLE COVER

—Made of best quality Felt well
Padded. Laces are provided for
retaining in position. 2/6 each.



39/20—RUBBER MAT—Good rubber mat in aluminium frame. 12 x 8½in. 7/6 each. Spare Rubbers, 3/9.



23/20 — WATERPROOF SADDLE COVER—A perfectly fitting saddle cover made with a nose. 3/6 each.



36/19.

## Springs.

SPRINGS, in every concelvable shape and size, made by Terrys, the best spring makers in the world. Our stock of Springs runs into five figures. If the Spring you want is made, we are almost sure to have it.

## For Saddle Parts

See Page 56




45/11—BICYCLE SEAT PILLARS. Plated. All sizes.

| Genuine | B.S.A. | 200 |     | 5/6 | each |
|---------|--------|-----|-----|-----|------|
| Pattern | B.S.A. | + + | 4.4 | 3/6 | each |

Always send old part as sample-ensures the right fitting being sent you.

# Brooks Bicycle Saddle Parts.



# Ball Bearings—Quantities and Sizes.

| B.S.A              | INDIAN MOTOR CYCLE. |           |           |           |         |         |         |          |
|--------------------|---------------------|-----------|-----------|-----------|---------|---------|---------|----------|
|                    | 2.49 н.р.           | 3.49 н.г. | 4.93 н.г. | 7.70 н.р. | Prince. | Scout.  | Chief.  | Standard |
| Front Wheel        | 20-1/4              | 185-16    | 20-5-16   | 20-5-16   | 181/4   |         | 20-3/8  |          |
| Rear Wheel         | 20-5-16             | 18-5-16   | 18-5-16   | 24-11-32  | 22-7-16 | 22-7-16 | 22-7-16 | 22-7-16  |
| Head-Lower Bearing | 17-1/4              | 23-3-16   | 18-1/4    | 18-1/4    | 21-1/1  | 21-1/4  | 20-5-16 | 20-5-16  |
| Head-Upper Bearing |                     |           |           | 18-1/4    |         |         |         |          |

| BICYCLE. Standard | D C A |
|-------------------|-------|

| Front Wheel    | <br> | 700 | 20-3-16 | Head-Upper | Bearing | 12  |     | 52000 | 30-1/8 |
|----------------|------|-----|---------|------------|---------|-----|-----|-------|--------|
| Bottom Bracket | <br> |     | 221/4   | Head—Lower | Bearing | 100 | 3.5 | **    | 30-1/8 |



3/25-MACHINISTS' SCREWDRIVERS.

Blade runs clean through the handle. 31/2 in. blade. 4/- each.



97/9-HOUSEHOLD SCREWDRIVER.

9in. blade, 5/6 each.

### **MATCHLESS ELECTRICIAN'S** SCREWDRIVER

Blade 3-16in. diameter. Point is same width as the shank so recessed screws can be reached and turned. Magnetized points. Blade ferrule and handle securely riveted together.

3½" blade .. 1/6 ea. 4½" blade .. 1/9 ea. 5½" blade .. 2/- ea. 6½" blade .. 2/3 ea.



#### 2/25-HERCULES KNIFE-HANDLE SCREWDRIVER.

The metal part of the handle is made of forged steel. while the blade is made of High Carbon Special Screwdriver Steel. Will stand up under the hardest use and abuse. Stocked in 2 sizes,

3in. blade, 2/6 each; 8in. blade, 4/3 each.

## Our Assortment of Screwdrivers is Exceptional.



71/14.

The Four-In-One Screwdriver consists of four small screwdrivers, all practical and useful sizes, in one compact and well-made tool. All parts are polished and nickel-plated all over, and the screwdriver blades are made of best-quality steel, carefully hardened and ground and properly tempered.

3/6 each.



101/9. DUMPY SCREWDRIVER. A fine tool

with a great grip. 3/- each.

7/25.

SCREWDRIVER.

1/- each.



72/25.


#### EAGLE SCREWDRIVERS.

Have a long, thin blade. Useful for awkward places. 1/3 each.



#### 59/25—THE LITTLE WONDER SCREWDRIVER.

A fine little tool. Very useful for all light work on clocks, telephones, electric fixtures. Red stained handles. Tempered steel blades %in. in diameter. 6d. each.



73/27-SAFETY STEP PLATES.

Afford a secure foothold under all conditions, Composed of a stiff perforated sheet, steel base plate, every portion of which is completely covered with rubber. The rubber is vulcanised to the steel plate, ensuring permanent cohesion. Cannot curl up; always looks good. Maroon colour, 111/2 in. x 8 in., similar to illustration, without the word "Oakland."

11/- each.

# SPANNERS for every purpose.





#### 59/9-SPARK PLUG SPANNERS.

Stocked in many sizes. Complete with tommy-bar. 1/6 each.



We deliver all SKEATES BICYCLES FREIGHT PAID.

# TRICYCLES.

Buy your boy a good Tricycle for his birthday.

SKEATES BICYCLES have been on the Market for 37 YEARS



27/9-Genuine KING DICK SPANNERS.

The highest-quality Spanners made. Jaws always remain parallel.

No. 0, 3in., 3/6 each.

No. 1, 4in., 4/6

37 No. 2, 6in., 6/6

No. 3, 9in., 15/- "

#### 83/9. TERRY'S FAN SPANNERS.

No tool kit is complete without this handy little set. Oxidised finish.

Medium size Large size

.. 2/6 each .. 3/6 "







#### 63/9-BOX SPANNERS FOR CYCLISTS.

These Sets of Spanners are made to fit all B.S.A. Standard nuts. The loose tommy-bar serves as an excellent screwdriver at one end, and as a ser-viceable tyre-lever at the other end.

Plated .. .. 2/6 per set.



MAGNETO SPANNER.

With Gauge. 1/- each.

## "FORD" BOX SPANNERS

A useful set, comprising four doubleended Spanners and tommy-bar. Enclosed in cardboard box.

5/6 per set.

## CARBIDE.

Carbide cannot be sent by post and we do not pay freight.



22/24.

GENUINE CLYBURN SPANNER.

8/6 each 8-inch 61/4-inch .. 7/6 ,,



GENUINE B.S.A. SPANNERS.

Cone Spanner 1/9 ea. 1/- " 2/- " Serewdriver Block Spanner . . Set of three . . 4/-



28/9-ADJUSTABLE SPANNER WITH TYRE LEVER.

Plated finish. 2/6 each.



9/9-ADJUSTABLE SPANNER AND TYRE LEVER.

Plated finish. 2/9 each.



14/9—HANDY ADJUSTABLE SPANNER. Dull finish—11in. long, opens to 21/4in. . . 7/- each.

BRITISHMAKE

15/9-PATTERN "KING DICK" SPANNERS.



77/9—TERRY'S PLUG AND CONE SPANNER. 1/6 each.



26/9-LUCAS GIRDER SPANNERS.

Exceptional quality. The jaws are made of special hard steel and will not spoil your nuts.


your nuts.
Girder Minor, 3¼ in. . . . 5/- cach.
Girder, 4½ in. . . . . 7/6 each.

Sole Agents for

# B.S.A. & INDIAN

Motor Cycles

OAKLAND CARS



Set No. 14.

Four Spanners and one Tommy Bar.

Across Flats.

Inches.

1.67 x 1.48

1.3 x 1.1

1.01 x .920
.820 x .709

Across Flats.

8/6
the set.

#### Set No. 15.

Four Spanners and one Tommy Bar.

Across Flats.
Inches.
1.3 x 1.1
1.01 x .920
.820 x .709
.601 x .525

Across Flats.
7/the set.

#### Set No. 34.

A set for Standard American Size Nuts. Consisting of one Tommy Bar and six doubleended Spanners, all 7½in. long, of the following sizes:—

Across Flats.

13-32 x ½ 31-32 x 1 1-16 19-32 x 11-16 15-32 x 1¼ 25-32 x % 17-16 x 1% 8/6 the set.



#### 80/9-THE SEXTO-WRENCH.

Comprising 12 sizes—7-32in., ¼in., 9-32in., 5-16in., 11-32in., ¾in., 13-32in., 7-16in., 15-32in., ½in., 17-32in., 9-16in.

3/- each.



#### 86/9-ENGINEER'S SET SPANNERS.

Specially hardened steel.

| oper                         | initial inter- | doned breen                   |      |       |
|------------------------------|----------------|-------------------------------|------|-------|
| Size across flats<br>Inches. | Each.          | Size across flats,<br>Inches. |      | Sach. |
| 5-16 & 13-32                 | 1/6            | 10-16 & 23-32                 | -000 | 2/6   |
| 13-32 & 1/2                  | 1/6            | 23-32 & 13-16                 |      | 2/9   |
| 7.16 & 1/2                   | . 1/6          | 25-32 & 1/8                   |      | 3/6   |
| 1/2 & 19-32                  | 2/-            | 7% & 1                        |      | 4/-   |

21/9.

WESTCOTT "S"

WRENCHES.

A handy tool.

5/6 each.

81/26-MOTOR COMBINATION SPANNER SET.

To take nuts from 7-16in. to lin. Contains six double-ended spanners of ten sizes, cotter pin extractor, screwdriver, and 3in, rule. Each spanner guaranteed case-hardened. spanners can be used separately or combined, by adjusting centre screw, in a few seconds. 5/- per set.

Write for our Illustrated

# Bicycle Catalogue No. 19.

Big Reductions in Prices.



#### DUMBEL SPANNERS.

Ten sizes in one. Do away with a load of spanners, and invest in one of these.

No. 1 Size—Cycle and Motor Cycle 3/6 ea. No. 2 Size—Motor Cycle and Car.. 4/6 " No. 3 Size-Commercial Vehicles and Shops No. 4 Size-Agricultural Machinery 9/- "

Special No. 2 for Fords, fits every . .4/6 " nut . .






#### 99/26-SPANNERS.

|      |         | all | B.S.A. | Nuts. | E    | ach. |
|------|---------|-----|--------|-------|------|------|
|      | Spanner | 0.0 | 1,5.4  | 800   | 200  | 1/6  |
| Cone | Spanner |     |        |       | 1000 | 1/-  |

## WIRE WHEEL REPAIRS.

A branch of repair work in which we excel. Special spoke screwing and truing machines ensure satisfactory work at a fair price. Few mechanics understand this type of work-ours do.

# We Specialise in MOTOR CYCLE REPAIRS



#### TERRYS MAGNETO SPANNER.

The new tempered steel "Midget magneto spanner, set 8 leaves; .012 feeler gauge and screw driver; fits all magnetos. 2/6 each.



-TERRY'S BLOCK AND CONE COMBINATION SPANNER.

Takes the place of the Block and Cone Spanner. 1/6 each.



#### Genuine B.S.A. Pattern B.S.A. For Bottom Bracket 5/each 3/6 each. . . 9d. " Front Wheel ... 1/6 22 Rear Wheel .. 1/-1/6 Eadie Hub ... 2/6 New Departure Hub Pedals 2/6 9d. Front Wheel Spindles, complete with Cones, Nuts and Washers. 3/6 2/6 , 4/6 3/3 ,, Pedal Spindle, complete with Cones, Nuts and Washers 3/6 1/6 ,, 2000 Odd sizes or old models not in stock promptly made to order.



#### 70/27-CRESCENT WRENCHES.

Crescent Wrenches are the handlest made—one hand is sufficient to operate. The entire wrench is carbonised, hardened and oiltempered.

> 4in. 6in. 8in. 10in. 3/6 4/6 5/6 6/6 each.

#### 6/9-THE SAFO SPANNER.

This Spanner is quite new in design, being instantly adjustable by a slight pressure on the back of the sliding member—grips perfectly, and cannot slip. Once you have used the "Safo" you will never tolerate the old-type spanner. Of best quality steel, carefully hardened and beautifully finished. 7in., 4/6 each. 5in., 3/6 each.



are a boon to the Motorist.

They do not destroy the Nuts.



148/19 — SOCKET WRENCHES — Six-in-one socket wrench set. Sockets held on the tommy bar when not in use, making the set very compact and neat for placing in tool kit. 7/6 per set (not in



#### 156/19. FORD VALVE LIFTER.

A simple, easy to work lifter. Its clever wedge and claw are marvels for swift, sure results.

2/6 each.



157/19. FITS-A-FORD WRENCH.

A handy 4-socket wreneh, which fits over 95% of all nuts and bolts on a Ford car. 3/6 each.



For Motor Cycles.

Consists of three spanners to fit six sizes of nuts, taking in all nuts on the principal makes of motor cycles. Also Telescopic Tommy Bar as illustrated, and one improved Screwdriver Tommy Bar. A really first-class set.

In Stout Leather Case .. .. 4/9 set In Cardboard Box . . . . . . . . . 3/- set We Specialise in
MOTOR
CYCLE

REPAIRS.

12.



50/20-THE NIAGARA CLEANING BRUSH.

This brush is a great improvement on any similar brushes previously manufactured—has combined water fed cleaning brush and jet. By moving the handle up or down, either a powerful jet or a water fed brush is immediately available.

A brush that keeps itself clean will save those thousands of little scratches which soon make a car shabby.

Complete with large brush head and small head and holder—special non-leaking hose union and outside hose clip with bolt and nut.

40/- each.

79/20. THE SCARAFILE

The only tool that will properly clean sparking plugs. Gets the carbon deposit off so that your plugs will fire right.

1/6 each.

# lui. EDAIR ME 10n -2

#### SHALER 5-MINUTE VULCANIZER.

Enables a permanent repair on tubes in 5 minutes' time. Is far superior to any stuckon patch, as it is vulcanized on by heat which is produced by burning a chemically treated disc in a metal container. Each patch is com-plete in itself, is of raw rubber, and attached to the vulcanizing surface of the container. Simply clamp cartridge over puncture and light heat unit. Is absolutely automatic, and produces a perfect, permanent patch, without danger of overcuring or burning the tube, in five minutes.

Complete with 12 patches, 11/6 each.

(See illustration page 74.)



#### 19/6. DUNLOP SOLUTION.


.. 1/6 each. 41b. tins 2/6 " 1/2 lb. tins 3/6 ,, 11b, tins

#### 31/6. DUNLOP SOLUTION.

Small tube 4d. ea. Medium tube .. 6d. " Large tube .. 9d. "

# SKEATES == BICYCLES

on EASY TERMS



46/20-DUTCH BRAND SOLUTION -For general patching work. Not only adapted for bicycle work, but is fine for use in the repair shop and for general rubber and leather patching of all descriptions. A very satisfactory household or office article, 6d, per tube,



#### 12/6-"PATCHQUICK" SOLUTION.

Specially prepared for use with "Patchquick" Patches.

Flat Lever-lid tins .. 1/3 each

## 2 in 1 CUT FILLER

For filling small cuts, bruises and gashings in covers. If neglected they become big, allow-ing the formation of sand and water pockets, finally causing blow-outs.

1/9 per tube.



#### VULCANIZING SOLUTION.

Best quality Dunlop. 16lb. tins 2/6 each. . . 11b. tins 9.4 3/6 ,,



#### DUNLOP GARMENT SOLUTION.

As used by the leading Clothing Manufacturers.

3/6 lb.



# 63/13—SUITABLE FOR MEDIUM-WEIGHT MOTOR CYCLES.

Specially strengthened to withstand the roughest roads—four-point attachments.

Complete with Tyre and Tube. Price on application.

#### HEAVY - WEIGHT CHASSIS.

A Solid English Chassis suitable for Machines of big horse-power.

Complete with Tyre and Tube. Price on application.

#### CHATER LEA CHASSIS.

A Chassis suitable for Heavy-weight Machines, having immense strength.

Complete with Tyre and Tube. Price on application.



#### 77/19—SIDE-CAR DOOR CATCHES.

Well made and finished. Cannot rattle or shake loose. 5/6 each.




#### 21A/8—FRONT SIDE-CAR CLIP.

With quick detachable joint to braze into tube. Plated. 17/6 each.



#### 21B/8—REAR SIDE-CAR CLIP.

With quick detachable joint to braze into tube. Enamelled. 16/- each.





#### 14/13-RIM WASHERS.

Best quality only. Doz. Gross. Bicycle, 15-17 Gauge . . . 3d. 2/6 Motor Cycle, 10, 12, 14 Gauge . . 4d. 3/6



A very necessary fitting to strengthen the Chassis on many of the cheaper Side-cars on the road. 30/- each.

### COACHBUILT SIDE-CAR BODIES

We have these in the best English patterns.

Prices on application.

#### SPOKE SIZES.

In building wheels the length of spokes for the various size rims is as follows:—


| Size of Rim. | Length of Spoke. | Size of Rim.          | Length of Spoke. |
|--------------|------------------|-----------------------|------------------|
| 24 x 1%      | 101/4            | 28 x 11/4             | 12 7-16          |
| 24 x 11/2    | 101/6            | 28 x 11/4             | 12%              |
| 26 x 136     | 111/4            | 28 x 13%              | 121/4            |
| 26 x 11/2    | 111%             | 28 x 11/2             | 121/8            |
| 26 x 1%      | 10%              | 28 x 134              | 117%             |
| 28 x 1       | 121/6            | 200 July 2000 100 Atm |                  |

NOTE.—For wheels with Eadie Coasters the above sizes apply only to one side, the brake side requiring spokes 1/8 inch shorter.

# We Give EASY TERMS on

# BICYCLES, MOTOR CYCLES and CARS

Write for particulars of Deposits and Monthly Payments.



# Bicycle Spokes— Each. Dos. Complete Set for Wheel. Spokes, Nipples and Washers, cut and screwed, any length or Gauge, for Steel Rims . 2d. 1/6 4/6 Spokes, Nipples and Washers, cut and screwed, any length or Gauge, for Wood Rims . 3d. 2/6 6/-

## How to tell the Gear of your Bicycle.

The gear of a machine is the number of inches found by multiplying the number of inches in the diameter of the back wheel by the number of teeth on the larger chain wheel and dividing this product by the number of teeth on the smaller chain wheel.

With 28in. Driving Wheel for 1/2 in. Pitch and 1in. Pitch.

| No. of Teeth on |         | No. of Teeth on Hub Wheel. |            |        |       |  |  |
|-----------------|---------|----------------------------|------------|--------|-------|--|--|
|                 | Wheel.  | 8/16                       | 9/18       | 10/2   | 11/22 |  |  |
| lin.            | 1/2 in. |                            |            | 1      | 1     |  |  |
| 18              | 36      | 63                         | 56         | 50     | 45    |  |  |
| 19              | 38      | 66                         | 59         | 53     | 48    |  |  |
| 20              | 40      | 70                         | 62         | 56     | 50    |  |  |
| 21              | 42      | 73                         | 65         | 58     | 53    |  |  |
| 22              | 44      | 77                         | 68         | 61     | 56    |  |  |
| 23              | 46      | 80                         | 71         | 64     | 58    |  |  |
| 24              | 48      | 84                         | 74         | 67     | 61    |  |  |
| 25              | 50      | 87                         | 77         | 70     | 63    |  |  |
| 26              | 52      | 91                         | 80         | 72     | 66    |  |  |
| 27              | 54      | 94                         | 84         | 75     | 68    |  |  |
| 28              | 56      | 98                         | 87         | 78     | 71    |  |  |
| 29              | 58      | 101                        | 90         | 81     | 73    |  |  |
| 30              | 60      | 105                        | 93         | 84     | 76    |  |  |
| 32              | 64      | 112                        | 99         | 89     | 81    |  |  |
| 34              | 68      | 119                        | 105        | 95     | 86    |  |  |
| 36              | 72      | 126                        | 112        | 100    | 91    |  |  |
| - 2             | Heav    | y Figure                   | s, 1/2 in. | pitch. |       |  |  |


| Motor Cycle Spokes-   | 4 70 00 00 00 00 | lard | With extra large<br>Nipples for |     |  |
|---|------------------|------|---------------------------------|-----|--|
| Spokes, Nipples and Washers, cut and<br>screwed to any length, 12, 13 or 14                   | Nipp<br>Each.    |      | Countersunk Rims,<br>Each, Doz. |     |  |
| Gauge (12 Gauge is the usual size)  | 3d.              | 2/6  | 4d.                             | 3/6 |  |
| Spokes, Nipples and Washers, cut and<br>screwed to any length, in 10 Gauge                    | 4d.              | 3/6  | 5d.                             | 4/3 |  |
| Spokes, Nipples and Washers, cut and screwed to any length, 9 Gauge                           | 5d.              | 4/3  | _                               | _   |  |
| Spokes, Nipples and Washers, cut to<br>any length, 12, 13 or 14 Gauge,<br>Spokes not threaded | 2d.              | 1/9  | 3d.                             | 2/6 |  |
| Spokes, Nipples and Washers, cut to<br>any length, 10 Gauge, Spokes not<br>threaded           | 3d.              | 2/6  | 4d.                             | 3/6 |  |
| Spokes, Nipples and Washers, cut to<br>any length, 9 Gauge, Spokes not<br>threaded            | 4d.              | 3/6  |                                 | -   |  |

Please always send old Spoke as sample. This is the only sure way of getting the exact length Spoke required.

NOTE.—We only stock the Best Quality in Spokes. Remember, they are made in several grades, and they all look the same.

Spokes only, unscrewed, with Nipple

Spokes, screwed, complete with Nipple ...



#### INDIAN SPOKES.

Although made expressly for Indian Motor Cycles, these Spokes are very satisfactory in any motor cycle wheel where the size suits. Butted and threaded.

Lengths: 8½in., 8%in., 9 5-16in., 9%in., 10½in., 10¾in.

Spokes . . . 4d. each Nipples . . . . 2d. ,,

If in doubt when ordering spokes for Indian Motor Cycles, mention model, engine number and size of tyre fitted.




|                 | -                           | -       |       | depen |      |        |
|-----------------|-----------------------------|---------|-------|-------|------|--------|
|                 | 52/1                        | 3-NI    | PPLE  | s.    |      |        |
|                 | Best                        | quality | Plate | d.    | Doz. | Gross. |
| Bicycle,        | 15-17 G                     | auge .  | 696   | ***   |      | 5/-    |
| Bieyele,        | 15-17 Gs<br>len rims        |         |       |       | 9d.  | 7/6    |
| Motor C<br>Stan | ycle, 10                    | -12-14  | Gan   | ge,   | 1/-  | 9/-    |
|                 | ycle, 9-1<br>large<br>rims) | (for    | Count | er-   | 1/6  | 12/6   |
| Motor C         |                             |         | Bra   |       | 1/9  | 15/-   |
| Motor (         | Car, 6 ed .                 |         | , Ste |       | 1/9  | 15/-   |

5/-

6/-

6d.






SOLE DISTRIBUTORS

B.S.A. Motor Cycles 4/13—MAGNETO CHAIN WHEEL, WITH BOSS—½ x ½ and ½ x 3-16. 8 teeth, 2/-; 10 teeth, 2/-; 12 teeth, 2/6; 13-14 teeth, 3/-; 15-16-18 teeth, 3/6; 20 teeth, 3/9; 22 teeth, 4/-; 24 teeth, 4/6 each.

SOLE DISTRIBUTORS

# INDIAN Motor Cycles



|         | 1/1    | 3-SI | PR | OCKE   | TS. E           | ach. |
|---------|--------|------|----|--------|-----------------|------|
| lin.    | pitch, | with | 7  | teeth  |                 | 2/-  |
| lin.    | 333    | 22   | 8  | 22     | 25.7            | 2/-  |
| lin.    | 77     | 11   | 9  | 11     | 4.4             | 2/6  |
| lin.    | 22     | 22   | 10 | 22     | 0.674           | 2/6  |
| lin.    | 22     | 22   | 11 | 22     | 1906            | 3/-  |
| lin.    | 22     | 22   | 12 | 22     | 0.515           | 3/-  |
| 1/2 in. | 22     | ,,   | 14 | 33     | 6.              | 2/6  |
| 1/2 in. | 2.7    | 11   | 16 | 27     |                 | 2/6  |
| 1/2 in. | 22     | 22   | 18 | 12     | 6000            | 2/6  |
| 1/2 in. | 223    | 22   | 20 | 33     | 40              | 2/6  |
| 1/2 in. | 22     | **   | 22 | 55     | 4.0             | 3/-  |
| 1/2 in. | 22     | 22   | 24 | 22     | 0.00            | 4/-  |
| %in.    | 25     | 22   | 13 | 22     | 060             | 2/6  |
| %in.    | 33     | 22   | 14 | 22     |                 | 2/6  |
| %in.    | 7.5    | 23   | 15 | 27     |                 | 3/-  |
| %in.    | ,,,    | 22   | 17 | 17     |                 | 3/6  |
| The     |        |      |    | d in 3 | widths-<br>nch. | -    |

### B.S.A. and Eadie Sprockets.

Similar to illustration on left (1/13).

Price, 3/- each.

Always send your old Sprocket as a Sample.



MAGNETO CHAIN WHEEL ADAPTERS, WITH LOCK RING.

Screwed B.S.A. Size. 3/- each, less sprocket.

#### RUBBERCLENE TYRE PAINT.

Also specially recommended for Mats, as it does not come off on the clothes, rugs, etc. Does not spot in the rain, or want doing each time the Car is used. (White only.) 1/6, 2/3 and 3/6 per tin.



# 51/21—MOTOR CYCLE SPEEDOMETERS.

A good speedometer is not merely an accessory-it is a positive necessity on every motor cycle. The Corbin Brown Speedometer is one of the most accurate nnel dependable on the market. The standard or regular model is calibrated to 80 miles. An extra and exclusive Corbin feature of great value to the motor cyclist is the maximum speed hand. This consists of a second speed hand which is carried forward by the speed-indicating hand on increasing speeds and always remains at the highest speed reached at any time. This is a mechanically positive device which records accurately the highest speed reached by the motor cycle for a speed trial or a long run. When desired, the maximum speed hand is instantly reset to zero (or present speed if reset with motor cycle in motion) by a light pressure on the release plunger provided at the left side.

For All Model Indians— Ea, Regular dial . £4/17/6 With maximum hand £5/10/-For 2¾ H.P. B.S.A.—

With maximum hand £5/10/-All Corbin Speedometers are driven from the rear wheel and can be adapted to almost any motor cycle.

# **Sulky Hubs**

These Hubs are specially made for Sulky Wheels and are fitted with pull through spindles.

28/- each



71/28. UPHOLSTERY TAPE AND TACKS.

Black Tape, per roll of 15 feet, 2/-. Tacks to suit, per box of 35, 1/-.

#### We Pay the Freight on all Cash Orders



#### 2/20-"GRIFF" SPARE TYRE COVERS.

In Best Black Enamelled Hide Grained Roanoid. The edges of the cover are drawn together by means of extra strong straps, completely en-closing the tyre. For 30 x 5.25 tyres. 27/6 ea.

# HINSON SUPERFINE TYRE COVERS.

(Black) Made to cover the whole visible part of the tyre. An aeroplane elastic cord is sewn in the inner edge, producing a perfect-fitting cover,

For 30 x 5.25 tyres. With Oakland Monogram in Centre. 27/6 each.



#### FRICTION TAPE.

Its usefulness extends to every known field of activity—motor car, electrical, household, ath-letic, sporting, industrial, farm, etc.

loz., 6d.; 2oz., 9d.; 4oz., 1/6; 8oz., 2/6 per roll.

## SKEATES BICYCLES SOLD ON EASY TERMS




#### GORDON EASY-ON TYRE COVERS.

A necessity for spare Tyres. Will protect your tyres from your tyres from light, air, dirt, oil and damp-ness. For use on any style of carrier. For tyres 30 x 3½, 32 x 4, 33 x 4. All black. 15/- each.



#### 3/17-TELESCOPE TUBE. For Brakes or Clutches. Overall length, 7% in.; Max. Pull, 31/4 in. 4/- each.



#### 107/24. CORBIN BROWN SPEEDOMETER SPARES.

|   |       |       | Each.   |
|---|-------|-------|---------|
| Head of Speedometer only  | 9.4   | 80.00 | £2/10/0 |
| Bezel (glass and ring)  |       | 9090  | 6/6     |
| ALMOST AND |       |       | £1/7/6  |
| S219-Rear Drive Cable Connection  |       |       | 2/6     |
| S127A-Steel Wire Links  |       | E740  | /9      |
| S127—Steel Links  | 10.00 | *:*:  | /9      |
| 0100 C T T T O T T T C  |       |       | 2/6     |
| S223—Large Split Gear   |       | 200   | 12/6    |
| S225-Serews for Split Gear Clamp  |       | *(*)  | /3      |
| S224-Clamps for Split Gear  |       |       | /9      |
| S216-Steel Spring for Rear Clutch   |       |       | /9      |
| Class D. I A  | 6.4   | 9.00  | 2/-     |
| Complete Gear Section with Sprocke  | et    | #140  | 12/6    |
| S105-Fibre Wheels, 18 to 31 teeth   |       |       | 4/-     |
| 1027 102 1005 11  |       |       | 3/2     |



#### 47/12-MOTOR CYCLE FORK SPRINGS.

Terry's Springs are unexcelled for quality and reliability.

| Royal  | E | nfield | ŧ. | * *   | 11.3 | 1.0   | 12/6 | each |
|--------|---|--------|----|-------|------|-------|------|------|
| Dougla | 8 |        |    |       | 1.00 | +0.40 | 3/6  | . ,, |
| Druid, |   |        |    |       |      |       | 4/6  |      |
| Druid, | 4 | and    | 5  | gauge |      | 4.4   | 3/6  |      |



10/8-BRASS TAPS. Complete as illustrated. ¼in. nipple.

3/9 each.

58. SNAP-ON TERMINALS. 6d. each.



90/13. CHATER LEA TERMINALS. Stocked in all sizes. 3d., 4d., and 6d. each.


PETROL STRAINER GAUZE. 5/6 per square foot.



71/20. TANK CAPS.

Well made of brass-nickel plated.

|     |    |     | Acros | s top of cap. | Aperture at base. | Each |
|-----|----|-----|-------|---------------|-------------------|------|
| No. | 1A | 220 |       | 11/2 in.      | 1 1/8 in.         | 2/6  |
| No. | 2  |     | 2.4   | 1%in.         | 1 3-16in.         | 2/6  |
| No. | 3  | 4.  |       | 2in,          | 1½in.             | 3/-  |



54/19—BRASS TAPS. Complete with Unions. 5-32in. bore. 5-16in. nipples. 3/- each.

# SEND US YOUR BICYCLE REPAIRS



14/8-COMPRESSION TAPS.

| A. As illustrated, with sparking plug thread   | 3/6 each |
|--|----------|
| B. With sparking plug thread and ball handle.<br>Height of tap from top of cup to face |          |
| of shoulder, 156in   | 4/6 ,,   |
| C. With 1/2 gas thread and ball handle   | 3/9 "    |
| D. With 1/8 gas thread and cap to top of cup, with ball handle                         | 4/6 "    |



50/9-THE "DUCO" TERMINAL. Stocked in all sizes. 3d. and 4d. each.

#### 48. Gear Oil.

MOBILOIL C.C. For Transmission, Differential and Timing Gears.

A heavy semi-solid lubricant, of amber It will follow, coat and cushion the gears, allowing them to engage easily without noise, and will prevent unnecessary wear. 5lb. tin, 6/9. 10lb. tin, 12/6.



102/19-THREE-WAY TAPS. With Unions. Complete with shut-off tap. To take %in. pipe, 6/6 each.



78/19-BRASS T-PIECES. With Unions. For Benzine Connections, etc. To take 5-16in. pipe, 2/6 each.



36/13—ROUND RIM TAPES.
6d. each.
FLAT RIM TAPES.
6d. each.

# WE PAY THE POSTAGE ON ALL CASH ORDERS.



49/12. 49/12—BEST QUALITY TROUSER

BANDS—The best Steel circular trouser band made. Sure to keep its shape. Bronzed. 9d. per pair.



59/23—THE COLLINA TOE CLIP. For Rat-trap Pedals. 2/- pair.



64/23. LUCAS ALL-STEEL TOE CLIP. For Rat-trap Pedals. 1/6 pair.



51/12—TROUSER BANDS. Slide up pattern. 6d. pair.



65/23—THE "NEW JOHN BULL" TOE CLIP.


For Rat-trap or Rubber Pedals. 2/- pair.



63/23—LUCAS LEATHER - COVERED TOE CLIP. For Rat-trap Pedals. 2/6 pair.

GENUINE LEATHER TOE STRAP.

2/9 per pair.





NEAT, CLEANLY, WILL NOT RUST. CANNOT DAMAGETHE TROUSERS.

95/18 — EXONITE TROUSER BANDS — Will not rust or soil clothes. Brown or black. 1/3 pair.

# MICHELIN CAR TYRES

We are City Stockists for Michelin Tyres. All popular sizes stocked and any size procured.

Send for Latest Prices.

# BICYCLE TYRES and TUBES

# How to find the size of your Rim when ordering Cycle Covers.

First of all, examine the old cover, as the SIZE IS USUALLY MARKED either on the INSIDE OR OUTSIDE OF COVER. If, however, the size is not visible, kindly measure the DIAMETER OF YOUR RIM from OUTSIDE EDGE TO OUTSIDE EDGE. IF the DIAMETER of your RIM FROM EDGE TO EDGE is—


| ) j | ameter ( | of Ri | m.  |        | Size | of Tyre Requi |
|-----|----------|-------|-----|--------|------|---------------|
|     | 25 incl  | hes   | *** | 100.0  | ***  | 28 x 134      |
|     | 251/2    | **    | *** | ***    | ***  | 28 x 11/2     |
|     | 2534     | 110   | *** | (4)(4) | ***  | 28 x 13/8     |
|     | 23       | 53    | *** | ***    | ***  | 26 x 134      |
|     | 231/2    |       | *** | 200    | 414  | 26 x 15/2     |
|     | 2334     | **    | 900 | 344    | ***  | 26 x 13%      |

Don't forget to measure your Rim from Outside Edge to Outside Edge. Measure accurately, as ¼ of an inch makes

all the difference.

NOTE .- If you cannot see size marks, the safest plan is to post us your old cover as sample.

# Dunlop Bicycle Tyres.



DUNLOP RAILROAD ROADSTER COVERS.

Built on the same lines as the Motor Cycle Cover, having a resilient, nonslipping tread of red rubber.

Guaranteed for 15 Months.


Stocked in all sizes.

For Wired - on Rims 15/- each.

For Beaded Edge Rims 17/6 each. A medium priced Cover second only in quality to the Railroad, having a special non-skid tread.

Guaranteed for 12 months.

Stocked in all sizes.
For Wired - on Rims
12/6 each.



NEW DUNLOP REGENT COVERS.



DUNLOP PATH RACING SINGLE TUBE TYRES.

For Wood Rim ... 35/- per pair. Not guaranteed.

#### Dunlop Canvas Lined Tyres.

Specially strong canvas lining and extra thick rubber tread. Splendid for hard work.

Stocked in 28 x 13/4 28 x 13/2 28 x 13/4

ForWired-onRims only, 21/- each.

For Road Racing. Exceptionally fast and durable. 26 x 11/4

26 x 1¼ on 1¾ wires

28 x 1¼ on 1¾ wires

26 x 13/8 28 x 13/8 28 x 11/2

22/6 each.



DUNLOP SPECIAL SPEED TYRES.





#### 7/23. DUNLOP JUVENILE TYRES.

Stocked in 24 x 1½, 24 x 1¾ sizes. Other sizes promptly supplied.

Dunlop Juvenile Covers,

12/6 each.





8/23—THE SKEATES TYRE.

Made in England especially for New Zealand conditions.

A Tyre of exceptional value. Stocked in one size only—

28 x 1½, wired on.

15/- each.

# 6/23-Inner Tubes for Bicycles.

Special Palmer, 28 x 1½ only ... ... 7/6 each. Guaranteed 12 months.

Dunlop, stocked in all sizes . . . . 6/- each. Guaranteed 15 months.

Michelin, 28 x 1½ only ... ... 5/6 each. Guaranteed 12 months.

Skeates, 28 x 1½ only ... ... 5/6 each. Guaranteed 12 months.

JUVENILE TUBES.—24 x 1½ and 24 x 1¾.

Dunlop ... 6/- each, Guaranteed 12 months.



15/23—SPECIAL PALMER COVERS.

A Cover of exceptional wearing qualities.
Well worth its extra cost.

28 x 1½, Wired on, 17/6 each.

# We Specialise in MOTOR CYCLE REPAIRS.



DISC WHEELS. Wired-on tyres, Each, Made with reinforced centres.

6" diameter .. 3/-7" diameter .. 3/6 Enamelled Blue.



55/20—MICHELIN CYCLE TYRES —A good quality tyre at an attractive price. In 28 x 1½ W.O. only. 10/6 each.

## MOTOR CYCLE TYRES - Latest Cash Prices

| Н             | HIGH PRESSURE B.E. |      |    |    |         |     |     |      |    | A-K-S-C |      | BAL | LO | ON    | B.I | Ε. |       |     |    |      |    |    |      |    |
|---------------|--------------------|------|----|----|---------|-----|-----|------|----|---------|------|-----|----|-------|-----|----|-------|-----|----|------|----|----|------|----|
| MAKE.         | 24                 | x2½x | 21 | 26 | x 2 ½ > | (2) | 1 2 | 26 x | 3  | 1       | 28 x | 3   | 24 | 1 x 3 | .30 | 20 | 6 x 3 | .30 | 25 | х 3. | 85 | 27 | x 3. | 85 |
| WWW.COWN.COW  | £                  | s.   | d. | 2  | s.      | d.  |     | s.   | d. | 2       | s.   | d.  | £  | s.    | d.  | £  | s.    | d.  | £  | 5.   | d. | £  | s.   | d. |
| DUNLOP        | 1                  | 16   | 6  | 2  | 0       | 6   | 2   | 5    | 6  | 2       | 8    |     |    |       |     | 2  | 7     | 6   | 3  | 0    | 9  | 3  | 7    | 3  |
| FIRESTONE     | 12                 | 11   | 0  | 2  | 0       | 6   | 2   | 5    | 6  | 2       | 8    | 9   | 2  | 10    | 0   | 2  | 12    | 0   | 3  | 0    | 9  | 3  | 7    | 3  |
| GOODYEAR      | 1                  | 11   | 0  | 2  | 0       | 6   | 2   | 5    | 6  | 2       | 8    | 9   |    |       |     | 2  | 12    | 0   | 3  | 0    | 9  | 3  | 7    | 3  |
| MICHELIN      | 11                 | 11   | 0  | 2  | 0       | 6   | 2   | 5    | 6  | 2       | 8    | 9   |    |       |     |    |       |     |    |      |    |    |      |    |
| UNITED STATES | 1                  | 11   | 0  | 2  | 0       | 6   | 2   | - 5  | 6  | 2       | 8    | 9   |    |       |     | 2  | 12    | 0   | 3  | 0    | 9  | 3  | 7    | 3  |

Postage, 2/- per Cover extra to above Prices.

## MOTOR CYCLE TUBES

### Postage, 6d. per Tube extra.

| MAKE.         | 24 x 2½ x 2½<br>s. d. | 26x2½x2½ | 26 x 3 | 28 x 3 | 24 x 3.30<br>s. d. | 26 x 3.30 | 25 x 3.85 | 27 x 3.85 |
|---------------|-----------------------|----------|--------|--------|--------------------|-----------|-----------|-----------|
| DUNLOP        | 6 0                   | 6 6      | 9 9    | 10 3   |                    | gaysadi   | E-6 .8    | 0 //gs as |
|               | 24 x 21               |          |        |        |                    | 7 3       | 8 0       | 8 3       |
| FIRESTONE     | 5 6                   | 6 6      | 99     | 10 3   | 7 0                | 7 3       | 8 0       | 8 3       |
| GOODYEAR      | 5 6                   | 6 6      | 99     | 10 3   |                    | 7 3       | 8 0       | 8 3       |
| MICHELIN      | 5 6                   | 6 6      | 9 9    | 10 3   |                    | 7 3       | 8 0       | 8 3       |
| UNITED STATES | 5 6                   | 6 6      | 9 9    | 10 3   |                    | 7 3       | 8 0       | 8 3       |

## Dunlop Wired-on for Well-Base Rims

| water and any and | Rım       | Cover  | Tube |  |  |
|-------------------|-----------|--------|------|--|--|
| 24 x 2.375        | 21/4 x 19 | 1 16 6 | 6 6  |  |  |
| 26 x 2.375        | 21/4 x 21 | 1 18 6 | 7 3  |  |  |
| 25 x 2.75         | 2½ x 19   | 2 2 6  | 7 9  |  |  |
| 27 x 2.75         | 21/2 x 21 | 2 5 0  | 8 0  |  |  |
| 26 x 3.25         | 3 x 19    | 2 10 6 | 9 6  |  |  |
| 28 x 3.50         | 3 x 21    | 2 0 0  | 10 6 |  |  |
| 20 X 3.50         | 3 121     | 2 0 0  | 10   |  |  |
|                   |           |        |      |  |  |

|           | BA     | LLOC | N.   |      |   |    |   |
|-----------|--------|------|------|------|---|----|---|
|           | Ri     |      | cove | Tube |   |    |   |
| 25 x 3    | 21/2 : | x 19 | 2    | 10   | 6 | 7  | 0 |
| 26 x 3.50 | 3      | x 19 | 2    | 18   | 0 | 8  | 0 |
| 27 x 4    | 3      | x 19 | 3    | 4    | 6 | 11 | 6 |

The following Tyres may be fitted as oversize: 25 x 2.75 for 24 x 2.375 on 21/4 x 19 rim 26 x 2.375 " x 21 25 x 2.75 x 19 ,, 21/2

All prices subject to 5 per cent. for cash.

## MOTOR CAR TYRES

Michelin


Goodyear Firestone

United States

Dunlop

Owing to the constantly changing prices of Car Tyres, it is impossible to publish a list. On request, however, we will be pleased to forward you latest prices and any information regarding tyres required.

Our Tyre Prices are Keen-Try us.



92/21-VULCANIZING RUBBER.

For tube and general quick-cure repairs. In sheets 81/2 in, x 41/2 in. 1/3 per sheet.



MOTOR CYCLE TYRE LEVERS.

Best quality steel. 9d. each. Per set of 3, 2/-.



60/12-FORK TYRE LEVERS. 2/6 each.



65/12. BICYCLE TYRE REMOVERS.

Best quality, 6d. ea. Set of 3, 1/-.

## **Motor Car Visors**

SEE PAGE 78



66/19-NIPPLES. For Unions.

|    | Bore.   |       |     |      |
|----|---------|-------|-----|------|
| A. | 3-16in. |       | 3d. | each |
| В. | 1/4 in. |       | 3d. | **   |
| C. | 5-16in. | 40.60 | 4d. | **   |
| D. | %in.    |       | 6d. |      |
| E. | 56 in.  | 183   | 6d. |      |



94/19-NUTS. For Unions.

|    | Across. |       |     |      |
|----|---------|-------|-----|------|
| A. | 1/2 in. |       | 4d. | each |
| В. | 7-16in. |       | 4d. |      |
| C. | 3/4 in. | (4.4) | 6d. | 22   |



42/6. MOTOR CAR TYRE LEVER.

59/12. MOTOR CYCLE TYRE LEVERS. 7-inch, 9d. each.

Made of Special Tempered Steel. 13in., 2/- ea. 18in., 2/9 ea.



6/19—BRASS UNIONS. As illustrated. Single nut, single liner, serewed both ends.

|   |      | Inread. | Bore. |          |
|---|------|---------|-------|----------|
| A | 2020 | 1/s gas | 3.16  | 1/- each |
| B |      | 1/4 ,,  | 1/4   | 1/6      |
| C |      | 1/4 ,,  | 5-16  | 2/       |
| D | 6000 | 36      | 36    | 2/6      |



### BRASS DOUBLE-ENDED UNIONS.

Nut. Nipples. Bore.

|              |       | in. | in.  | in.  |     |        |
|--------------|-------|-----|------|------|-----|--------|
| A            | 20.20 |     | 1/4  | 3-16 | 1/3 | each   |
| $\mathbf{B}$ | 0.0   | 3.5 | 5-16 | 1/4  | 2/- |        |
| C            | 6.40  | 34  | 3/8  | 5-16 | 2/6 | 23     |
| D            | 6000  | 1   | 1/6  | 36   | 3/6 | T39247 |



-BRASS ELBOWS, With Unions.

9-32in., 1/6 each. 3/8in., 2/6 each.



74/20-BENZER FLOWER VASES.

These iridescent Flower Vases are made from iridescent glass in beautiful colours that tend to harmonise with the interior of any car. Vase holders are of solid bronze, heavily nickeled.

Colours are: Canary, Gold, Pearl, Blue, Green and Cut Glass.

13/6 each.



39/6-DUNLOP VALVE RUBBER.

Best quality only. Does not split. .. 3d. Per 6in. length Per foot length .. 6d.



4d, each.







Dunlop-Ordinary Size

Schrader-Ordinary Size



1/6 each.

2/- "

2/-

. .





CHAIN PULLER, PATCH PRESS, VALVE LIFTER, AND HAND VISE.

63-BICYCLE AND MOTOR CYCLE TUBE VALVES.

Large Size, 2in.

An indispensable tool for the Motor Cyclist. All combined in the one tool as shown. 5/- each.



TOP NUTS **BOTTOM NUTS** FOR VALVES. FOR VALVES.

35/13-THE 4-IN-1 VALVE TOOL.

Combines tool for unscrewing valve

cone, facing tool for top of valve, tap

for inside, and long surface die for valve cap thread on outside of Schrader Valve. 1/6 each.

VALVE CAPS. With Chain, 3d, each.

3d. each.

3d. each.



VALVES.

### Schrader-

Medium Size, 2/6 complete. Standard Size, 3/6



Owing to Postal Regulations. Carbide cannot be sent by post.




87/17. CARBIDE.

Best quality-1lb. tins, 9d. each. loose, 6d. per lb.



### TERRY'S "PARALOK" VALVE LIFTER.

Gives a parallel lift, without friction or strain on valve stems or springs. Locks automatically in three positions. Made from pressed steel with jaws hardened and tempered and beaded for strength. 6/6 each.





78/20. SCHRADER VALVE PARTS.

| Valve insides          | 6d. each. |
|------------------------|-----------|
| Valve insides, per box |           |
| of 5 (dust-proof)      | 2/- ,,    |
| Small Dust Cap         | 6d. "     |
| Rubber Plug for inside |           |
| of Cap                 | 2d. "     |
| Large Hexagon Lock Nut | 6d. "     |
| Small Hexagon or Round |           |
| Nut                    | 3d. "     |
|                        |           |



77/18-SHALER 5-MINUTE VULCANISER.

Makes a permanent repair to tubes in 5 minutes.

Complete with 12 Patches, 11/6.

Extra Patches, 4/6 per dozen.

The 5-minute Vulcanizer is wonderfully quick and clean—a match is all you require to make a clean, permanent repair that will hold for all time.



4/24—SHALER VULCANIZER. For all-size Covers and Tubes. 27/6 each.

No Car or Motor Cycle owner should be without this Vulcanizer. Quite simple to use, and you can Repair Cuts, etc., in Covers without taking off the tyre; only takes a few minutes. Also Repairs slits in tubes when they are too large for the usual patch. We also sell a smaller size for Tube Repairs only.

### Cenuine Indian Enamel.

Put up by the Indian Company; gives the right shade for retouching.

1/4 pint .. 3/1/2 pint .. 6/1 pint .. 9/-



THE FINEST LUBRICANT FOR COASTER HUBS.

In collapsible tubes, with patent nozzle. 9d. tube.



68/21.

CARBORUNDUM

VALVE
GRINDING

COMPOUND.

Packed coarse and fine in handy flat tin with two compartments. Size of tin 4in. x 2\frac{1}{2} x 1\frac{1}{2}.

3/- per tin.



72/14—TERRY'S MOTOR CYCLE VALVE LIFTER.

Fits any engine.

A speedy, efficient time and trouble saver. Holds valve down and spring up. Leaves both hands free. The use of this Lifter enables a valve to be taken out whilst engine is hot.

2/6 each.



81/20.

LUCAS ROUND OILER—Made of Brass, heavily plated. Bent spout facilitates oiling in awkward places. 1/8 pint. Diameter 31/4", length 81/2". 5/6 each.

## STEVENS' SPACING WASHERS

—For some time there has been a need for thin washers with proper diameters and holes larger than standard washers. Supplied in ten different sizes, 1-32" and 1-16" thick. 1/- per doz.



### 68/26—MOTOR CYCLE INLET AND EXHAUST VALVES.

For all makes of Motor Cycles.

Made from 5% Nickel Steel Stampings. Highest standard of workmanship and excellent finish.

When ordering, please send sample if possible. With so many sizes and styles in stock, we are almost certain to have the one you want. Valves for over 20 makes of Motor Cycles in stock.

7/6 each, except a few special sizes at 10/6 each.

## We Pay the Postage.




95/25.
TERRY VALVE LIFTER.
Best quality hardened and tempered steel motor valve lifter.
4/- each.



19/11-VOLT METERS. Registering 10 volts. Absolutely correct. A handy size for the pocket. 12/6 each.



3 dozen Assorted Lock Washers. A box should be in every private Garage. 1/- each.



SPRING WASHERS. We have these in all sizes, from the 9-16 up to the largest sizes required for Car engines.

in. in. in, in, 0 to ½ .. 2d, each, 11-16 to 2 .. 4d. each. 9-16 to 1 .. 3d. " 2 to 3 .. 6d. "



110/12. LUCAS LAMP WICKS.

%in., %in., %in., %in., 1in., 2d. each.



34/13-HEAD WASHERS.

For fitting in place of lamp bracket. 6d. each.



53/24-VASELINE. Insurpassed for preserving bright parts and general use. 6d., 1/-, 1/3 tin.

Enquire re our PAY AS YOU PLEASE Plan on MOTOR CYCLES



57/6-SINGLE COIL SPRING WASHERS.

Size 3-16 ¼ 5-16 % in. Price 4d. 4d. 6d. 6d. doz. Size 7-16 ½ 9-16 % in. Price 8d. 9d. 9d. 9d. doz. Size 34 Price 1/-% 1 in. 1/- 1/2 doz.



74/13-DOUBLE COIL SPRING WASHERS.

Size 3-16 ¼ 5-16 ¾ in. Price 6d. 6d. 9d. 9d. doz. Size 7-16 ½ 9-16 5% in. Price 1/- 1/- 1/3 1/3 doz.

## MOTOR CAR WIRE WHEEL REPAIRS

We have mechanics expert in wire wheel work. Try us for your next job.

### MICHELIN VALVE PARTS.

| Milled Lock Nut       | 0.00  | 6d. each. |
|-----------------------|-------|-----------|
| Hexagon Lock Nut      | 6363  | 6d. "     |
| Centre Stem           | \$260 | 49 · 9    |
| Milled Sleeve Socket  | 906   | 9d        |
| Rubber-headed Valve P | in    | 2d. "     |
| Small Rubber Washer   | x 200 |           |
| Rubber Disc for Cap   | 2.20  |           |
| Brass Washer          | ***   | 3d. "     |
| Large Rubber Washer   |       | 3d. "     |
| Large Dust Cap        |       | - F-66    |



47/14—RICHFORD VALVE GRINDING COMPOUND.

Does its work quicker and better than any other abrasive. Hard and fast eutting — no mixing required—always ready for use contains no emery.


Coarse and fine in one tin, 2/6 per tin.



82/19-BRAZING WIRE AND SPELTER.

Brazing Wire, Square ... 3/- lb. Brazing Spelter, Medium ... 3/- lb.





78/27 & 66/27-KOZY WINGS.

Kozy Wings fit all cars and are easily attached. They have a quality appearance unknown to other types. The bevelled glass is securely held, and yet instantly adjusted. The metal clamps are beautifully made and of ample strength.

£4/17/6 per set.



99/19. BOWDEN SHACKLES.

For use with Bowden Wire. A strong fitting, adapted to many uses. 9d. each.



100/19. BOWDEN CAPS. For ends of wire. 3d. each.



## WIRE NIPPLES.


For No. 52, 11, 12, 12A wire, 2d. each. For No. 13, 14 wire, 3d. each.





### 73/19-BOWDEN BARREL STOP.

Swivels in any direction, and is much easier on the wire than a plain stop. 2/- each.



135/14—ELECTRIC WINDSHIELD CLEANER - An electrically-operated positive-acting cleaner. Power consumption small, using about the same amount of current as dash bulb on ear. Gives a constant wide sweep regardless of engine speed



97/19-BOWDEN PLAIN STOPS. necessary fitting for keeping the outer casing at correct tension. 1/3 each.

> We Pay the Freight




### Absolutely Automatic.

Just turn the needle valve on the vacuum motor-the wiper will swing back-wards and forwards with regularity, cleaning the glass in the most severe rain. It works from the suction of the motor. Easily attached. Complete with all necessary fittings. 35/- each.




Specially made for speed hub controls 6d. per foot.



41/20-THE ECLIPSE SCREEN.


Will fit any Side-car. The frame is bound with best quality material and Side Valances are of waterproof material fitted with large celluloid lights. Always keeps shapely. Simply open the door—the spring steel frame does the rest. Easy to fit, and complete with apron and screws. Size of centre panel 25in, x 10½in. Length of valance panel 18in. Length of apron from centre panel to toe 17in. Length of apron from toe to rear 38in. Normal width 21in.

45/- each.



31/17-WEB STRAPS.


For Carriers, etc. Complete with buckle. %in. (2ft. 3in. long) .. 9d. each. lin. (3ft. 6in. long) .. 1/6 "



71/18 — VITALIC WINDSHIELD WEATHER-STRIP — We have weather strips in many shapes for various cars. Please send sample when ordering or name and model of ear for which required. 3/6 per length (enough for 1 screen).

## OUR STOCK.

Our stock of Parts, Accessories, Tyres, etc., is more comprehensive than that of any other firm handling similar lines in N.Z. If you need something net listed, write us. If by any chance we should not have it, we will do our best to get it.



129/14—STADIUM WINDSCREEN WIPER—Easily fitted and operated. The special tension spring presses the adjustable squeegee at the correct pressure for efficient cleaning. For nearly all open cars. 7/6 each.



### 85/19-BOWDEN WIRE AND CASING.

We stock Genuine Bowden Wire and Casing only, which is the best quality obtainable. While we have endeavoured to indicate the particular wire required for various jobs, if you are in doubt send your old wire as a sample.

|                 | of  | ing Strain of   | for.  |  | Casing.<br>Per ft.  |
|-----------------|---|---|---|--|---|
|                 |   |   | Carburettors  | 4d.  | Sd.   |
| 1-16in, or 1.59 | m/m   | 660lbs.   |   |  |   |
| * ***           | ii TYDOWENE   | WWW.  |   |  | Sd.   |
| 5-64in, or 1,98 | m/m   | 9551bs.   | Light Clutch or Brake   | 6d.  | .pd.  |
| 3-32in. or 2.4  | m/m   | 1450lbs.  | Medium Clutch or Brake  | 6d.  | 1/-   |
| 1.8 in. or 3.17 | m/m   | 1505lbs.  | Heavy Clutch or Brake.  | 9d.  | 1/3   |
| 9-64in. or 3.57 | m/m   |   |   | 10. 3  | 2/3   |
|                 | Inner Memb<br>1-22in. or 1.1<br>1-16in. or 1.59<br>5-64in. or 1.98<br>3-32in. or 2.4<br>1-8 in. or 3.17 | Diameter of<br>Inner Member.<br>1-22in. or 1.1 m/m<br>1-16in. or 1.59 m/m<br>5-64in. or 1.98 m/m<br>3-32in. or 2.4 m/m<br>1-8 in. or 3.17 m/m | Tensiônal Break Diameter of ing Strain of Inner Member. Inner Member. 1-22in. or 1.1 m/m 320lbs. 1-16in. or 1.59 m/m 660lbs. 5-64in. or 1.98 m/m 955lbs. 3-32in. or 2.4 m/m 1450lbs. 1-8 in. or 3.17 m/m 1505lbs. | Tensional Break- Diameter of ing Strain of for.  Inner Member. Inner Member.  1-22in. or 1.1 m/m 320lbs. Carburettors  1-16in. or 1.59 m/m 660lbs. General Control on Medium Powered Machines  5-64in. or 1.98 m/m 955lbs. Light Clutch or Brake  3-32in. or 2.4 m/m 1450lbs. Medium Clutch or Brake  1-8 in. or 3.17 m/m 1505lbs. Heavy Clutch or Brake | Tensional Break- Diameter of ing Strain of for. Per ft. Inner Member.  1-22in. or 1.1 m/m 320lbs. Carburettors 4d. 1-16in. or 1.59 m/m 660lbs. General Control on Medium Powered Machines 4d. 5-64in. or 1.98 m/m 955lbs. Light Clutch or Brake 6d. 3-32in. or 2.4 m/m 1450lbs. Medium Clutch or Brake 6d. 1-8 in. or 3.17 m/m 1505lbs. Heavy Clutch or Brake 9d. |

## For BOYS or GIRLS (4 to 9 years old)



## THE "CUB-BIKE."

Built like a bridge for years of hard wear, and one of the most sensible to buy any child. All steel construction; no castings whatever. Its greatest feature is the fact that it can be taken to pieces, giving hours of enjoyment when it cannot be ridden. A Bicycle which a child never tires of, and which gives exercise to both mind and body.

All parts detachable—replacements cheap—practically indestructible. All models are complete with spanner, free-wheel, brake and guards.

### SPECIFICATION.

Frame—All-steel, bolted and spaced for maximum strength and lightness.

Wheels—12in, dia.; tyres 1/2in, to 1/2in, With or without ball bearings.

Axles - 1/2 in. diameter, giving long wear.

Handle-bars — ¾in. diameter tubes, adjustable and fitted with celluloid

Front Fork—All Steel. Bridge construction with special "Saxess" swivel.

Chain Wheels — Artistic design; nickel plated; cranks cottered. Chain-1/2 in, pitch, "Coventry" or equal.

Pedals-Ball-bearing, rubber treads.

Bottom Bracket—Special "Saxess" all-steel design, %in. axle.

Mudguards-Enamelled black.

Brake — Plunger type, nickel-plated, celluloid tips.

Saddle — Solid leather on %in. diameter seat pillar; 8in. adjustment.

Tool-Double ended spanner to take all nuts.

Finish-Stove enamelled, two coats.

## £3-18-6 each, Freight Paid







37/10-ENGINEERS' BEST FINISHED BRIGHT STEEL WASHERS, TURNED ALL OVER, AND WITH ONE BEVELLED EDGE.


| Heavy Series      | for  | White | vorth | Standa | rd Siz | e Boli | ts.       |
|-------------------|------|-------|-------|--------|--------|--------|-----------|
| Size of hole      | 9000 | 3-16  | 1/4   | 5-16   | 3/8    | 7.16   | 1/2 in.   |
| Outside Diameter  | 202  | 1/2   | 5/8   | 3/4    | 7/8    | 1      | 1 1/8 in. |
| Thickness (gauge) |      | 16    | 16    | 14     | 14     | 12     | 12        |
| Per doz.          | * +  | 6d.   | 7d.   | 7d.    | 8d.    | 9d.    | 10d.      |
| Size of hole      | **   | 9-16  | 5/8   | 3/4    | 7/8    | 1      | 11/4 in.  |
| Outside Diameter  |      | 11/4  | 1%    | 15%    | 17/8   | 21/8   | 25% in.   |
| Thickness (gauge) | 1000 | 11    | 10    | 9      | 8      | 7      | 5         |
| Per doz.          |      | 1/-   | 1/4   | 1/9    | 2/-    | 2/9    | 4/6       |



-HIGH AND LOW TENSION WIRE.

| Ве   | est quality | only- | -heavily | ins | ulate | d.    |
|------|-------------|-------|----------|-----|-------|-------|
| wo.  | Tension,    | 5mm.  | 4 *      |     | 6d.   | foot. |
| High | Tension.    | 7mm.  | -9mm.    |     | 9d.   | foot. |





121/14—VISORS Transparent Green Pyralin, frame enamelled black . . 40/- ea. Fabrikoid, rigid steel frame 12/6 ,, Easily fitted, and adaptable to all open cars.

A necessity for every carfor town or country driving. Glare causes accidents. visor protects the driver from sun glare by day and from glaring street lights and head lamps by night. Also protects the windshield from rain.

86/19-ELECTRIC LIGHTING WIRE.

Well insulated with rubber and braided. Is not affected by the weather. Specially recommended for Motor Cycle use. 4d. foot. Aluminium Covered, 6d, foot. Twin Aluminium Covered, 9d. foot.

Country Repair Orders Handled Promptly

## REPAIRS.


New Plated Rim and Spokes, built up with your own Hub (Front or Back Wheel) ... 18/6 B.S.A. Front Hub and Com-plete Set Best Plated Spokes, built up in your own Rim 19/6 Pattern Front Hub and Complete Set Best Plated Spokes, built up in your own Rim 15/own Rim Complete Set New Quality Plated Spokes. built up in either Back or Front Wheel Front Wheel ........
B.S.A. Back Hub, complete with Sprocket and Complete Set Best Plated Spokes, built up in your own Rim . . 31/-With B.S.A. Free Wheel Clutch instead of Sprocket ... Pattern Back Hub, complete 38/6 with Sprocket and Complete Set Plated Spokes, built up in your own Rim ... 21/-With Pattern Free Clutch instead of Sprocket 26/-Eadie Coaster Hub and New Set Spokes, built up in your own Rim 37/-Sturmey - Archer 3 - Speed Coaster Hub, built up in

your own Rim

9/6

62/6

## Bicycle Vheels.



## RIMS.

Genuine Westwood, Plated only or Plated and Lined, Drilled ready for fitting Genuine Westwood, Enamelled, Drilled ready for 7/6 fitting When ordering Rims, state number of holes required. Where Rims are fitted, these prices are reduced by 1/6 if Enamelled Rim is fitted in place of Nickel-plated Rim.

## NEW WHEELS.

Complete Front Wheel, built up with Best Plated Rim and Spokes. Genuine B.S.A. Hub and Tape complete (no tyre or tube) 30/ -Complete Front Wheel, built up with Best Plated Rim and Spokes. Pattern Hub and Tape complete (no tyre or tube) 25/-Complete Back Wheel, built up with Best Plated Rim and Spokes. Genuine B.S.A. Hub and Sprocket eno tyre or tube) 40/-With B.S.A. Free Wheel Clutch instead of Sprocket 43/6Complete Back Wheel, built up with Best Plated Rim and Spokes. Pattern Hub and Sprocket (no tyre or tube) ... With Pattern Free Wheel 30/-Clutch instead of Sprocket 38/6 Eadle Coaster Hub, built up, complete with new Rim (Plated) and set of Best 46/6 Spokes Sturmey - Archer 3 - Speed Coaster Hub, complete with new Rim (plated) and set 70/of best quality Spokes ...

# Bicycle Enamelling, Repairs, etc.

We pay freight on all Bicycle Repairs when the cost of same is £2 or over.

For years past we have kept a good staff fully employed on Repairs of all kinds. Whether you merely want a Spoke tightened, or the more serious matter of a new Tube built in the frame of your Bicycle, we can assure you of good, careful workmanship, well supervised and inspected before leaving our hands.

We give Mail Order Repairs the same strict attention that we would do if you personally brought your Bicycle in to us. Our work is also promptly done, and the Bicycle or parts are well wrapped up on returning to you.

Our stock of Bicycle parts and repair fittings, lugs, tubing cones, etc., is probably the largest and best assorted in New Zealand. We have been in the Bicycle business continuously for the past 37 years, and hav many old pattern and out-of-date parts not now procurable anywhere else in the Dominion.

If a Bicycle Repair job can be done, we can do it. We are always willing to give you our best advice at any time, whether you actually have the work done or not. We do not try to do work at the lowest prices. We give you a really first-class job and charge a fair price. It will pay you to send us your next Repair job.

In all cases where the Repair requires the dismantling of the Bicycle or parts, the machine or parts are carefully assembled again, Bearings overhauled, refitted and adjusted. This is all included in prices quoted for the different jobs. We have only priced the work most usually required, but are always glad to quote for any Repair work needed.

## Enamelling.

| Our prices for E                        | namel  | ling, et | te., a | re as fe         | ollows: |
|---|--------|----------|--------|------------------|---------|
| Stove Enamel<br>Complete                |        |          | verh   |                  | £1/17/6 |
| Lining Frame                            | in an  | y Cold   | our (  | 1 line)          | 5/-     |
| Lining Frame i                          | n any  | Colou    | rs (2  | lines)           | 7/6     |
| Lining Frame<br>(1 line)                | in<br> | Gold     | or     | Silver           | 7/6     |
| Lining Frame<br>(2 lines)               | in     | Gold     | or     | Silver           | 10/-    |
| Wheels Stove<br>thoroughly<br>refitted, | clear  |          | ijust  | arings<br>ed and | 10/-    |

By Enamelling, we mean three coats of best Enamel, stoved on, with all the old enamel first burnt off machine, and the frame, etc., thoroughly polished so as to give a lasting job and smooth finish. A Bicycle to be Stove-enamelled has to be taken completely to pieces down to the smallest part, so that your machine, in addition to being enamelled, has to be thoroughly overhauled and inspected in every part and completely re-assembled again.

We can also Air Dry Enamel your machine in cases where a very old Bicycle is not worth spending much on. Air Dry Enamelling does not, of course, last anything like so long or look as well as Stove Enamelling, but still it is all that is required in some cases.

OUR PRICE for Air Dry Enamelling and Overhauling Complete Machine \_\_ 27/6

## General Overhaul.

We give your machine a genuine overhaul. All parts are taken to pieces—that is, Head of machine, front and back Hubs, bottom Bracket, Pedals, etc.—Wheels trued, and everything thoroughly oiled and adjusted as well as possible. If a few new Spokes, Ball Bearings, a Cone, or a small new part are required, these are fitted and charged for extra. If anything seriously wrong is noticed, we advise you and await further instructions.

Price of General Overhaul, 17/6.

# Frame and Fork Repairs.

In all our Frame and Fork Repairs we use genuine B.S.A. parts wherever possible. While these cost more than Pattern parts, they ensure a much more satisfactory and lasting job at very little extra expense to our customer. In the case of Frame repairs, unless otherwise instructed we either touch up the damaged enamel or give the whole machine a coat of air-drying enamel, depending on the general condition—our aim being to give you as good a job as possible. Should you wish to have the frame Stove-

enamelled, this can be done for very little more, as set out below.

In the case of a big repair, we would suggest that the opportunity be taken advantage of to have the machine thoroughly overhauled and Stove-enamelled. This does not add greatly to the cost of repairs, but gives your machine a new lease of life and puts it in first-class order.

The following prices are for repairs to B.S.A. and Standard Pattern Bicycles. American machines and those of odd make are often more difficult and sometimes impossible to repair, owing to the peculiar type of fittings used.

## FRAME REPAIRS.

| Fitting one new Main Tube to Frame   | 25/-         |
|--|--------------|
| Fitting two new Main Tubes to Frame  | 32/6         |
| Fitting one new Head Lug to Frame  | 20/-         |
| Fitting two new Head Lugs to Frame   | 30/-         |
| Fitting new Head Tube to Frame   | 22/6         |
| Fitting new Seat Lug to Frame  | 20/-         |
| Fitting new Bottom Bracket Shell to  |              |
| Frame Fitting new Loop Tube to Lady's Bicycle If you wish the Frame and Forks Stove- enamelled, and the Machine thoroughly over- hauled, add 27/6 to the above prices. | 37/6<br>30/- |

## FRONT FORK REPAIRS.

| to Front Fork  Fitting new Genuine B.S.A. Double- butted Stem to Front Fork   | Fitting new Pattern Double-butted Stem     | feeting. |
|---|--|----------|
| butted Stem to Front Fork   | to Front Fork                              | 12/6     |
| Fitting new Box Crown to Front Fork 20/- Fitting one new Pattern Fork Blade to Front Fork 8/6 Fitting one new Genuine B.S.A. Fork Blade to Front Fork 11/6 Fitting two new Pattern Fork Blades to Front Fork 14/- Fitting two new Genuine B.S.A. Fork Blades to Front Fork 21/6 Fitting one new Fork Tip to Front Fork Fitting two new Fork Tips to Front Fork 9/6 If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.   | Fitting new Genuine B.S.A. Double-         |          |
| Fitting one new Pattern Fork Blade to Front Fork 8/6  Fitting one new Genuine B.S.A. Fork Blade to Front Fork 11/6  Fitting two new Pattern Fork Blades to Front Fork 14/-  Fitting two new Genuine B.S.A. Fork Blades to Front Fork 21/6  Fitting one new Fork Tip to Front Fork 6/-  Fitting two new Fork Tips to Front Fork 9/6  If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.  |  |          |
| Front Fork  Fitting one new Genuine B.S.A. Fork Blade to Front Fork  Fitting two new Pattern Fork Blades to Front Fork  Fitting two new Genuine B.S.A. Fork Blades to Front Fork  Fitting one new Fork Tip to Front Fork Fitting two new Fork Tips to Front Fork Fitting two new Fork Tips to Front Fork  If you wish the Forks Stove-enamelled, add  4/* to the above prices.  EAR FORK REPAIRS.   | Fitting new Box Crown to Front Fork        | 20/-     |
| Blade to Front Fork 11/6 Fitting two new Pattern Fork Blades to Front Fork 14/- Fitting two new Genuine B.S.A. Fork Blades to Front Fork 21/6 Fitting one new Fork Tip to Front Fork 6/- Fitting two new Fork Tips to Front Fork 9/6 If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.   |  |          |
| Blade to Front Fork 11/6 Fitting two new Pattern Fork Blades to Front Fork 14/- Fitting two new Genuine B.S.A. Fork Blades to Front Fork 21/6 Fitting one new Fork Tip to Front Fork 6/- Fitting two new Fork Tips to Front Fork 9/6 If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.   | Front Fork                                 | 8/6      |
| Blade to Front Fork 11/6 Fitting two new Pattern Fork Blades to Front Fork 14/- Fitting two new Genuine B.S.A. Fork Blades to Front Fork 21/6 Fitting one new Fork Tip to Front Fork 6/- Fitting two new Fork Tips to Front Fork 9/6 If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.   | Fitting one new Genuine B.S.A. Fork        |          |
| Front Fork Fitting two new Genuine B.S.A. Fork Blades to Front Fork Fitting one new Fork Tip to Front Fork Fitting two new Fork Tips to Front Fork If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.   | Blade to Front Fork                        | 11/6     |
| Fitting two new Genuine B.S.A. Fork Blades to Front Fork Fitting one new Fork Tip to Front Fork Fitting two new Fork Tips to Front Fork If you wish the Forks Stove-enamelled, add 4/* to the above prices.  EAR FORK REPAIRS.  | Fitting two new Pattern Fork Blades to     |          |
| Fitting two new Genuine B.S.A. Fork Blades to Front Fork Fitting one new Fork Tip to Front Fork Fitting two new Fork Tips to Front Fork If you wish the Forks Stove-enamelled, add 4/* to the above prices.  EAR FORK REPAIRS.  | Front Fork                                 | 14/-     |
| Fitting one new Fork Tip to Front Fork 6/- Fitting two new Fork Tips to Front Fork 9/6  If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.  | Fitting two new Genuine B.S.A. Fork        |          |
| Fitting two new Fork Tips to Front Fork 9/6 If you wish the Forks Stove-enamelled, add 4/- to the above prices.  EAR FORK REPAIRS.  | Blades to Front Fork                       | 21/6     |
| If you wish the Forks Stove-enamelled, add 4/- to the above prices.  CAR FORK REPAIRS.  | Fitting one new Fork Tip to Front Fork     | 6/-      |
| A/- to the above prices.  CAR FORK REPAIRS.   | Fitting two new Fork Tips to Front Fork    | 9/6      |
| A/- to the above prices.  CAR FORK REPAIRS.   | If you wish the Forks Stove-enamelled, add |          |
| CAR FORK REPAIRS.   |  |          |
| [1] 15 - [1 |  |          |
| Fitting one new Stay End (top or  | CAR FORK REPAIRS.                          |          |
|   | 50 50 50 50 50 50 50 50 50 50 50 50 50 5   |          |

### RE

| Fitting       |       | new   | Stay    | End       | (top   | or |       |
|---------------|-------|-------|---------|-----------|--------|----|-------|
| bot           | tom)  |       |         |           |        |    | 6/6   |
| Fitting       | two   | new   | Stay    | Ends      | (top   | or | 2.0   |
| bot           | tom)  |       |         |           | or men |    | 10/6  |
| Fitting       | one n | ew R  | ear For | k End     |        |    | 12/-  |
| Fitting       | two r | new R | ear Fo  | rk End    | ds     | -  | 17/6  |
| Fitting       | one r | new C | hain S  | tay       |        |    | 15/-  |
| Fitting       | two r | new C | hain S  | tays      |        |    | 22/6  |
| Fitting       | one r | iew S | eat St  | ay        |        |    | 12/6  |
| Fitting       | two i | new S | Seat St | ays       |        |    | 20/-  |
| MONITON SERVE |       |       |         | (1) Table |        |    | 15000 |

## Best Quality Nickel Plating.

### RUSTY PARTS ON YOUR BICYCLE.

Rusty parts on your Bicycle spoil its whole appearance. We can plate all parts, or just the Handle Bars or any odd parts that may require Plating. The prices below are for the Best Plating only. Each part is first coated with a thick deposit of copper, and is then treated with a heavy coating of Best Quality Nickel. This gives a lasting job.

PLEASE NOTE.—Prices quoted are for Plating only. Where parts require taking apart and refitting, this is charged extra, except in Overhaul and Enamelling jobs, when parts will be dissembled for cleaning and adjusting, etc., in any case.

We give below prices for Plating the parts most usually requiring Re-plating. We shall be glad to quote specially for any parts not mentioned.

### PRICES FOR NICKEL-PLATING BICYCLE PARTS.

| HANDLE BARS (complete)            |          | 7/6 to     | 10/6     | FRONT BRAKE (comple    | ete) | **    | 4/         | 6 to 6/6 |
|-----------------------------------|----------|------------|----------|------------------------|------|-------|------------|----------|
| HEAD CLIP and BOLT                | **       | December 1 | 1/9      | BRAKE LEVER only       |      |       | Georgia de | 2/-      |
| SEAT PILLARS                      |          | ** ***     | 2/6      | CHAIN WHEEL            |      | **    |            | 2/9      |
| SEAT PILLARS HANDLE-BAR BEND only |          |            | 6/6      | FORK CROWN only        |      |       |            | 3/6      |
| HANDLE-BAR STEMS only             |          |            | 2/6      | FORK TIPS, per pair    | //   |       |            | 2/9      |
| CRANK (Right Hand)                |          |            | 2/6      | PEDALS, per pair       |      |       |            | - 5/-    |
| CRANK (Left Hand)                 | 42       |            | 2/3      | LAMP BRACKET           |      |       |            | - 1/-    |
| Complete Set of usual             | Fittings | on Bicycle | (accordi | ng to number of parts) | H0H0 | £2 to | £2/10,     | /        |

The above does not include the Plating of either the Rims, Spokes or Hubs. To plate these the wheels have to be unbuilt, and as the Spokes can seldom be used again, the cost in time and material is prohibitive. usually polish the Hubs as well as possible, and enamel the Rims and Spokes if these are in a bad state.

WE ALSO REPLATE Motor Cycle Fittings, Motor Car Parts, Cruets, Trays, Spoons, Forks -- in fact, anything that can be plated. Send us your old articles, and we will make them equal to new. Best quality work only.



Second-hand Bicycles

Delivered FREIGHT PAID at

## Special Price of £4-18-6 each

LADY'S or GENT'S

Thoroughly overhauled and complete with Tool Bag, Tools, Oilcan. Pump and Clips, and Bell. Ready for riding. Mudguards fitted at extra cost of 7/6 per machine. Above is nett cash price—if required on terms the price is £6/8/6, with £1 deposit; balance £1 monthly.

URING a year we handle a large number of Second-hand Cycles, taking them as part-payment for new machines. These Second-hand Bicycles come to us in all sorts of conditions, some in good order and some in very had order,

Second-hand Bicycles are uscless to us, and we must turn them into cash. To do this quickly, we have them all thoroughly overhauled, frames enumelled where necessary, free-wheels fitted, and new tyres and tubes, etc., supplied where required, selling them at a special price, delivered Free to your nearest port or station anywhere in New Zealand.

We could, of course, supply you with a Second-hand Machine for less than £4/18/6, but we prefer to put the machines in a satisfactory running order, selling them at a price that will allow us to supply a machine that will give good service, and, although we cannot actually guarantees Second-hand Cycles, you can rest assured that any machines we sell in this way are perfectly safe and reliable so far as the frame and vital parts are concerned. If any prove otherwise, we will see that they are made good Free of Charge to you.

The Machines we are offering are equipped as follows:-

FRAME AND FORKS.—Thoroughly examined, and snamelled black unless in good condition. (We have frames in almost any site.)

WHEELS.—Truck up, and new spaces fitted where required.

FREE-WHIBELS.—All machines are fitted with Coaster Hubs and Brake. Chiefly with the Eadle Coaster Hub.

ORAIN.—This is overhanded, or new one fitted if needed.

ORAINES AND ROTTOM BRACKET.—These important parts are adjusted, new Bearings and Cotter Pine fitted where necessary.

PEDALS.—These are also overhauled, or new ones filled if required.
TERES.—New Tyres and Tubes are supplied, unless the old Tyres and Tubes are in first-rate order.



## The "DANDY" BOY'S BICYCLE



BRAKE—Strong pull-up Rim Brake, plated,
PEDALS—Rubber, Ball Bearing and Plated,
CHAIN—tin, x im. Best Quality,
FREE WHEEL—Best Quality, all steel, English made,
CHAIN WHEELS AND CRANKS—Best Quality all
steel plated, toughaned cranks,
SADDLE—Best Quality 3 coil.

This model is sold at a price considerably lower than the usual Juvenile Bicycles, yet is a Really Reliable Bicycle and suitable for Boys up to 12 years of age. They are specially suitable in cases where a boy wants something better than a Tricycle but does not require a full size Bicycle.

NOTE: This Model is not Sold on Terms.

### SPECIFICATION.

FRAME—Patent All-Steel Duplex Frame and Fork. Exceptionally strong, Enamelied Black, three coats, Eyed Bright Red, and Transferred.

HANDLE-BAR—Best Weldless Steel Tabe, plated and fitted with Black Celluloid Grips.
MUDGUARDS—Front and Rear, Steel, with strong riveted stays, with Bridges on rear to secure firmly to frame. Enamellod Black, three coats, lined Bright Red

mid Transfer,
WHEELS—Fitted with Best Ball Bearing Steel Hubs,
made from Selid Bar, plated, black centres, and fitted
with Flutchinsons 18in. x 1gin. Pneumatic Tyres.

These Tricycles are entirely different from the ordinary cheap Tricycles, and they run as easily and noiselessly as a bicycle, being equipped with accurately-made hardened ball bearings in both hubs and pedals. The high-grade English steel bicycle tubing combines lightness with strength.

## SPECIFICATION.

\* The rear axle and back arch bar are made sufficiently strong to carry an adult's weight.

Tangent spoked bicycle wheels.
Cushion rubber tyres of 1-inch diameter wired on with special non-rusting wire.

Comfortable and adjustable, drop coil saddle of bicycle design.

Adjustable Handle-bars beavily makelied over copper. Absolutely rustproof.

Frame finished in attractive colours of specially baked weather-

proof enamel, nicely striped. Will not chip.

Detachable forged cranks—easily obtainable should necessity demand

Nicely shaped rubber grips of bicycle design.

Mudguard of bicycle design, shaped to front wheel, fluished and striped

to match frame.

All axle ends fitted with special hub cap to prevent scratching furniture when ridden in house. They also add to the appearance of the machine. Steel rims enamelled to match frame.

Special ball bearing rubber pedals, long lasting and comfortable to the foot.



Wheel Diameter.
Front. Resr
16" 10" 4 to 6

This Scooter is exceptionally attractive, well made and easy-running,

SPECIFICATION.

It has Bieyele spoked wheels with Plain Bearings and 1" solid Rubber tyres wired on with special non-rusting wire (10" wheels).

The Head (the curved part connecting the Handle with the Running Board) is unusually strong. It is so shaped that it serves also as a Front Madguard. The other metal parts are of high-grade cold

rolled steel, and with enamel baked on. Lock nuts on holts and wanters prevent them shaking loose. The nicely shaped handle is of

The meety snaped handle is at hardwood,

The Running Board is painted a brilliant durable red, appealing to the children.

Fitted with stand, Fork and Stem are satia Nickel Finish.